


Range 30"

CPF30UGMX
Stainless steel
Dual-Fuel



Cooktop technical features

Cooking zones	4
Left - Gas - Dual ultra-rapid - 20000 BTU	
Rear-center - Gas - Semi-rapid - 8000 BTU	
Front-center - AUX - 4500 BTU	
Right - Gas - Ultra-rapid - 20000 BTU	
Automatic gas ignition	Yes
Gas safety valves	Yes

Aesthetic

Color	Stainless steel
-------	-----------------

General information

Range size	30"
Range type	Dual-Fuel

Programs / Functions

No. of cooking functions	9
--------------------------	---

Main oven options

Minimum Temperature	120 °F
Maximum temperature	500 °F

Main Oven Technical Features

Volume	0.13 cu. ft.
Cavity material	EverClean enamel
No. of shelves	4
Removable inner door	Yes
Total no. of door glasses	3
Soft Close system	Yes

Included accessories


Oven wire rack

1

Product dimension drawing

Electrical Connection


Circuit breaker	20 A
Voltage	240/208 V
Frequency	60 Hz



Logistic Information

Width	30 "
Depth	25 "
Height	36 "
Net weight	232 lbs

Product installation drawing



A	1220 mm	48 $\frac{1}{16}$ "
B	636 mm	25"
C ¹	216 mm	8 $\frac{1}{2}$ "
G ²	1220 mm	48 $\frac{1}{16}$ "
I ³	457 mm	18"
L ⁴	610 mm	24"
M ⁵	330 mm	13"
N	178 mm	7"

Accessories



GT91P

Partially extractable
telescopic guides
suitable for 90 cm
Master and Sinfonia
cookers

PALPZ

Pizza shovel with
fold away handle