

A1-9

Cooker size

N. of cavities with energy label

Cavity heat source

Hob type

Type of main oven

Cleaning system main oven

EAN code

Energy efficiency class

90x60 cm

1

ELECTRICITY

Gas

Thermo-ventilated

Catalytic

8017709229160

A+



Aesthetics







Aesthetic Series

Colour Stainless steel Fingerproof **Finishing** Design Professional

With 2 horizontal strips Door

Upstand Type of pan stands Cast Iron

Hob colour Stainless steel

Command panel finish Finger friendly stainless

steel

Classica

Opera

Control knobs **Smeg Classic** Controls colour

Display

Display languages

No. of controls

Serigraphy colour

Handle

Handle Colour

Glass type

Storage compartment

Logo

Logo position

Stainless steel CompactScreen

DA, DE, EN, ES, FR, IT, NL,

PL, PT, RU, SV

Black

Smeg Classic

Brushed stainless steel

Eclipse

Drawer

Assembled st/steel Facia below the oven

Programme / Functions

No. of cooking functions

10



Traditional cooking functions Static Fan assisted Circulaire Turbo Eco Small grill Large grill Fan grill (large) Base Fan assisted base **Cleaning functions** Vapor clean Catalytic Customizable recipes 10 **Automatic programs** 50 Other functions Defrost by time Defrost by weight Plate rack/warmer

Hob technical features

UR

Total no. of cook zones 6

Provina

Front left - Gas - 2UR (dual) - 4.20 kW

Rear left - Gas - Rapid - 3.00 kW

Front centre - Gas - AUX - 1.00 kW

Rear centre - Gas - Semi Rapid - 1.80 kW

Front right - Gas - Semi Rapid - 1.80 kW

Rear right - Gas - Rapid - 3.00 kW

Type of gas burners Standard Gas safety valves

Automatic electronic Yes Burner caps Matt black enamelled

Yes

Sabbath

ignition

Main Oven Technical Features



No. of lights 2 Total no. of door glasses 3 Fan number 3 No. of thermo-reflective 2

Net volume of the cavity 115 | door glasses

Gross volume, 1st cavity 129 | Safety Thermostat Yes

Cavity material Ever Clean engme! Heating suspended Yes

Cavity material Ever Clean enamel Heating suspended when door is opened

No. of shelves 5

Type of shelves Metal racks Cooling system Tangential Light type Halogen



Light Power 40 W

Cooking time setting Start and Stop

Light when oven door is Yes

open

Door opening Flap down

Removable door Yes

Full glass inner door Yes Removable inner door Yes

Usable cavity space 371x724x418 mm

dimensions (HxWxD)

Temperature control Electronic **Lower heating element** 1700 W

power

Upper heating element - 1200 W

Power

Grill elememt 1700 W Large grill - Power 2900 W Circular heating element 1500 W

- Power

Grill type Electric
Soft Close system Yes

Options Main Oven

Timer Yes Minimum Temperature 50 °C End of cooking acoustic Yes Maximum temperature 280 °C

alarm

Accessories included for Main Oven & Hob

\text{\delta}

Cast iron wok support 1 Grill mesh 1
Rack with back and side 1 Catalityc panels 3
stop Telescopic Guide rails, 1

20mm deep tray 1 partial Extraction 40mm deep tray 1

Electrical Connection


Plug Not present Installed electric cable Yes, Single phase

Electrical connection 3200 W Power supply cable 120 cm

rating length

Current 14 A Frequency 50/60 Hz Voltage 220-240 V Terminal block 3 poles







Not included accessories

AIRFRY9

Air fryer rack AIRFRY. Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.



SFLK1 Child lock

KITH95A1X

Height extension kit (950 mm), stainless steel, suitable for Opera A1 cookers



Partially extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.

PRTX

Refractary pizza stone with handles. D=35cm Not suitable for microwave ovens. Suitable for gas ovens, to be put on the griddle.



PPR9

GTP

Refractary pizza stone without handles. Squared shaped stone: L64xH2,3xP37,5 cm Suitable also for gas ovens, to be put on the griddle.



KIT2A1-9

Plinth, 90 cm, only frontal, stainless steel suitable for A1-9 Opera cooker



GRM

Coffee machine support

BBQ9





KIT1A1-9

Splashback, stainless steel, 90cm suitable for Opera A1-9 cookers



TPKX

Stainless steel teppanyaki plate, suitable for A1-9 Opera cooker



PALPZ

Pizza shovel with folding handle. Dimensions L31.5 x H32.5 cm. Easy and convenient to use and store. Perfect for serving pizza, bread and savory pastries in a safe and professional way.



GTT

Totally extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



SMOLD

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C



Symbols glossary (TT)



Triple Fan Technology: The oven is equipped with an exclusive three fan system, which, combined with the increased power of the motors, enables excellent cooking performance. The two large side fans distribute the air around the outer perimeter of the cavity while the smaller central fan increases ventilation by creating a vertical vortex of heat. Accordingly, the temperature within the cavity is uniform, allowing food to be cooked evenly on all five levels, like in professional kitchens.



Heavy duty cast iron pan stands: for maximum stability and strength.



A+: Energy efficiency class A+ helps to save up to 10% energy compared to class A. Maximum performance with minimum consumption is quaranteed.



Catalytic cleaning: the system ensures perfect hygiene inside the oven thanks to the three selfcleaning panels coated with a special enamel that promotes the progessive elimination of traces of grease and odors caused by cooking.



Air cooling system: to ensure a safe surface temperatures.



Defrost by time: Manual defrost function. At the end of the set duration, the function stops.



Defrost by weight: Automatic defrost function. You choose the type of food to defrost from the available categories (MEAT - FISH - BREAD - DESSERTS) After entering the weight of the food, the oven automatically defines the time required for proper defrosting.



Triple glazed doors: Number of glazed doors.



Ever Clean Enamel: Ever Clean enamel is applied electrostatically, corner to corner and edge to edge to prevent cracking or cracks over time. It is a particular pyrolytic enamel, resistant to acids which, in addition to being pleasantly bright, promotes greater cleaning of the oven walls, thanks to its lower porosity. It is baked at over 850 °C and slowly polymerized at a scientifically determined rate to ensure uniform depth and strength Ever Clean enamel creates an impeccable finish both on the inside of the oven and on the trays, making the surfaces of the oven incredibly easy to maintain over time as it reduces the adhesion of fat during cooking



Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new.



Fan assisted base: the mix of fan and lower heating element alone allows to finish cooking foods already cooked on the surface but not internally more quickly. This system is recommended to finish cooking foods that are already well cooked on the surface, but not internally, which therefore require a moderate higher heat. Ideal for any type of food.



Fan assisted: Intense and homogeneous traditional cooking, also suitable for complex recipes. The fan is active and the heat comes from below and from above at the same time. Ventilated cooking ensures a faster and more homogeneous result, leaving fragrant foods outside and moister inside. Ideal for baked pasta, biscuits, roasts and cobblers.



	Static: Traditional cooking suitable for the preparation of one dish at a time. The fan is not active and the heat comes from below and from above at the same time. Static cooking is slower and more delicate, ideal in order to get well cooked and dry dishes even inside. Ideal for cooking all types of roasts, fatty meats, bread, filled cakes.		Base: the heat comes only from the bottom of the cavity. The fan is not active. Ideal for sweet and savory pies, cobblers and pizzas. Designed to complete cooking and make food more crunchy This symbol in gas ovens indicates the gas burner.
8	Circulaire: it is the perfect function for cooking all types of dishes in a more delicate way. The heat comes from the back of the oven and is distributed quickly and evenly The fan is active. It is also ideal for cooking on multiple levels without mixing smells and flavors.	ECO	ECO: low energy consumption cooking: this function is particularly suitable for cooking on a single shelf with low energy consumption. It is recommended for all types of food except those that can generate a lot of moisture (for example vegetables). To achieve maximum energy savings and reduce time, it is recommended to put the food in the oven without preheating the cooking compartment
	Grill: Very intense heat coming only from above from a double heating element. The fan is not active. Provides excellent grilling and gratinating results. Used at the end of cooking, it gives a uniform browning to dishes.	***	Half grill: For rapid cooking and browning of foods. Best results can be obtained by using the top shelf for small items, the lower shelves for larger ones, such as chops or sausages. For half grill heat is generated only at the centre of the element, so is ideal for smaller quantities.
	Fan grill: very intense heat coming only from above from a double heating element The fan is active. It allows the optimal grilling of thickest meats. Ideal for large cuts of meat.	®	Turbo: the heat comes from 3 directions: above, below and from the back of the oven The fan is active. It allows quick cooking, even on several shelves without mixing the aromas. Ideal for large volumes or foods that require intense cooking.
	All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.		The inner door glass: can be removed with a few quick movements for cleaning.
Ŷ	Side lights: Two opposing side lights increase visibility inside the oven.		Automatic opening: some models have Automatic opening door when the cycle is finished which is a perfect solution for handle-less kitchen units as no handle is needed. For safety reasons, the door locks automatically when the machine is in use to avoid it being opened inadvertently.
	Plate rack warming: function for heating or keeping dishes warm. Place the baking tray on the lowest shelf and stack the dishes to be heated.		Air at 40°C provides the perfect environment for proving yeast type dough mixes. Simply select the function and place dough in the cavity for allotted
i	SABBATH: function that allows to cook food respecting Judaism's day of rest provisions.	.5	The oven cavity has 5 different cooking levels.
	Soft close: all models are equipped with advanced function of smooth closing of the door, which allows the device to close smoothly and quietly.		Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.





Electronic control: Allows you to maintain temperature inside the oven with the precision 2-3 °C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.




Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.



Vapor Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.



The capacity indicates the amount of usable space in the oven cavity in litres.





Benefit (TT)

True-convection

The best cooking performances guaranteed by ventilated circular flow

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

Gas hob

Induction offers fast cooking and precise temperature control

Equipped with a thermocouple, the gas supply is cut off if the flame is extinguished for greater safety.

Catalysis

Easy oven cleaning through the use of catalytic panels in the cavity

This permanent process allows continuous cleaning and degreasing of the three cavity walls, starting its grease oxidation phase when the oven reaches 200°C.

Isothermic Cavity

The best cooking performance at the highest energy efficiency

Triple Turbine

The oven has three fans and two circular heating elements, allowing cooking with rotating heat

Tangential cooling

New cooling system with tangential fan and airflow from the door to the splashback

Soft close

The door is equipped with a specific system for silent closing

LCD display

Easy and intuitive user-experience and cook with a simple touch

Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

Electronic control

Electronic control for timely temperature management and heat uniformity

Telescopic guides

Easy extraction and safe insertion of trays into the oven thanks to telescopic guides



Adjustable height

Cooker top flushed with the working area thanks to adjustable feet

Sabbath mode

Possibility of cooking food in compliance with the provisions of the Jewish religious holiday of rest, thanks to Sabbath mode

Removalble inner glass

Internal door glasses are easily removable for complete cleaning

Multilevel cooking

Several cooking levels allow maximum flexibility of use

Cold door

During any function, the external door glass is cold, avoiding any risk of burns

AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket (optional accessory)

Drawer storage compartment

More space thanks to the lower drawer compartment, ideal for storing accessories or cooking utensils

BBQ (optional accessory)

Barbeque cooking directly in the oven with the double-sided grill (BBQ optional accessory)

Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)