

# A1-9

Cooker size

N. of cavities with energy label

Cavity heat source

Hob type

Type of main oven

Cleaning system main oven

EAN code

**Energy efficiency class** 

90x60 cm

1

**ELECTRICITY** 

Gas

Thermo-ventilated

Catalytic

8017709229160

A+



### **Aesthetics**









Aesthetic Series

Design Professional
Colour Stainless steel
Finishing Fingerproof

Command panel finish Finger friendly stainless

steel

Classica

Opera

LogoAssembled st/steelLogo positionFacia below the oven

**Upstand** Yes

Hob colourStainless steelType of pan standsCast IronType of control settingControl knobs

hob

Type of control knobs Smeg Classic
Controls colour Stainless steel

No. of controls 8
Serigraphy colour Black

Display name CompactScreen

Display languages DA, DE, EN, ES, FR, IT, NL,

PL, PT, RU, SV

**Door** With 2 horizontal strips

Glass type Eclipse
Handle Smeg Classic

Handle Colour Brushed stainless steel

Storage compartment Drawer

# Programs / Functions main oven


No. of cooking functions

10



Light type

# Traditional cooking functions Static Fan assisted Circulaire Turbo Eco Small grill Large grill Fan grill (large) Base Fan assisted base Other functions Defrost by time Defrost by weight Plate rack/warmer Proving Sabbath **Cleaning functions** Catalytic Vapor clean Customizable recipes 10 50 **Automatic programs** Hob technical features UR Total no. of cook zones 6 Front left - Gas - 2UR (dual) - 4.20 kW Rear left - Gas - Rapid - 3.00 kW Front centre - Gas - AUX - 1.00 kW Rear centre - Gas - Semi Rapid - 1.80 kW Front right - Gas - Semi Rapid - 1.80 kW Rear right - Gas - Rapid - 3.00 kW Type of gas burners Standard Gas safety valves Yes Automatic electronic Burner caps Matt black enamelled Yes ignition Main Oven Technical Features No. of lights 2 Total no. of door glasses 3



Halogen



**Light Power** 40 W

Cooking time setting Start and Stop

Light when oven door is Yes

open

Door opening Flap down

Removable door Yes

Full glass inner door Yes Removable inner door Yes Usable cavity space 371x724x418 mm

dimensions (HxWxD)

Temperature control Electronic Lower heating element 1700 W

power

Upper heating element - 1200 W

Power

Grill elememt 1700 W 2900 W Large grill - Power Circular heating element 1500 W

- Power

Grill type Electric Soft Close system Yes

# **Options Main Oven**

Timer Yes Minimum Temperature 50 °C End of cooking acoustic Yes Maximum temperature 280 °C

alarm

### Accessories included for Main Oven & Hob

Cast iron wok support Grill mesh Rack with back and side 1 3 Catalityc panels stop Telescopic Guide rails, 1

partial Extraction 20mm deep tray 1 40mm deep tray

1

### **Electrical Connection**


Plug Not present Electric cable Installed, Single phase

**Electrical connection** 3200 W Power supply cable 120 cm

rating length

Current 14 A Frequency 50/60 Hz Voltage 220-240 V Terminal block 3 poles








# **Compatible Accessories**

### AIRFRY9

Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.



#### **BN920**

Enamelled tray 90cm cavity, 20mm deep

# **GRM**

Coffee machine support

# **GTT**

Totally extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.

## BBQ9

teflon-coated aluminum grid for 90 cm cavity

#### **BN940**

Enamelled tray 90 cm, 40 mm deep

#### **GTP**

Partially extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.

#### **KIT1A1-9**

Splashback, stainless steel, 90cm suitable for Opera A1-9 cookers

## KIT2A1-9

Plinth, 90 cm, only frontal, stainless steel suitable for A1-9 Opera cooker

### **PALPZ**

Pizza shovel with folding handle. Dimensions L31.5 x H32.5 cm. Easy and convenient to use and store. Perfect for serving pizza, bread and savory pastries in a safe and professional way.

### SFLK1

Child lock



### KITH95A1X

Height extension kit (950 mm), stainless steel, suitable for Opera A1 cookers

### PPR9

Refractary pizza stone without handles. Squared shaped stone: L64xH2,3xP37,5 cm Suitable also for gas ovens, to be put on the griddle.

### **SMOLD**

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C







### **TPKX**

Stainless steel teppanyaki plate, suitable for A1-9 Opera cooker



# Symbols glossary



Triple Fan Technology: The oven is equipped with an exclusive three fan system, which, combined with the increased power of the motors, enables excellent cooking performance. The two large side fans distribute the air around the outer perimeter of the cavity while the smaller central fan increases ventilation by creating a vertical vortex of heat. Accordingly, the temperature within the cavity is uniform, allowing food to be cooked evenly on all five levels, like in professional kitchens.



Heavy duty cast iron pan stands: for maximum stability and strength.



A+: Energy efficiency class A+ helps to save up to 10% energy compared to class A. Maximum performance with minimum consumption is quaranteed.



Catalytic cleaning: the system ensures perfect hygiene inside the oven thanks to the three selfcleaning panels coated with a special enamel that promotes the progessive elimination of traces of grease and odors caused by cooking.



Installation in column: Installation in column



Air cooling system: to ensure a safe surface temperatures.



Defrost by time: Manual defrost function. At the end of the set duration, the function stops.



Defrost by weight: Automatic defrost function. You choose the type of food to defrost from the available categories (MEAT - FISH - BREAD - DESSERTS) After entering the weight of the food, the oven automatically defines the time required for proper defrosting.



Triple glazed doors: Number of glazed doors.



Ever Clean Enamel: Ever Clean enamel is applied electrostatically, corner to corner and edge to edge to prevent cracking or cracks over time. It is a particular pyrolytic enamel, resistant to acids which, in addition to being pleasantly bright, promotes greater cleaning of the oven walls, thanks to its lower porosity. It is baked at over 850 °C and slowly polymerized at a scientifically determined rate to ensure uniform depth and strength Ever Clean enamel creates an impeccable finish both on the inside of the oven and on the trays, making the surfaces of the oven incredibly easy to maintain over time as it reduces the adhesion of fat during cooking



Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new.



Fan assisted base: the mix of fan and lower heating element alone allows to finish cooking foods already cooked on the surface but not internally more quickly. This system is recommended to finish cooking foods that are already well cooked on the surface, but not internally, which therefore require a moderate higher heat. Ideal for any type of food.



.5

The oven cavity has 5 different cooking levels.

<b>&amp;</b>	Fan assisted: Intense and homogeneous traditional cooking, also suitable for complex recipes. The fan is active and the heat comes from below and from above at the same time. Ventilated cooking ensures a faster and more homogeneous result, leaving fragrant foods outside and moister inside. Ideal for baked pasta, biscuits, roasts and cobblers.		Static: Traditional cooking suitable for the preparation of one dish at a time. The fan is not active and the heat comes from below and from above at the same time. Static cooking is slower and more delicate, ideal in order to get well cooked and dry dishes even inside. Ideal for cooking all types of roasts, fatty meats, bread, filled cakes.
$\bigcup$	Base: the heat comes only from the bottom of the cavity. The fan is not active. Ideal for sweet and savory pies, cobblers and pizzas. Designed to complete cooking and make food more crunchy This symbol in gas ovens indicates the gas burner.	8	Circulaire: it is the perfect function for cooking all types of dishes in a more delicate way. The heat comes from the back of the oven and is distributed quickly and evenly The fan is active. It is also ideal for cooking on multiple levels without mixing smells and flavors.
ECO	ECO: low energy consumption cooking: this function is particularly suitable for cooking on a single shelf with low energy consumption. It is recommended for all types of food except those that can generate a lot of moisture (for example vegetables). To achieve maximum energy savings and reduce time, it is recommended to put the food in the oven without preheating the cooking compartment		Grill: Very intense heat coming only from above from a double heating element. The fan is not active. Provides excellent grilling and gratinating results. Used at the end of cooking, it gives a uniform browning to dishes.
***	Half grill: For rapid cooking and browning of foods. Best results can be obtained by using the top shelf for small items, the lower shelves for larger ones, such as chops or sausages. For half grill heat is generated only at the centre of the element, so is ideal for smaller quantities.	<b>₹</b>	Fan grill: very intense heat coming only from above from a double heating element The fan is active. It allows the optimal grilling of thickest meats. Ideal for large cuts of meat.
<b>®</b>	Turbo: the heat comes from 3 directions: above, below and from the back of the oven The fan is active. It allows quick cooking, even on several shelves without mixing the aromas. Ideal for large volumes or foods that require intense cooking.	旦	All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.
	The inner door glass: can be removed with a few quick movements for cleaning.	Ö	Side lights: Two opposing side lights increase visibility inside the oven.
	Automatic opening: some models have Automatic opening door when the cycle is finished which is a perfect solution for handle-less kitchen units as no handle is needed. For safety reasons, the door locks automatically when the machine is in use to avoid it being opened inadvertently.	IIIIII	Plate rack warming: function for heating or keeping dishes warm. Place the baking tray on the lowest shelf and stack the dishes to be heated.
	Air at 40°C provides the perfect environment for proving yeast type dough mixes. Simply select the function and place dough in the cavity for allotted	i	SABBATH: function that allows to cook food respecting Judaism's day of rest provisions.

SMEG SPA 7/9/2025

quietly.

Soft close: all models are equipped with

advanced function of smooth closing of the door, which allows the device to close smoothly and





Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.



Electronic control: Allows you to maintain temperature inside the oven with the precision 2-3 °C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.



Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.



Vapor Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.



The capacity indicates the amount of usable space in the oven cavity in litres.



With a simple and intuitive interface, the COMPACT screen provides a pleasant user experience, thanks to the interaction with the knobs.



Knobs control



# Benefit (TT)

#### Gas hob

Gas provides permanent control of the heat source and the temperature change is immediate

Equipped with a thermocouple, the gas supply is cut off if the flame is extinguished for greater safety.

#### Catalysis

Easy oven cleaning through the use of catalytic panels in the cavity

This permanent process allows continuous cleaning and degreasing of the three cavity walls, starting its grease oxidation phase when the oven reaches 200 °C.

### LCD display

Easy and intuitive user-experience and cook with a simple touch

### Drawer storage compartment

More space thanks to the lower drawer compartment, ideal for storing accessories or cooking utensils

#### True-convection

The best cooking performances guaranteed by ventilated circular flow

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

### Multilevel cooking

Several cooking levels allow maximum flexibility of use

### Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

### Removalble inner glass

Internal door glasses are easily removable for complete cleaning

### Tangential cooling

New cooling system with tangential fan and airflow from the door to the splashback

### **Electronic control**

Electronic control for timely temperature management and heat uniformity

### Telescopic guides

Easy extraction and safe insertion of trays into the oven thanks to telescopic guides



### Adjustable height

Cooker top flushed with the working area thanks to adjustable feet

### **Isothermic Cavity**

The best cooking performance at the highest energy efficiency

### Cold door

During any function, the external door glass is cold, avoiding any risk of burns

### AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket (optional accessory)

### BBQ (optional accessory)

Barbecue cooking directly in the oven with the double-sided grill (BBQ optional accessory)

### Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)

#### Soft close

The door is equipped with a specific system for silent closing

### **Triple Turbine**

The oven has three fans and two circular heating elements, allowing cooking with rotating heat

### Sabbath mode

Possibility of cooking food in compliance with the provisions of the Jewish religious holiday of rest, thanks to Sabbath mode