

## A11XPY-9

Cooker size N. of cavities with energy label Cavity heat source Hob type Type of main oven Cleaning system main oven EAN code 90x60 cm 1 ELECTRICITY Gas Thermo-ventilated Pyrolitic 8017709272470



### Aesthetics

| COMPACT<br>Screen              |                      |
|--------------------------------|----------------------|
| Aesthetic                      | Classica             |
| Series                         | Opera                |
| Design                         | Professio            |
| Colour                         | Stainless            |
| Finishing                      | Fingerpro            |
| Command panel finish           | Finger frie<br>steel |
| Logo                           | Assemble             |
| Logo position                  | Facia bel            |
| Upstand                        | Yes                  |
| Hob colour                     | Stainless            |
| Type of pan stands             | Cast Iron            |
| Type of control setting<br>hob | Control kı           |

Classica Opera Professional Stainless steel Fingerproof Finger friendly stainless steel Assembled st/steel Facia below the oven Yes Stainless steel Cast Iron Control knobs Type of control knobs Controls colour No. of controls Serigraphy colour Display name Display languages

Door Glass type Handle Handle Colour Storage compartment Smeg Classic Stainless steel 8 Black CompactScreen DA, DE, EN, ES, FR, IT, NL, PL, PT, RU, SV With 2 horizontal strips Eclipse Smeg Classic Brushed stainless steel Drawer


### **Programme / Functions**

No. of cooking functions



| Traditional cooking functions         |                   |                     |  |  |
|---------------------------------------|-------------------|---------------------|--|--|
| Static                                | Ean assisted      | Circulaire          |  |  |
| ECO Eco                               | Small grill       | Large grill         |  |  |
| Fan grill (large)                     | Base              | 🛞 Fan assisted base |  |  |
| () Circulaire + base                  |                   |                     |  |  |
|                                       |                   |                     |  |  |
| Cleaning functions                    |                   |                     |  |  |
| Vapor clean                           |                   |                     |  |  |
| Customizable recipes                  | 10                |                     |  |  |
| Automatic programs<br>Other functions | 50                |                     |  |  |
| Defrost by time                       | Defrost by weight | Plate rack/warmer   |  |  |
| Proving                               | Sabbath           |                     |  |  |

### Hob technical features



### **Main Oven Technical Features**

| *** I151t 🧾 5            |                   |                           |            |
|--------------------------|-------------------|---------------------------|------------|
| No. of lights            | 2                 | Total no. of door glasses | 3          |
| Fan number               | 3                 | No.of thermo-reflective   | 2          |
| Net volume of the cavity | 115               | door glasses              |            |
| Gross volume, 1st cavity | 126 l             | Safety Thermostat         | Yes        |
| Cavity material          | Ever Clean enamel | Heating suspended         | Yes        |
| No. of shelves           | 5                 | when door is opened       |            |
| Type of shelves          | Metal racks       | Cooling system            | Tangential |
| Light type               | Halogen           |                           | -          |
|                          |                   |                           |            |



| Light Power<br>Cooking time setting                     | 40 W<br>Start and Stop  | Usable cavity space<br>dimensions (HxWxD)        | 371x724x418 mm         |
|---|-------------------------|--|------------------------|
| Light when oven door is open                            |                         | Temperature control<br>Lower heating element     | Electronic<br>1700 W   |
| Door opening<br>Removable door<br>Full glass inner door | Flap down<br>Yes<br>Yes | power<br>Upper heating element -<br>Power        | 1200 W                 |
| Removable inner door                                    | Yes                     | Grill elememt<br>Large grill - Power             | 1700 W<br>2900 W       |
|   |                         | Circular heating element<br>- Power              | 1500 W                 |
|   |                         | Grill type<br>Tilting grill<br>Soft Close system | Electric<br>Yes<br>Yes |

### **Options Main Oven**

| Timer                            | Yes | Minimum Temperature | 50 °C  |
|----------------------------------|-----|---------------------|--------|
| End of cooking acoustic<br>alarm | Yes | Maximum temperature | 250 °C |


## Accessories included for Main Oven & Hob

| Cast iron wok support   | 1 | 40mm deep tray          | 1 |
|-------------------------|---|-------------------------|---|
| Rack with back and side | 1 | Grill mesh              | 1 |
| stop                    |   | Telescopic Guide rails, | 1 |
| 20mm deep tray          | 1 | partial Extraction      |   |

### **Electrical Connection**

| Plug                         | (I) Australia | Electric cable               | Installed, Single phase |
|------------------------------|---------------|------------------------------|-------------------------|
| Electrical connection rating | 4000 W        | Power supply cable<br>length | 120 cm                  |
| Current                      | 18 A          | Additional connection        | Double and Three Phase  |
| Voltage                      | 220-240 V     | modalities                   |                         |
| Voltage 2 (V)                | 380-415 V     | Frequency                    | 50/60 Hz                |
| 3 ( )                        |               | Terminal block               | 3 poles                 |







### Not included accessories

#### AIRFRY9

Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.

#### KITH95A1X

Height extension kit (950 mm), stainless steel, suitable for Opera A1 cookers

#### PRTX

Refractary pizza stone with handles. D=35cm Not suitable for microwave ovens. Suitable for gas ovens, to be put on the griddle.

Refractary pizza stone without handles. Squared shaped stone: L64xH2,3xP37,5 cm Suitable also for gas ovens, to be put on the griddle.



GRM

Coffee machine support



### тркх

Stainless steel teppanyaki plate, suitable for A1-9 Opera cooker

#### GTT



Totally extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



SFLK1 Child lock

#### GTP

Partially extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



## KIT1A1PY-9

Splashback, stainless steel, 90cm, suitable for pyrolytic Opera A1-9 cookers

#### **KIT2A1-9**

Plinth, 90 cm, only frontal, stainless steel suitable for A1-9 Opera cooker

BBQ9



#### PALPZ

Pizza shovel with folding handle. Dimensions L31.5 x H32.5 cm. Easy and convenient to use and store. Perfect for serving pizza, bread and savory pastries in a safe and professional way.

#### SMOLD

Set of 7 silicone moulds for ice creams. ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C





#### PPR9





### Symbols glossary (TT)

Triple Fan Technology: The oven is equipped with an exclusive three fan system, which, combined with the increased power of the motors, enables excellent cooking performance. The two large side fans distribute the air around the outer perimeter of the cavity while the smaller central fan increases ventilation by creating a vertical vortex of heat. Accordingly, the temperature within the cavity is uniform, allowing food to be cooked evenly on all five levels, like in professional kitchens.



Defrost by time: Manual defrost function. At the end of the set duration, the function stops.

Installation in column: Installation in column



Triple glazed doors: Number of glazed doors.

| 1 | a   | ь | 1 | L |
|---|-----|---|---|---|
|   | 82  | C | Ł | L |
|   | -12 | P | 5 | L |

Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new.



Fan assisted: Intense and homogeneous traditional cooking, also suitable for complex recipes. The fan is active and the heat comes from below and from above at the same time. Ventilated cooking ensures a faster and more homogeneous result, leaving fragrant foods outside and moister inside. Ideal for baked pasta, biscuits, roasts and cobblers. Heavy duty cast iron pan stands: for maximum stability and strength.



Air cooling system: to ensure a safe surface temperatures.

- Defrost by weight: Automatic defrost function. You choose the type of food to defrost from the available categories (MEAT - FISH - BREAD -DESSERTS) After entering the weight of the food, the oven automatically defines the time required for proper defrosting.
- Ever Clean Enamel: Ever Clean enamel is applied electrostatically, corner to corner and edge to edge to prevent cracking or cracks over time. It is a particular pyrolytic enamel, resistant to acids which, in addition to being pleasantly bright, promotes greater cleaning of the oven walls, thanks to its lower porosity. It is baked at over 850 ° C and slowly polymerized at a scientifically determined rate to ensure uniform depth and strength Ever Clean enamel creates an impeccable finish both on the inside of the oven and on the trays, making the surfaces of the oven incredibly easy to maintain over time as it reduces the adhesion of fat during cooking
- EX Fan assisted base: the mix of fan and lower heating element alone allows to finish cooking foods already cooked on the surface but not internally more quickly. This system is recommended to finish cooking foods that are already well cooked on the surface, but not internally, which therefore require a moderate higher heat. Ideal for any type of food.

Static: Traditional cooking suitable for the preparation of one dish at a time. The fan is not active and the heat comes from below and from above at the same time. Static cooking is slower and more delicate, ideal in order to get well cooked and dry dishes even inside. Ideal for cooking all types of roasts, fatty meats, bread, filled cakes.

# •se•smeg

|              | Base: the heat comes only from the bottom of the<br>cavity. The fan is not active. Ideal for sweet and<br>savory pies, cobblers and pizzas. Designed to<br>complete cooking and make food more crunchy<br>This symbol in gas ovens indicates the gas<br>burner.   | ()  | Circulaire with lower element: The addition of the<br>lower element adds extra heat at the base for<br>food which requires extra cooking.   |
|--------------|---|-----|---|
| <b>®</b>     | Circulaire: it is the perfect function for cooking all<br>types of dishes in a more delicate way. The heat<br>comes from the back of the oven and is<br>distributed quickly and evenly The fan is active. It<br>is also ideal for cooking on multiple levels without<br>mixing smells and flavors.  | ECO | ECO: low energy consumption cooking: this<br>function is particularly suitable for cooking on a<br>single shelf with low energy consumption. It is<br>recommended for all types of food except those<br>that can generate a lot of moisture (for example<br>vegetables). To achieve maximum energy<br>savings and reduce time, it is recommended to<br>put the food in the oven without preheating the<br>cooking compartment |
| $\widehat{}$ | Grill: Very intense heat coming only from above<br>from a double heating element. The fan is not<br>active. Provides excellent grilling and gratinating<br>results. Used at the end of cooking, it gives a<br>uniform browning to dishes.   | *** | Half grill: For rapid cooking and browning of<br>foods. Best results can be obtained by using the<br>top shelf for small items, the lower shelves for<br>larger ones, such as chops or sausages. For half<br>grill heat is generated only at the centre of the<br>element, so is ideal for smaller quantities.  |
| (??<br>(??   | Fan grill: very intense heat coming only from<br>above from a double heating element The fan is<br>active. It allows the optimal grilling of thickest<br>meats. Ideal for large cuts of meat.   | Ŵ   | Gas ovens offer instantaneous heat control,<br>reduced cooking times and the ability to bake at<br>much lower temperatures than electric ovens.   |
| 良            | All glass inner door: All glass inner door, a single<br>flat surface which is simple to keep clean.   | J   | The inner door glass: can be removed with a few quick movements for cleaning.   |
| ŝ.           | Side lights: Two opposing side lights increase visibility inside the oven.  |     | Automatic opening: some models have<br>Automatic opening door when the cycle is<br>finished which is a perfect solution for handle-less<br>kitchen units as no handle is needed. For safety<br>reasons, the door locks automatically when the<br>machine is in use to avoid it being opened<br>inadvertently.   |
| P            | PYROLYSIS - AUTOMATIC CLEANING<br>FUNCTION: the oven heats up to a temperature<br>approaching 500 ° C and chars grease and food<br>residues into a fine ash that can be easily wiped<br>off with a damp cloth. At such a high<br>temperature, the door locks automatically for<br>safety, while the temperature of the door remains<br>controlled so it is safe to touch User adjustable<br>function based on the level of dirt present in the<br>oven. |     | Plate rack warming: function for heating or<br>keeping dishes warm. Place the baking tray on<br>the lowest shelf and stack the dishes to be<br>heated.  |
| Ë            | Air at 40°C provides the perfect environment for<br>proving yeast type dough mixes. Simply select<br>the function and place dough in the cavity for<br>allotted   | i   | SABBATH: function that allows to cook food respecting Judaism's day of rest provisions.   |



knobs.

| <u>.5</u>         | The oven cavity has 5 different cooking levels.   | D     | Soft close: all models are equipped with<br>advanced function of smooth closing of the door,<br>which allows the device to close smoothly and<br>quietly.   |
|-------------------|---|-------|---|
|                   | Telescopic rails: allow you to pull out the dish and<br>check it without having to remove it from the oven<br>entirely.                           | ŝ     | Electronic control: Allows you to maintain<br>temperature inside the oven with the precision 2-<br>3 ° C. This enables to cook meals that are very<br>sensitive to temperature changes, such as cakes,<br>souffles, puddings. |
|                   | Tilting grill: the tilting grill can be easily unhooked<br>to move the heating element and clean the roof of<br>the appliance in one simple step. | UR    | Ultra rapid burners: Powerful ultra rapid burners<br>offer up to 5kw of power.  |
| V                 | Vapor Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.  | 115 R | The capacity indicates the amount of usable space in the oven cavity in litres.   |
| COMPACT<br>screen | With a simple and intuitive interface, the<br>COMPACTscreen provides a pleasant user<br>experience, thanks to the interaction with the            | 0     | Knobs control   |



### Benefit (TT)

#### **True-convection**

The best cooking performances guaranteed by ventilated circular flow

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

#### Gas hob

Gas provides permanent control of the heat source and the temperature change is immediate

Equipped with a thermocouple, the gas supply is cut off if the flame is extinguished for greater safety.

#### **Isothermic Cavity**

The best cooking performance at the highest energy efficiency

#### **Triple Turbine**

The oven has three fans and two circular heating elements, allowing cooking with rotating heat

#### **Tangential cooling**

New cooling system with tangential fan and airflow from the door to the splashback

#### Soft close

The door is equipped with a specific system for silent closing

#### **Pyrolysis**

Easy oven cleaning thanks to special pyrolytic function

#### LCD display

Easy and intuitive user-experience and cook with a simple touch

#### Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

#### **Electronic control**

Electronic control for timely temperature management and heat uniformity

#### **Telescopic guides**

Easy extraction and safe insertion of trays into the oven thanks to telescopic guides

#### Adjustable height

Cooker top flushed with the working area thanks to adjustable feet



#### Sabbath mode

Possibility of cooking food in compliance with the provisions of the Jewish religious holiday of rest, thanks to Sabbath mode

#### **Removalble inner glass**

Internal door glasses are easily removable for complete cleaning

#### Multilevel cooking

Several cooking levels allow maximum flexibility of use

#### Cold door

During any function, the external door glass is cold, avoiding any risk of burns

#### AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket (optional accessory)

#### Drawer storage compartment

More space thanks to the lower drawer compartment, ideal for storing accessories or cooking utensils

#### BBQ (optional accessory)

Barbeque cooking directly in the oven with the double-sided grill (BBQ optional accessory)

#### Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)