

A1PYID-9

| | |
|----------------------------------|-------------------|
| Cooker size | 90x60 cm |
| N. of cavities with energy label | 1 |
| Cavity heat source | ELECTRICITY |
| Hob type | Induction |
| Type of main oven | Thermo-ventilated |
| Cleaning system main oven | Pyrolitic |
| EAN code | 8017709243692 |
| Energy efficiency class | A+ |



Aesthetics



| | | | |
|------------------------------------|---------------------------------|----------------------------|--|
| Design | Professional | Controls colour | Stainless steel |
| Command panel finish | Finger friendly stainless steel | No. of controls | 8 |
| Aesthetic | Classica | Serigraphy colour | Black |
| Logo | Assembled st/steel | Display name | CompactScreen |
| Colour | Stainless steel | Display languages | DA, DE, EN, ES, FR, IT, NL, PL, PT, RU, SV |
| Logo position | Facia below the oven | Door | With 2 horizontal strips |
| Finishing | Fingerproof | Glass type | Eclipse |
| Upstand | Yes | Handle | Smeg Classic |
| Series | Opera | Handle Colour | Brushed stainless steel |
| Hob colour | Stainless steel | Storage compartment | Drawer |
| Type of control setting hob | Control knobs | Sliding compartment | Yes |
| Type of control knobs | Smeg Classic | | |

Programs / Functions main oven

| | |
|--------------------------|----|
| No. of cooking functions | 11 |
|--------------------------|----|

Traditional cooking functions

| | | |
|-------------------|-------------------|-------------|
| Static | Fan assisted | Circulaire |
| Turbo | Eco | Small grill |
| Large grill | Fan grill (large) | Base |
| Fan assisted base | Circulaire + base | |

Other functions

| | | |
|-----------------|-------------------|-------------------|
| Defrost by time | Defrost by weight | Plate rack/warmer |
| Proving | Sabbath | |

Cleaning functions

| | |
|-----------|---------------|
| Pyrolytic | Pyrolytic eco |
|-----------|---------------|

| | |
|----------------------|----|
| Customizable recipes | 10 |
| Automatic programs | 50 |

Hob technical features



Total no. of cook zones 5

- Front left - Induction - single - 1.40 kW - Booster 2.20 kW - Ø 14.5 cm
- Rear left - Induction - single - 1.85 kW - Booster 3.00 kW - Ø 18.0 cm
- Central - Induction - single - 2.60 kW - Booster 3.70 kW - Ø 27.0 cm
- Rear right - Induction - single - 2.30 kW - Booster 3.70 kW - Ø 21.0 cm
- Front right - Induction - single - 1.40 kW - Booster 2.20 kW - Ø 14.5 cm

| | | | |
|------------------------------------|-----|-------------------------|-----|
| Automatic switch off when overheat | Yes | Selected zone indicator | Yes |
| Minimum pan diameter indication | Yes | Residual heat indicator | Yes |

Main Oven Technical Features



| | | | |
|--------------------------|-------------------|--|----------------|
| No. of lights | 4 | Removable inner door | Yes |
| Fan number | 3 | Total no. of door glasses | 4 |
| Net volume of the cavity | 115 l | No. of thermo-reflective door glasses | 1 |
| Gross volume, 1st cavity | 129 l | Safety Thermostat | Yes |
| Cavity material | Ever Clean enamel | Cooling system | Tangential |
| No. of shelves | 5 | Usable cavity space dimensions (HxWxD) | 371x724x418 mm |
| Type of shelves | Metal racks | | |
| Light type | Halogen | | |

| | | | |
|-------------------------------------|----------------|---|------------|
| Light Power | 40 W | Temperature control | Electronic |
| Cooking time setting | Start and Stop | Lower heating element power | 1700 W |
| Light when oven door is open | Yes | Upper heating element - Power | 1200 W |
| Door opening | Flap down | Grill element | 1700 W |
| Removable door | Yes | Large grill - Power | 2900 W |
| Full glass inner door | Yes | Circular heating element - Power | 1500 W |
| | | Grill type | Electric |
| | | Soft Close system | Yes |

Options Main Oven

| | | | |
|--------------------------------------|-----|----------------------------|--------|
| Timer | Yes | Minimum Temperature | 50 °C |
| End of cooking acoustic alarm | Yes | Maximum temperature | 280 °C |


Accessories included for Main Oven & Hob



| | | | |
|-------------------------------------|---|---|---|
| Rack with back and side stop | 1 | Grill mesh | 1 |
| 20mm deep tray | 1 | Telescopic Guide rails, partial Extraction | 1 |
| 40mm deep tray | 1 | | |

Electrical Connection

| | | | |
|-------------------------------------|-------------------------|---|------------------------|
| Electrical connection rating | 11400 W | Additional connection modalities | Double and Three Phase |
| Current | 50 A | Frequency | 50/60 Hz |
| Voltage | 220-240 V | Terminal block | 5 poles |
| Voltage 2 (V) | 380-415 V | Plug | Not present |
| Electric cable | Installed, Single phase | | |



Compatible Accessories

AIRFRY9

Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.



BN920

Enamelled tray 90cm cavity, 20mm deep



GRILLPLATE

Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.



GTT

Totally extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.




KITIA1-9

Cover strip, stainless steel, for hob back side, suitable for A1-9 Opera cooker



SCRP

Non-scratch hob scraper - suitable for induction and ceramic hobs



SMOLD

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C

BBQ9

teflon-coated aluminum grid for 90 cm cavity



BN940

Enamelled tray 90 cm, 40 mm deep



GTP

Partially extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



KIT2A1-9

Plinth, 90 cm, only frontal, stainless steel suitable for A1-9 Opera cooker



PALPZ

Pizza shovel with folding handle. Dimensions L31.5 x H32.5 cm. Easy and convenient to use and store. Perfect for serving pizza, bread and savory pastries in a safe and professional way.



SFLK1

Child lock















TPKPLATE

Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.



Symbols glossary

- | | |
|--|---|
|  <p>Triple Fan Technology: The oven is equipped with an exclusive three fan system, which, combined with the increased power of the motors, enables excellent cooking performance. The two large side fans distribute the air around the outer perimeter of the cavity while the smaller central fan increases ventilation by creating a vertical vortex of heat. Accordingly, the temperature within the cavity is uniform, allowing food to be cooked evenly on all five levels, like in professional kitchens.</p> |  <p>A+: Energy efficiency class A+ helps to save up to 10% energy compared to class A. Maximum performance with minimum consumption is guaranteed.</p> |
|  <p>Installation in column: Installation in column.</p> |  <p>Air cooling system: to ensure a safe surface temperatures.</p> |
|  <p>Defrost by time: Manual defrost function. At the end of the set duration, the function stops.</p> |  <p>Defrost by weight: Automatic defrost function. You choose the type of food to defrost from the available categories (MEAT - FISH - BREAD - DESSERTS). After entering the weight of the food, the oven automatically defines the time required for proper defrosting.</p> |
|  <p>Quadruple glazed: Number of glazed doors.</p> |  <p>Ever Clean Enamel: Ever Clean enamel is applied electrostatically, corner to corner and edge to edge to prevent cracking or cracks over time. It is a particular pyrolytic enamel, resistant to acids which, in addition to being pleasantly bright, promotes greater cleaning of the oven walls, thanks to its lower porosity. It is baked at over 850 °C and slowly polymerized at a scientifically determined rate to ensure uniform depth and strength. Ever Clean enamel creates an impeccable finish both on the inside of the oven and on the trays, making the surfaces of the oven incredibly easy to maintain over time as it reduces the adhesion of fat during cooking.</p> |
|  <p>Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new.</p> |  <p>Fan assisted base: the mix of fan and lower heating element alone allows to finish cooking foods already cooked on the surface but not internally more quickly. This system is recommended to finish cooking foods that are already well cooked on the surface, but not internally, which therefore require a moderate higher heat. Ideal for any type of food.</p> |
|  <p>Fan assisted: Intense and homogeneous traditional cooking, also suitable for complex recipes. The fan is active and the heat comes from below and from above at the same time. Ventilated cooking ensures a faster and more homogeneous result, leaving fragrant foods outside and moister inside. Ideal for baked pasta, biscuits, roasts and cobblers.</p> |  <p>Static: Traditional cooking suitable for the preparation of one dish at a time. The fan is not active and the heat comes from below and from above at the same time. Static cooking is slower and more delicate, ideal in order to get well cooked and dry dishes even inside. Ideal for cooking all types of roasts, fatty meats, bread, filled cakes.</p> |

















| | |
|---|--|
|  <p>Base: the heat comes only from the bottom of the cavity. The fan is not active. Ideal for sweet and savory pies, cobblers and pizzas. Designed to complete cooking and make food more crunchy. This symbol in gas ovens indicates the gas burner.</p> |  <p>Circulaire with lower element: The addition of the lower element adds extra heat at the base for food which requires extra cooking.</p> |
|  <p>Circulaire: it is the perfect function for cooking all types of dishes in a more delicate way. The heat comes from the back of the oven and is distributed quickly and evenly. The fan is active. It is also ideal for cooking on multiple levels without mixing smells and flavors.</p> |  <p>ECO: low energy consumption cooking: this function is particularly suitable for cooking on a single shelf with low energy consumption. It is recommended for all types of food except those that can generate a lot of moisture (for example vegetables). To achieve maximum energy savings and reduce time, it is recommended to put the food in the oven without preheating the cooking compartment.</p> |
|  <p>Grill: Very intense heat coming only from above from a double heating element. The fan is not active. Provides excellent grilling and gratinating results. Used at the end of cooking, it gives a uniform browning to dishes.</p> |  <p>Half grill: For rapid cooking and browning of foods. Best results can be obtained by using the top shelf for small items, the lower shelves for larger ones, such as chops or sausages. For half grill heat is generated only at the centre of the element, so is ideal for smaller quantities.</p> |
|  <p>Fan grill: very intense heat coming only from above from a double heating element. The fan is active. It allows the optimal grilling of thickest meats. Ideal for large cuts of meat.</p> |  <p>Turbo: the heat comes from 3 directions: above, below and from the back of the oven. The fan is active. It allows quick cooking, even on several shelves without mixing the aromas. Ideal for large volumes or foods that require intense cooking.</p> |
|  <p>Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.</p> |  <p>Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.</p> |
|  <p>All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.</p> |  <p>The inner door glass: can be removed with a few quick movements for cleaning.</p> |
|  <p>Side lights: Two opposing side lights increase visibility inside the oven.</p> |  <p>Automatic opening: some models have Automatic opening door when the cycle is finished which is a perfect solution for handle-less kitchen units as no handle is needed. For safety reasons, the door locks automatically when the machine is in use to avoid it being opened inadvertently.</p> |
|  <p>PYROLYSIS - AUTOMATIC CLEANING FUNCTION: the oven heats up to a temperature approaching 500 ° C and chars grease and food residues into a fine ash that can be easily wiped off with a damp cloth. At such a high temperature, the door locks automatically for safety, while the temperature of the door remains controlled so it is safe to touch User adjustable function based on the level of dirt present in the oven.</p> |  <p>Pyrolitic: The Eco pyrolitic cleaning function can be selected when the oven has a lighter build up of dirt. This function has a maximum duration of 1.5 hours.</p> |



Plate rack warming: function for heating or keeping dishes warm. Place the baking tray on the lowest shelf and stack the dishes to be heated.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



The oven cavity has 5 different cooking levels.



Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.



The capacity indicates the amount of usable space in the oven cavity in litres.



Knobs control



Air at 40°C provides the perfect environment for proving yeast type dough mixes. Simply select the function and place dough in the cavity for allotted



SABBATH: function that allows to cook food respecting Judaism's day of rest provisions.



Soft close: all models are equipped with advanced function of smooth closing of the door, which allows the device to close smoothly and quietly.



Electronic control: Allows you to maintain temperature inside the oven with the precision 2-3 ° C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.



With a simple and intuitive interface, the COMPACTscreen provides a pleasant user experience, thanks to the interaction with the knobs.