

# A2-81

Cooker size

N. of cavities with energy label

Cavity heat source

Hob type

Type of main oven

Type of second oven

Cleaning system main oven

EAN code

**Energy efficiency class** 

Energy efficiency class, second cavity

100x60 cm

2

**ELECTRICITY** 

Gas

Thermo-ventilated

Static Catalytic

8017709256746

В



## **Aesthetics**





**Aesthetic** 

Series





Classica

Opera

Professional Design Stainless steel Colour

Satin **Finishing** 

Command panel finish Finger friendly stainless

Assembled st/steel Logo Facia below the oven Logo position

Upstand Yes

Hob colour Stainless steel Cast Iron

Type of pan stands

Type of control setting

hob

Type of control knobs Controls colour

No. of controls Serigraphy colour

Display name

Door

Glass type

Handle

**Handle Colour** 

Storage compartment

Control knobs

**Smeg Classic** 

Stainless steel 10

Black DigiScreen

With 2 horizontal strips

**Eclipse** 

**Smeg Classic** 

Brushed stainless steel

Drawer

## Programs / Functions main oven

No. of cooking functions Traditional cooking functions

Fan assisted

Circulaire

Eco

Static

Small grill





Large grill

Fan grill (small)



Fan assisted base

**SMEG SPA** 26/7/2025

8



#### Cleaning functions

Catalytic



## Programs / Functions auxiliary oven

Cooking functions cavity 2

4

Traditional cooking functions, cavity 2

Static

Small grill

Large grill

**Bottom** 

## Hob technical features

UR



Total no. of cook zones 6

Front left - Gas - Semi Rapid - 1.80 kW

Rear left - Gas - 2UR (dual) - 4.20 kW

Front centre - Gas - AUX - 1.00 kW

Rear centre - Gas - Semi Rapid - 1.80 kW

Front right - Gas - 2UR (dual) - 4.20 kW

Rear right - Gas - Rapid - 3.00 kW

Type of gas burners

Standard

Automatic electronic

Yes

Gas safety valves

## **Main Oven Technical Features**



ignition

















No. of lights Fan number Net volume of the cavity 611 Gross volume, 1st cavity 70 l

Ever Clean enamel Cavity material

No. of shelves

Type of shelves Metal racks Light type Halogen **Light Power** 40 W

Cooking time setting Start and Stop

Light when oven door is Yes open

Flap down Door opening

Removable door Yes

**Burner** caps

Matt black enamelled

316x460x412 mm

Electro-mechanical

1200 W

Yes

Total no. of door glasses 3

No.of thermo-reflective

door glasses

Safety Thermostat Yes

Cooling system **Tangential** 

Usable cavity space

dimensions (HxWxD)

Temperature control Lower heating element

power

Upper heating element - 1000 W

Power

1700 W Grill elememt Large grill - Power 2700 W Circular heating element 2000 W

- Power

Grill type Electric Tilting grill Yes

26/7/2025 **SMEG SPA** 



## **Options Main Oven**

Timer Yes Minimum Temperature 50 °C End of cooking acoustic Yes Maximum temperature 250 °C

alarm

### Second Oven Technical Features

Net volume of the 35 l No. total door glasses 3 second cavity No. thermo-reflective 2

Gross volume, 2nd 361 door glasses cavity Safety Thermo

Cavity Safety Thermostat Yes
Cavity material Ever Clean enamel Cooling system Tana

Cavity material Ever Clean enamel Cooling system Tangential

No. of shelves 4 Usable cavity space 310x255x417 mm

Type of shelves Metal racks dimensions (HxWxD)

Roof Liner Yes Temperature control Electro-mechanical

No. of lights 1 Lower heating element - 700 W

Light type Incandescent power

Light Power 25 W Upper heating element - 600 W

Light when oven door is Yes Power

open Grill element - power 1300 W

Door opening Flap down Large grill - Power 2050 W
Removable door Yes Grill type Electric

## **Options Auxiliary Oven**

Minimum Temperature 50 °C Maximum temperature 250 °C

### Accessories included for Main Oven & Hob

Rack with back and side 1 Grill mesh 1

Stop Catalityc panels 3
20mm deep tray 1

Accessories included for Secondary Oven

1

Rack with back and side 1 Grill mesh 1

stop

40mm deep tray

Wide baking tray 1

## **Electrical Connection**

Plug Not present



**Electrical connection** 

rating

Current

Voltage

Electric cable

5300 W

23 A

220-240 V

Installed, Single phase

Power supply cable

length


200 cm

**Additional connection** 

modalities

Frequency Terminal block Double and Three Phase

50/60 Hz 3 poles





## **Compatible Accessories**

#### **AIRFRY**

Air fryer rack AIRFRY. Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.



### **BBQ**

Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.

#### BN620-1

Enamelled tray suitable for 45 cm and 60 cm ovens. Depth 20 mm. Perfect for a wide range of savoury and sweet baking.



#### **BN640**

Enamelled tray suitable for 45cm and 60cm ovens. Depth 540 mm. Perfect for cooking and roasting meat and fish in sauces. Also ideal for experimenting with lighter and crunchy side dishes





Teflon-coated tray, 8 mm depth, to be placed on the grid



#### $\mathsf{GRM}$

Coffee machine support



#### **GTP**

Partially extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



#### **GTT**

Totally extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



#### KIT1A2PY-81

Splashback stainless steel, 100cm, suitable for Opera A2 cookers with MF and pyro oven



#### KIT2A2-8

Plinth, 100 cm, only frontal, stainless steel, suitable for A2 Opera cookers



### KIT3-6

Height extension kit 2 lateral sides (950mm), stainless steel, for Opera cookers A2,A3,A4 (945-965mm)



#### **PALPZ**

Pizza shovel with folding handle. Dimensions L31.5 x H32.5 cm. Easy and convenient to use and store. Perfect for serving pizza, bread and savory pastries in a safe and professional way.



Refractary pizza stone without handles. Squared shaped stone: L64xH2,3xP37,5 cm Suitable also for gas ovens, to be put on the griddle.



## SFLK1

Child lock



#### **SMOLD**



Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C



## Symbols glossary

	[1]
	[4]
	-
٠.٦	г. т

Heavy duty cast iron pan stands: for maximum stability and strength.



Catalytic cleaning: the system ensures perfect hygiene inside the oven thanks to the three selfcleaning panels coated with a special enamel that promotes the progessive elimination of traces of grease and odors caused by cooking.



Installation in column: Installation in column



Knobs control



Air cooling system: to ensure a safe surface temperatures.



4.3 inch display with LED technology, usability with knobs + 3 touch keys



Triple glazed doors: Number of glazed doors.



B: Product energy rating, measured from A+++ to D / G depending on the product family.



Ever Clean Enamel: Ever Clean enamel is applied electrostatically, corner to corner and edge to edge to prevent cracking or cracks over time. It is a particular pyrolytic enamel, resistant to acids which, in addition to being pleasantly bright, promotes greater cleaning of the oven walls, thanks to its lower porosity. It is baked at over 850 °C and slowly polymerized at a scientifically determined rate to ensure uniform depth and strength Ever Clean enamel creates an impeccable finish both on the inside of the oven and on the trays, making the surfaces of the oven incredibly easy to maintain over time as it reduces the adhesion of fat during cooking



Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new.



Fan assisted base: the mix of fan and lower heating element alone allows to finish cooking foods already cooked on the surface but not internally more quickly. This system is recommended to finish cooking foods that are already well cooked on the surface, but not internally, which therefore require a moderate higher heat. Ideal for any type of food.



Fan assisted: Intense and homogeneous traditional cooking, also suitable for complex recipes. The fan is active and the heat comes from below and from above at the same time. Ventilated cooking ensures a faster and more homogeneous result, leaving fragrant foods outside and moister inside. Ideal for baked pasta, biscuits, roasts and cobblers.



Static: Traditional cooking suitable for the preparation of one dish at a time. The fan is not active and the heat comes from below and from above at the same time. Static cooking is slower and more delicate, ideal in order to get well cooked and dry dishes even inside. Ideal for cooking all types of roasts, fatty meats, bread, filled cakes.



Base: the heat comes only from the bottom of the cavity. The fan is not active. Ideal for sweet and savory pies, cobblers and pizzas. Designed to complete cooking and make food more crunchy This symbol in gas ovens indicates the gas burner.



Circulaire: it is the perfect function for cooking all types of dishes in a more delicate way. The heat comes from the back of the oven and is distributed quickly and evenly The fan is active. It is also ideal for cooking on multiple levels without mixing smells and flavors.





ECO

ECO: low energy consumption cooking: this function is particularly suitable for cooking on a single shelf with low energy consumption. It is recommended for all types of food except those that can generate a lot of moisture (for example vegetables). To achieve maximum energy savings and reduce time, it is recommended to put the food in the oven without preheating the cooking compartment



Fan with grill element: The fan reduces the fierce heat from the grill, providing an excellent method of grilling various foods, chops, steaks, sausages etc. giving even browning and heat distribution, without drying out the food. The top two levels recommended for use, and the lower part of the oven can be used to keep items warm at the same time, an excellent facility when cooking a grilled breakfast. Half grill (centre portion only) is ideal for small quantities of food.



Grill: Very intense heat coming only from above from a double heating element. The fan is not active. Provides excellent grilling and gratinating results. Used at the end of cooking, it gives a uniform browning to dishes.



Half grill: For rapid cooking and browning of foods. Best results can be obtained by using the top shelf for small items, the lower shelves for larger ones, such as chops or sausages. For half grill heat is generated only at the centre of the element, so is ideal for smaller quantities.



Side lights: Two opposing side lights increase visibility inside the oven.



Automatic opening: some models have Automatic opening door when the cycle is finished which is a perfect solution for handle-less kitchen units as no handle is needed. For safety reasons, the door locks automatically when the machine is in use to avoid it being opened inadvertently.



Removable roof liner: This is a perfect solution that protects the upper part of the cavity of the oven from pollution. Easy to remove for cleaning, it can be washed in the dishwasher.



The oven cavity has 4 different cooking levels.



Electronic control: Allows you to maintain temperature inside the oven with the precision 2-3 °C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.



Tilting grill: the tilting grill can be easily unhooked to move the heating element and clean the roof of the appliance in one simple step.



Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.



Vapor Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.



The capacity indicates the amount of usable space in the oven cavity in litres.



The capacity indicates the amount of usable space in the oven cavity in litres.



## Benefit (TT)

#### Gas hob

Gas provides permanent control of the heat source and the temperature change is immediate

Equipped with a thermocouple, the gas supply is cut off if the flame is extinguished for greater safety.

#### Catalysis

Easy oven cleaning through the use of catalytic panels in the cavity

This permanent process allows continuous cleaning and degreasing of the three cavity walls, starting its grease oxidation phase when the oven reaches 200 °C.

#### Touch control

Easy and intuitive timer setting with a single touch

#### Drawer storage compartment

More space thanks to the lower drawer compartment, ideal for storing accessories or cooking utensils

#### True-convection

The best cooking performances guaranteed by ventilated circular flow

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

#### Multilevel cooking

Several cooking levels allow maximum flexibility of use

#### Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

#### Tangential cooling

New cooling system with tangential fan and airflow from the door to the splashback

#### Adjustable height

Cooker top flushed with the working area thanks to adjustable feet

#### Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)

#### BBQ (optional accessory)

Barbecue cooking directly in the oven with the double-sided grill (BBQ optional accessory)



### AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket (optional accessory)

#### Cold door

During any function, the external door glass is cold, avoiding any risk of burns

### **Isothermic Cavity**

The best cooking performance at the highest energy efficiency

### Single turbine

The oven has a fan equipped with a circular heating element allowing cooking with rotating heat