

A2PY-81

Cooker size

N. of cavities with energy label

Cavity heat sourceElectricHob typeGas

Type of main oven Thermo-ventilated

Type of second oven Static

Cleaning system main oven Pyrolytic

EAN code

Energy efficiency class

Energy efficiency class, second cavity A



Aesthetics









Aesthetics Classic
Series Opera
Design Professional
Colour Stainless steel
Finishing Brushed

Command panel finish Finger friendly stainless

steel

LogoAssembled st/steelLogo positionFacia below the oven

Upstand Yes

Hob colour Stainless steel
Type of pan stands Cast Iron

Type of control setting Control knobs
Control knobs Smeg Classic
Controls colour Stainless steel

No. of controls 10
Serigraphy colour Black
Display Touch

Door With 2 horizontal strips

Glass type dark grey
Handle Smeg Classic

Handle Colour Brushed stainless steel

Storage compartment Drawer

Programs / Functions

No. of cooking functions

9

100x60 cm

8017709256760

2



Gross volume, 1st cavity 70 l

Cavity material

Traditional cooking function	ons ————			
Static	② Fan as	sisted	Circulaire	
®				
Turbo (circulaire + bottom + u	ipper + ECO ECO	e**	Large grill	
fan)				
Fan grill (small)	🐉 Fan as	sisted base		
Cleaning functions				
Pyrolytic				
Programs / Function	ons Auxiliary (Oven		
Cooking functions cavity 2 Traditional cooking function		4		
Static	Small o	grill •**	Large grill	
Bottom				
Hob technical feat	ures			
UR UR				
Total no. of cook zones 6				
Front left - Gas - Semi Rapid				
Rear left - Gas - 2UR (dual) -				
Front centre - Gas - AUX - 1.0 Rear centre - Gas - Semi Rap				
Front right - Gas - 2UR (dual)				
Rear right - Gas - Rapid - 3.0				
,, ,	Standard Yes	Gas safety valves Burner caps	Yes Matte black enamelled	
Main Oven Technic	cal Features			
No. of lights	1	No.of thermo-refle	ective 3	
	1 S.1 litros	door glasses Safety Thermosta	t Yes	
Net volume of the cavity 61 litres Gross volume. 1st cavity 70 l		Cooling system		

SMEG SPA 27/07/2025

Easy clean enamel



Shelf positions

Type of shelves Metal racks Halogen Light type Light power 40 W

Cooking time setting Start and Stop

Light when oven door is

open

Flap down Door opening

Removable door Yes Total no. of door glasses 4

Door Lock During Yes

316x460x412 mm

Electro-mechanical

1200 W

Pyrolisis

Usable cavity space

dimensions (HxWxD)

Temperature control

Lower heating element

power

Upper heating element - 1000 W

Power

Grill elememt 1700 W Large grill - Power 2700 W Circular heating element 2000 W

- Power

Grill type Electric Tilting grill Yes

Options Main Oven

50 °C Timer Yes Minimum Temperature End of cooking acoustic Maximum temperature 280 °C Yes

alarm

Second Oven Technical Features

Net volume of the 35 litres

second cavity Gross volume, 2nd 36 I

cavity

Easy clean enamel Cavity material

Shelf positions 4

Type of shelves Metal racks

Roof Liner Yes No. of lights

Incandescent Light type

Light power 25 W

Light when oven door is Yes

open

Door opening Flap down

Removable door Yes No. total door glasses 3 No. thermo-reflective 2

door glasses

Safety Thermostat Yes

Cooling system **Tangential**

Usable cavity space dimensions (HxWxD)

Temperature control Electro-mechanical

Lower heating element - 750 W

power

Upper heating element - 600 W

Power

Grill element - power 1300 W Large grill - Power 2050 W

Grill type

Electric

310x255x417 mm

Options Auxiliary Oven

Minimum Temperature 50 °C Maximum temperature 250 °C

Accessories included for Main Oven & Hob

Chrome shelf with back 1 40mm deep tray 1 and side stop Grill mesh 1



20mm deep tray

1

Accessories included for Secondary Oven

Chrome shelf with back 1 Grill mesh


and side stop

Wide baking tray 1

Electrical Connection

Max Power Draw 5100 W Type of electric cable Yes, Single phase Current Additional connection Yes, Double and Three 23 A modalities Voltage 220-240 V 50/60 Hz Frequency Voltage 2 (V) 380-415 V Terminal block 5 poles

1





Compatible Accessories

AIRFRY

Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.

BN620-1

Enamelled tray, 20mm deep



BNP608T

Teflon-coated tray, 8mm depth, to be placed on the grid



Partially extractable telescopic guides (1 level) Extraction: 300 mm Material: Stainless steel AISI 430 polished

KIT1A2PY-81

Splashback, 90x75 cm, stainless steel, suitable for pyrolytic Opera A2



BBQ

Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.

BN640

Enamelled tray, 40mm deep



GRM

Gas hobs moka support



GTT

Totally extractable telescopic guides (1 level) Extraction: 433 mm Material: Stainless steel AISI 430 polished

KIT2A2-8

Plinth, 100 cm, stainless steel suitable for A2-8 Opera cookers



KIT3-6

Height extension kit (950 mm), stainless steel, for Opera cookers

SFLK1

Child lock



PALPZ

Pizza shovel with fold away handle width: 315mm length: 325mm



SMOLD

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C



Symbols glossary

	Heavy duty cast iron pan stands: for maximum stability and strength.	A to	A: Product drying performance, measured from A+++ to D / G depending on the product family
	Installation in column: Installation in column	Ф	Knobs control
	Air cooling system: to ensure a safe surface temperatures.	DIGI	The touch timer display or DigiScreen guarantees simple functionality. They display the time, set programmed cooking and the minute minder timer.
3	Triple glazed doors: Number of glazed doors.	4	Quadruple glazed: Number of glazed doors.
	Enamel interior: The enamel interior of all Smeg ovens have a special antacid lining which helps keep the interior clean by reducing the amount of cooking grease adhering to it.	*	Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new.
*)	Fan assisted base: the mix of fan and lower heating element alone allows to finish cooking foods already cooked on the surface but not internally more quickly. This system is recommended to finish cooking foods that are already well cooked on the surface, but not internally, which therefore require a moderate higher heat. Ideal for any type of food.	&	Fan with upper and lower elements: The elements combined with the fan aim to provide more uniform heat, a similar method to conventional cooking, so pre-heat is required. Most suitable for items requiring slow cooking methods.
	Upper and lower element only: a traditional cooking method best suited for single items located in the centre of the oven. the top pf the oven will always be hottest. Ideal for roast, fruit cakes, bread etc.		Lower heating element only: This function is ideal for foods that require extra base temperature without browning, e.g. pastry dishes, pizza. Also suitable for slow cooking of stews and casseroles.
8	Circulaire: The combination of the fan and circular element around it gives a hot air cooking method. This provides many benefits including no preheat if cook time is more than 20 minutes, no flavour transfer when cooking different foods at the same time, less energy, and shorter cook times. Good for all types of food.	ECO	ECO: The combination of the grill, fan and lower element is particularly suitable for cooking small quantities of food.
**	Fan with grill element: The fan reduces the fierce heat from the grill, providing an excellent method of grilling various foods, chops, steaks, sausages etc. giving even browning and heat distribution, without drying out the food. The top two levels recommended for use, and the lower part of the	~~	Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.

SMEG SPA 27/07/2025

recommended for use, and the lower part of the oven can be used to keep items warm at the same time, an excellent facility when cooking a grilled breakfast. Half grill (centre portion only) is

ideal for small quantities of food.





Half grill: For rapid cooking and browning of foods. Best results can be obtained by using the top shelf for small items, the lower shelves for larger ones, such as chops or sausages. For half grill heat is generated only at the centre of the element, so is ideal for smaller quantities.



Circulaire with upper and lower elements: The use of the fan with both elements allows food to be cooked quickly and effectively, ideal for large joints that require thorough cooking. It offers a similar result to rotisserie, moving the heat around the food, instead of moving the food itself, enabling any size or shape to be cooked.



Side lights: Two opposing side lights increase visibility inside the oven.



Automatic opening: some models have Automatic opening door when the cycle is finished which is a perfect solution for handle-less kitchen units as no handle is needed. For safety reasons, the door locks automatically when the machine is in use to avoid it being opened inadvertently.



Pyrolitic: Pyrolitic cleaning cycles can be selected as necessary to automatically clean the oven interior.



Removable roof liner: This is a perfect solution that protects the upper part of the cavity of the oven from pollution. Easy to remove for cleaning, it can be washed in the dishwasher.



The oven cavity has 4 different cooking levels.



Electronic control: Allows you to maintain temperature inside the oven with the precision 2-3 ° C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.



Tilting grill: the tilting grill can be easily unhooked to move the heating element and clean the roof of the appliance in one simple step.



Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.



The capacity indicates the amount of usable space in the oven cavity in litres.



The capacity indicates the amount of usable space in the oven cavity in litres.



Benefit

Gas hob

Gas provides constant control of the heat source, with an immediate change in temperature

Equipped with a thermocouple, the gas supply is cut off if the flame is extinguished for greater safety

Pyrolysis

Easy oven cleaning thanks to special pyrolytic function

Touch control

Easy and intuitive timer setting with a single touch

Drawer storage compartment

More space thanks to the lower compartment, ideal for storing accessories or cooking utensils

Circulaire

The best cooking performances guaranteed by ventilated circular flow.

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

Multilevel cooking

Several cooking levels allow maximum flexibility of use

Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

Tangential cooling

New cooling system with tangential fan and airflow from the door to the splashback

Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)

BBQ (optional accessory)

Barbeque cooking directly in the oven with the double-sided grill

Adjustable height

Cooker top flushed with the working area thanks to adjustable feet

AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket



Cold door

During any function, the external door glass is cold, avoiding any risk of burns

Isothermic Cavity

The best cooking performance at the highest energy efficiency

Single turbine

The oven has a fan equipped with a circular heating element allowing cooking with rotating heat