

A3-81

Cooker size	120x60 cm
N. of cavities with energy label	2
Cavity heat source	ELECTRICITY
Hob type	Gas
Type of main oven	Thermoseal
Type of second oven	Static
EAN code	8017709245269
Energy efficiency class	A
Energy efficiency class, second cavity	B



Aesthetics



Aesthetic	Classic	Control knobs	Smeg Classic
Serie	Opera	Controls colour	Stainless steel
Design	Professional	No. of controls	11
Colour	Stainless steel	Serigraphy colour	Black
Finishing	Satin	Display	Touch
Command panel finish	Finger friendly stainless steel	Door	With 2 horizontal strips
Logo	Assembled st/steel	Glass type	eclipse
Logo position	Facia below the oven	Handle	Smeg Classic
Upstand	Yes	Handle Colour	Brushed stainless steel
Hob colour	Stainless steel	Storage compartment	Drawer
Type of pan stands	Cast Iron	Sliding compartment	Yes
Type of control setting	Control knobs		

Programs / Functions

No. of cooking functions	8
Traditional cooking functions	



Static



Fan assisted



Circulaire



Turbo



Eco



Small grill



Fan grill (small)



Fan assisted bottom

Programs / Functions Auxiliary Oven

Cooking functions cavity 2 4

Traditional cooking functions, cavity 2



Static



Small grill



Large grill



Bottom

Hob technical features



Total no. of cook zones 6

Front left - Gas - 2UR (dual) - 4.20 kW

Rear left - Gas - Semi Rapid - 1.80 kW

Front centre - Gas - AUX - 1.00 kW

Rear centre - Gas - Rapid - 3.00 kW

Front right - Gas - AUX - 1.00 kW

Rear right - Gas - Fish burner - 1.90 kW

Central - BBQ - 1.60 (BBQ) kW

Type of gas burners Standard

Automatic electronic ignition Yes

Gas safety valves

Yes

Burner caps

Matt black enamelled

Main Oven Technical Features



No. of lights 2

Fan number 1

Net volume of the cavity 77 l

Gross volume, 1st cavity 90 l

Cavity material Ever Clean enamel

No. of shelves 4

Type of shelves Metal racks

Light type Incandescent

Light Power 25 W

Cooking time setting Start and Stop

Light when oven door is open Yes

Door opening Flap down

Removable door Yes

Total no. of door glasses 3

No. of thermo-reflective door glasses 2

Safety Thermostat Yes

Cooling system Tangential

Usable cavity space dimensions (HxWxD) 305X613X405 mm

Temperature control Electro-mechanical

Lower heating element power 1750 W

Upper heating element - Power 1050 W

Grill element 2800 W

Large grill - Power 3850 W

Circular heating element - Power 2500 W

Grill type Electric

Options Main Oven

Timer	Yes	Minimum Temperature	50 °C
End of cooking acoustic alarm	Yes	Maximum temperature	250 °C

Second Oven Technical Features



Net volume of the second cavity	40 l	No. total door glasses	3
Gross volume, 2nd cavity	42 l	No. thermo-reflective door glasses	2
Cavity material	Ever Clean enamel	Safety Thermostat	Yes
No. of shelves	4	Cooling system	Tangential
Type of shelves	Metal racks	Usable cavity space dimensions (HxWxD)	315x300x415 mm
Roof Liner	Yes	Temperature control	Electro-mechanical
No. of lights	1	Lower heating element - power	700 W
Light type	Incandescent	Upper heating element - Power	650 W
Light Power	25 W	Grill element - power	1400 W
Light when oven door is open	Yes	Large grill - Power	2050 W
Door opening	Flap down	Grill type	Electric
Removable door	Yes		

Options Auxiliary Oven

Minimum Temperature	50 °C	Maximum temperature	220 °C
---------------------	-------	---------------------	--------

Accessories included for Main Oven & Hob

TOP Oven grid with back stop	2	Wide baking tray	2
------------------------------	---	------------------	---


Accessories included for Secondary Oven

Rack with back and side stop	1	Grill mesh	1
Wide baking tray	1		

Electrical Connection

Electrical connection rating	6900 W	Power supply cable length	200 cm
Current	30 A		

Voltage	220-240 V	Type of electric cable	Yes, Double and Three Phase
Voltage 2 (V)	380-415 V	Frequency	50/60 Hz
Type of electric cable installed	Yes, Single phase	Terminal block	5 poles



Compatible Accessories



BN620-1
Enamelled tray, 20mm deep



BNP608T
Teflon-coated tray, 8mm depth, to be placed on the grid



GRM
Gas hobs moka support



KIT2A3-2
Plinth, 120 cm, stainless steel suitable for A3-7 and A4 Opera cookers



PALPZ
Pizza shovel with fold away handle
width: 315mm length : 325mm



SFLK1
Child lock



TPKX
Teppanyaki inox



BN640
Enamelled tray, 40mm deep



GC120
Cast iron grill plate suitable for
A3/A4/A5 cookers



KIT1A3-8
Splashback 120x75 cm, stainless
steel, suitable for Opera A3-8 cookers



KIT3-6
Height extension kit (950 mm),
stainless steel, for Opera cookers






























PPR9
Refractory pizza stone without
handles. Squared shaped stone:
L64xH2,3xP37,5 cm Suitable also for
gas ovens, to be put on the griddle.



SMOLD
Set of 7 silicone moulds for ice creams,
ice lollies, pralines, ice cubes or to
portion food. Usable from -60°C to
+230°C

Symbols glossary

	Heavy duty cast iron pan stands: for maximum stability and strength.		A: Product drying performance, measured from A+++ to D / G depending on the product family
	Installation in column: Installation in column		Knobs control
	Air cooling system: to ensure a safe surface temperatures.		...
	Triple glazed doors: Number of glazed doors.		B: Product energy rating, measured from A+++ to D / G depending on the product family.
	Enamel interior: The enamel interior of all Smeg ovens have a special antacid lining which helps keep the interior clean by reducing the amount of cooking grease adhering to it.		Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new.
	Fan assisted base: the mix of fan and lower heating element alone allows to finish cooking foods already cooked on the surface but not internally more quickly. This system is recommended to finish cooking foods that are already well cooked on the surface, but not internally, which therefore require a moderate higher heat. Ideal for any type of food.		Fan with upper and lower elements: The elements combined with the fan aim to provide more uniform heat, a similar method to conventional cooking, so pre-heat is required. Most suitable for items requiring slow cooking methods.
	Upper and lower element only: a traditional cooking method best suited for single items located in the centre of the oven. the top pf the oven will always be hottest. Ideal for roast, fruit cakes, bread etc.		Lower heating element only: This function is ideal for foods that require extra base temperature without browning, e.g. pastry dishes, pizza. Also suitable for slow cooking of stews and casseroles.
	Circulaire: The combination of the fan and circular element around it gives a hot air cooking method. This provides many benefits including no preheat if cook time is more than 20 minutes, no flavour transfer when cooking different foods at the same time, less energy, and shorter cook times. Good for all types of food.		ECO: The combination of the grill, fan and lower element is particularly suitable for cooking small quantities of food.
	Fan with grill element: The fan reduces the fierce heat from the grill, providing an excellent method of grilling various foods, chops, steaks, sausages etc. giving even browning and heat distribution, without drying out the food. The top two levels recommended for use, and the lower part of the oven can be used to keep items warm at the same time, an excellent facility when cooking a grilled breakfast. Half grill (centre portion only) is ideal for small quantities of food.		Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.

- | | | | |
|---|---|---|--|
|  | Half grill: For rapid cooking and browning of foods. Best results can be obtained by using the top shelf for small items, the lower shelves for larger ones, such as chops or sausages. For half grill heat is generated only at the centre of the element, so is ideal for smaller quantities. |  | Circulaire with upper and lower elements: The use of the fan with both elements allows food to be cooked quickly and effectively, ideal for large joints that require thorough cooking. It offers a similar result to rotisserie, moving the heat around the food, instead of moving the food itself, enabling any size or shape to be cooked. |
|  | Automatic opening: some models have Automatic opening door when the cycle is finished which is a perfect solution for handle-less kitchen units as no handle is needed. For safety reasons, the door locks automatically when the machine is in use to avoid it being opened inadvertently. |  | Removable roof liner: This is a perfect solution that protects the upper part of the cavity of the oven from pollution. Easy to remove for cleaning, it can be washed in the dishwasher. |
|  | The oven cavity has 4 different cooking levels. |  | Electronic control: Allows you to maintain temperature inside the oven with the precision 2-3 ° C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings. |
|  | Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power. |  | The capacity indicates the amount of usable space in the oven cavity in litres. |
|  | The capacity indicates the amount of usable space in the oven cavity in litres. | | |

Benefit (TT)

Gas hob

Induction offers fast cooking and precise temperature control

Equipped with a thermocouple, the gas supply is cut off if the flame is extinguished for greater safety

Ever Clean Enamel

Easy oven cleaning thanks to special pyrolytic enamel

Touch control

Easy and intuitive timer setting with a single touch

Drawer storage compartment

More space thanks to the lower compartment, ideal for storing accessories or cooking utensils

True-convection

The best cooking performances guaranteed by ventilated circular flow.

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

Multilevel cooking

Several cooking levels allow maximum flexibility of use

Tangential cooling

New cooling system with tangential fan and airflow from the door to the splashback

Isothermic Cavity

The best cooking performance at the highest energy efficiency

Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)

BBQ (optional accessory)

Barbeque cooking directly in the oven with the double-sided grill

Adjustable height

Cooker top flushed with the working area thanks to adjustable feet

AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket

Cold door

During any function, the external door glass is cold, avoiding any risk of burns

Single turbine

The oven has a fan equipped with a circular heating element allowing cooking with rotating heat