

A3-81

Cooker size N. of cavities with energy label Cavity heat source Hob type Type of main oven Type of second oven Cleaning system main oven EAN code Energy efficiency class Energy efficiency class, second cavity 120x60 cm 2 ELECTRICITY Gas Thermo-ventilated Static Ever Clean enamel 8017709245269 A B



Aesthetics

| Screen | |
|--------------------------------|---------------------------------|
| Aesthetic | Classica |
| Series | Opera |
| Design | Professional |
| Colour | Stainless steel |
| Finishing | Satin |
| Command panel finish | Finger friendly stainless steel |
| Logo | Assembled st/steel |
| Logo position | Facia below the oven |
| Upstand | Yes |
| Hob colour | Stainless steel |
| Type of pan stands | Cast Iron |
| Type of control setting hob | Control knobs |

- Type of control knobs Controls colour No. of controls Serigraphy colour Display name Door Glass type Handle Handle Colour Storage compartment
- Smeg Classic Stainless steel 11 Black DigiScreen With 2 horizontal strips Eclipse Smeg Classic Brushed stainless steel Drawer Yes

Programs / Functions main oven

No. of cooking functions



| Traditional cooking functions | | | | |
|-------------------------------|---------------------|-------------|--|--|
| Static | 🛞 Fan assisted | Circulaire | | |
| 🛞 Turbo | ECO Eco | Small grill | | |
| 😨 Fan grill (small) | 🛞 Fan assisted base | | | |

Programs / Functions auxiliary oven

| Cooking functions cavity 2 Traditional cooking functions, cav | | 4 | | |
|--|-------------|---|-------------|--|
| Static | Small grill | | Large grill | |
| Bottom | | | | |

Hob technical features



Total no. of cook zones 6

| Front left - Gas - 2UR (dual) - 4.20 kW | | |
|--|-----------|--|
| Rear left - Gas - Semi Rapid | - 1.80 kW | |
| Front centre - Gas - AUX - 1 | .00 kW | |
| Rear centre - Gas - Rapid - 3 | 3.00 kW | |
| Front right - Gas - AUX - 1.00 kW | | |
| Rear right - Gas - Fish burner - 1.90 kW | | |
| Central - BBQ - 1.60 (BBQ) kW | | |
| Type of gas burners Standard | | |
| Automatic electronic Yes ignition | | |

Gas safety valves Yes Burner caps Mat

Yes Matt black enamelled

Main Oven Technical Features

| 77R 🧾 🛃 🖉 | | | |
|-------------------------------|-----------------------------|---|--------------------|
| No. of lights | 2 | Total no. of door glasses | 3 |
| Fan number | 1 | No.of thermo-reflective | 2 |
| Net volume of the cavity | 77 | door glasses | |
| Gross volume, 1st cavity | 901 | Safety Thermostat | Yes |
| Cavity material | Ever Clean enamel | Cooling system | Tangential |
| No. of shelves | 4 | Usable cavity space dimensions (HxWxD) | 305X613X405 mm |
| Type of shelves Light type | Metal racks Incandescent | Temperature control | Electro-mechanical |



| Light Power Cooking time setting | 25 W Start and Stop | Lower heating element power | 1750 W |
|-------------------------------------|------------------------|-------------------------------------|----------|
| Light when oven door is open | Yes | Upper heating element - Power | 1050 W |
| Door opening | Flap down | Grill elememt | 2800 W |
| Removable door | Yes | Large grill - Power | 3850 W |
| | | Circular heating element - Power | 2500 W |
| | | Grill type | Electric |

Options Main Oven

| Timer | Yes | Minimum Temperature | 50 °C |
|-------------------------------|-----|---------------------|--------|
| End of cooking acoustic alarm | Yes | Maximum temperature | 250 °C |

Second Oven Technical Features

| 4 · · · | | | |
|-------------------------|-------------------|-------------------------|--------------------|
| Net volume of the | 40 | No. total door glasses | 3 |
| second cavity | | No. thermo-reflective | 2 |
| Gross volume, 2nd | 42 I | door glasses | |
| cavity | | Safety Thermostat | Yes |
| Cavity material | Ever Clean enamel | Cooling system | Tangential |
| No. of shelves | 4 | Usable cavity space | 315x300x415 mm |
| Type of shelves | Metal racks | dimensions (HxWxD) | |
| Roof Liner | Yes | Temperature control | Electro-mechanical |
| No. of lights | 1 | Lower heating element - | 700 W |
| Light type | Incandescent | power | |
| Light Power | 25 W | Upper heating element - | 650 W |
| Light when oven door is | Yes | Power | |
| open | | Grill element - power | 1400 W |
| Door opening | Flap down | Large grill - Power | 2050 W |
| Removable door | Yes | Grill type | Electric |
| | | | |

Options Auxiliary Oven

| Minimum Temperature | 50 °C | C Maximum temperature | |
|---|-------------------|-----------------------|---|
| Accessories inclu | ded for Main Oven | & Hob | |
| TOP Oven grid with back stop | 2 | Wide baking tray | 2 |
| Accessories included for Secondary Oven | | | |
| Rack with back and side stop | 1 | Grill mesh | 1 |




Wide baking tray

1

Electrical Connection

| Plug | Not present | Electric cable | Installed, Single phase |
|------------------------------|-------------|------------------------------|-------------------------|
| Electrical connection rating | 6900 W | Power supply cable length | 200 cm |
| Current | 30 A | Additional connection | Double and Three Phase |
| Voltage | 220-240 V | modalities | |
| Voltage 2 (V) | 380-415 V | Frequency | 50/60 Hz |
| 2 | | Terminal block | 5 poles |





Compatible Accessories



BN620-1

Enamelled tray suitable for 45 cm and 60 cm ovens. Depth 20 mm. Perfect for a wide range of savoury and sweet



baking.



Teflon-coated tray, 8 mm depth, to be placed on the grid





BN640

Enamelled tray suitable for 45cm and 60cm ovens. Depth 540 mm. Perfect for cooking and roasting meat and fish in sauces. Also ideal for experimenting with lighter and crunchy side dishes

GC120

Cast iron grill plate suitable for A3/A4/A5 cookers

KIT1A3-8

Splashback, stainless steel, 120cm, suitable for Opera A3 cookers



KIT3-6

Height extension kit 2 lateral sides (950mm), stainless steel, for Opera cookers A2, A3, A4 (945-965mm)

PPR9

Refractary pizza stone without handles. Squared shaped stone: L64xH2,3xP37,5 cm Suitable also for gas ovens, to be put on the griddle.

SMOLD

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C

KIT2A3-2

Coffee machine support

GRM

Plinth, 120 cm, only frontal, stainless steel suitable for A3 and A4 Opera cookers





Pizza shovel with folding handle. Dimensions L31.5 x H32.5 cm. Easy and convenient to use and store. Perfect for

serving pizza, bread and savory pastries in a safe and professional way.



SFLK1

Child lock




ТРКХ

Stainless steel teppanyaki plate, suitable for A1-9 Opera cooker



.se•smeg

Symbols glossary





| ECO | ECO: low energy consumption cooking: this function is particularly suitable for cooking on a single shelf with low energy consumption. It is recommended for all types of food except those that can generate a lot of moisture (for example vegetables). To achieve maximum energy savings and reduce time, it is recommended to put the food in the oven without preheating the cooking compartment | <u>**</u> | Fan with grill element: The fan reduces the fierce heat from the grill, providing an excellent method of grilling various foods, chops, steaks, sausages etc. giving even browning and heat distribution, without drying out the food. The top two levels recommended for use, and the lower part of the oven can be used to keep items warm at the same time, an excellent facility when cooking a grilled breakfast. Half grill (centre portion only) is ideal for small quantities of food. |
|---------------|---|-----------|---|
| ···· | Grill: Very intense heat coming only from above from a double heating element. The fan is not active. Provides excellent grilling and gratinating results. Used at the end of cooking, it gives a uniform browning to dishes. | *** | Half grill: For rapid cooking and browning of foods. Best results can be obtained by using the top shelf for small items, the lower shelves for larger ones, such as chops or sausages. For half grill heat is generated only at the centre of the element, so is ideal for smaller quantities. |
| | Turbo: the heat comes from 3 directions: above, below and from the back of the oven The fan is active. It allows quick cooking, even on several shelves without mixing the aromas. Ideal for large volumes or foods that require intense cooking. | | Automatic opening: some models have Automatic opening door when the cycle is finished which is a perfect solution for handle-less kitchen units as no handle is needed. For safety reasons, the door locks automatically when the machine is in use to avoid it being opened inadvertently. |
| ∎ [: \ | Removable roof liner: This is a perfect solution that protects the upper part of the cavity of the oven from pollution. Easy to remove for cleaning, it can be washed in the dishwasher. | <u>.4</u> | The oven cavity has 4 different cooking levels. |
| | Electronic control: Allows you to maintain temperature inside the oven with the precision 2- 3 ° C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings. | UR | Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power. |
| 40 It | The capacity indicates the amount of usable space in the oven cavity in litres. | 77 It | The capacity indicates the amount of usable space in the oven cavity in litres. |
| Q | Knobs control | | |
| | | | |



Benefit (TT)

Gas hob

Gas provides permanent control of the heat source and the temperature change is immediate

Equipped with a thermocouple, the gas supply is cut off if the flame is extinguished for greater safety.

Ever Clean Enamel

Easy oven cleaning thanks to special pyrolytic enamel

Touch control

Easy and intuitive timer setting with a single touch

Drawer storage compartment

More space thanks to the lower drawer compartment, ideal for storing accessories or cooking utensils

True-convection

The best cooking performances guaranteed by ventilated circular flow

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

Multilevel cooking

Several cooking levels allow maximum flexibility of use

Tangential cooling

New cooling system with tangential fan and airflow from the door to the splashback

Adjustable height

Cooker top flushed with the working area thanks to adjustable feet

AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket (optional accessory)

Cold door

During any function, the external door glass is cold, avoiding any risk of burns

Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)

BBQ (optional accessory)

Barbecue cooking directly in the oven with the double-sided grill (BBQ optional accessory)



Isothermic Cavity

The best cooking performance at the highest energy efficiency

Single turbine

The oven has a fan equipped with a circular heating element allowing cooking with rotating heat