

A3AU-81


Cooker size N. of cavities with energy label Cavity heat source Hob type Type of main oven Type of second oven EAN code 120x60 cm 2 ELECTRICITY Gas Thermoseal Static 8017709290030



Aesthetics

Screen			
Aesthetic	Classic	Control knobs	Smeg Classic
Serie	Opera	Controls colour	Stainless steel
Design	Professional	No. of controls	11
Colour	Stainless steel	Serigraphy colour	Black
Finishing	Satin	Display	Touch
Command panel finish	Finger friendly stainless	Door	With 2 horizontal strips
	steel	Glass type	eclypse
Logo	Assembled st/steel	Handle	Smeg Classic
Logo position	Facia below the oven	Handle Colour	Brushed stainless steel
Upstand	Yes	Storage compartment	Drawer
Hob colour	Stainless steel	Sliding compartment	Yes
Type of pan stands	Cast Iron		
Type of control setting	Control knobs		

Programs / Functions





Programs / Functions Auxiliary Oven

Cooking functions cavity 2 Traditional cooking functions, cav	ity 2	4	
Static	Small grill		Large grill
Bottom			

Hob technical features

Total no. of cook zones	6		
Type of gas burners	Standard	Gas safety valves	Yes
Automatic electronic ignition	Yes	Burner caps	Matt black enamelled

Main Oven Technical Features

No. of lights Fan number Net volume of the cavity Gross volume, 1st cavity		Total no. of door glasses No.of thermo-reflective door glasses Safety Thermostat	3 2 Yes
Cavity material No. of shelves Type of shelves Light type Light Power Cooking time setting Light when oven door is open Door opening Removable door	Ever Clean enamel 4 Metal racks Incandescent 25 W Start and Stop Yes Flap down Yes	Cooling system Usable cavity space dimensions (HxWxD) Temperature control Lower heating element power Upper heating element - Power Grill elememt Large grill - Power Circular heating element - Power Grill type	2800 W 3850 W

Options Main Oven


Timer	Yes	Minimum Temperature	50 °C
End of cooking acoustic alarm	Yes	Maximum temperature	250 °C

Second Oven Technical Features



🌆 📃 🚑 📴 🧬			
Net volume of the	40	No. total door glasses	3
second cavity		No. thermo-reflective	2
Gross volume, 2nd	42 I	door glasses	
cavity		Safety Thermostat	Yes
Cavity material	Ever Clean enamel	Cooling system	Tangential
No. of shelves	4	Usable cavity space	315x300x415 mm
Type of shelves	Metal racks	dimensions (HxWxD)	Flaster and have a
Roof Liner	Yes	Temperature control	Electro-mechanical
No. of lights	1	Lower heating element - power	750 W
Light type	Halogen	Upper heating element -	650 W
Light Power	25 W	Power	
Light when oven door is open	res	Grill element - power	1400 W
Door opening	Flap down	Large grill - Power	2050 W
Removable door	Yes	Grill type	Electric
	105		
Options Auxiliary	Oven		
Minimum Temperature	50 °C	Maximum temperature	220 °C
			220 0
Accessories inclu	ded for Main Oven	& Hob	
TOP Oven grid with	2	Wide baking tray	2
back stop			
• • • • • • • • • • • • • • • • • • •		0	
Accessories inclu	ded for Secondary	Oven	
Rack with back and side	1	Grill mesh	1
stop			
Wide baking tray	1		
Electrical Connec	tion		
Plug	(I) Australia	Type of electric cable	Yes, Single phase
Electrical connection	6800 W	installed	
rating		Power supply cable	200 cm
Current	30 A	length	
Voltage	220-240 V	Type of electric cable	Yes, Double and Three
Voltage 2 (V)	380-415 V	_	Phase
		Frequency	50/60 Hz
		Terminal block	5 poles







Compatible Accessories

BN620-1

BNP608T



Enamelled tray, 20mm deep



Teflon-coated tray, 8mm depth, to be placed on the grid



GRM Gas hobs moka support



GC120

Enamelled tray, 40mm deep

Cast iron grill plate suitable for A3/A4/A5 cookers

KIT1A3-8

BN640

Splashback 120x75 cm, stainless steel, suitable for Opera A3-8 cookers

KIT3-6

Height extension kit (950 mm), stainless steel, for Opera cookers

PPR9

Refractary pizza stone without handles. Squared shaped stone: L64xH2,3xP37,5 cm Suitable also for gas ovens, to be put on the griddle.

SMOLD

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C



PALPZ

KIT2A3-2



Pizza shovel with fold away handle width: 315mm length : 325mm

Plinth, 120 cm, stainless steel suitable

for A3-7 and A4 Opera cookers



SFLK1 Child lock




ТРКХ Teppanyaki inox







Symbols glossary





ö	0
~~~~	

Side lights: Two opposing side lights increase visibility inside the oven.

Ø

Automatic opening: some models have Automatic opening door when the cycle is finished which is a perfect solution for handle-less kitchen units as no handle is needed. For safety reasons, the door locks automatically when the machine is in use to avoid it being opened inadvertently.



Removable roof liner: This is a perfect solution that protects the upper part of the cavity of the oven from pollution. Easy to remove for cleaning, it can be washed in the dishwasher.

Electronic control: Allows you to maintain temperature inside the oven with the precision 2-3 ° C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.



°C

The capacity indicates the amount of usable space in the oven cavity in litres.



.4:

40 lt

The capacity indicates the amount of usable space in the oven cavity in litres.

The oven cavity has 4 different cooking levels.



### Benefit (TT)

#### Gas hob

Induction offers fast cooking and precise temperature control

Equipped with a thermocouple, the gas supply is cut off if the flame is extinguished for greater safety

#### **Ever Clean Enamel**

Easy oven cleaning thanks to special pyrolytic enamel

#### **Touch control**

Easy and intuitive timer setting with a single touch

#### Drawer storage compartment

More space thanks to the lower compartment, ideal for storing accessories or cooking utensils

#### **True-convection**

The best cooking performances guaranteed by ventilated circular flow.

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

#### Multilevel cooking

Several cooking levels allow maximum flexibility of use

#### **Tangential cooling**

New cooling system with tangential fan and airflow from the door to the splashback

#### Adjustable height

Cooker top flushed with the working area thanks to adjustable feet

#### AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket

#### Cold door

During any function, the external door glass is cold, avoiding any risk of burns

#### Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)

#### **BBQ** (optional accessory)

Barbeque cooking directly in the oven with the double-sided grill



#### Isothermic Cavity

The best cooking performance at the highest energy efficiency

#### Single turbine

The oven has a fan equipped with a circular heating element allowing cooking with rotating heat