

## A5AU-81

Cooker size N. of cavities with energy label Cavity heat source Hob type Type of main oven Type of second oven EAN code 150x60 cm 2 ELECTRICITY Gas Thermoseal Thermoseal 8017709290047




## Aesthetics

. .


Classic	Type of control setting	Control knobs
Opera	Control knobs	Smeg Classic
Professional	Controls colour	Stainless steel
Stainless steel	No. of controls	13
Satin	Serigraphy colour	Black
Finger friendly stainless	Display	Touch
steel	Door	With 2 horizontal strips
Assembled st/steel	Glass type	eclypse
Facia below the oven	Handle	Smeg Classic
Yes	Handle Colour	Brushed stainless steel
Stainless steel	Storage compartment	Drawer
Cast Iron	-	
	Opera Professional Stainless steel Satin Finger friendly stainless steel Assembled st/steel Facia below the oven Yes Stainless steel	OperaControl knobsProfessionalControls colourStainless steelNo. of controlsSatinSerigraphy colourFinger friendly stainlessDisplaysteelDoorAssembled st/steelGlass typeFacia below the ovenHandleYesHandle ColourStainless steelStorage compartment

## **Programs / Functions**






## Programs / Functions Auxiliary Oven



## Hob technical features



## Main Oven Technical Features

<b>77R 4</b>			
No. of lights	2	Full glass inner door	Yes
Fan number	1	Removable inner door	Yes
Net volume of the cavity	77	Total no. of door glasses	3
Gross volume, 1st cavity	901	No.of thermo-reflective	2
Cavity material	Ever Clean enamel	door glasses	
No. of shelves	4	Safety Thermostat	Yes
Type of shelves	Metal racks	Cooling system	Tangential
Roof Liner	Yes	Usable cavity space	305X613X405 mm
Light type	Incandescent	dimensions (HxWxD)	
Light Power	25 W	Temperature control	Electro-mechanical
Cooking time setting	Start and Stop	Lower heating element	1750 W
Light when oven door is	Yes	power	1050.14
open		Upper heating element - Power	1050 W
Door opening	Flap down		
Removable door	Yes	Grill elememt	2800 W
		Circular heating element - Power	2500 W
		Grill type	Electric

## **Options Main Oven**



Timer

Yes

End of cooking acoustic Yes alarm

Minimum Temperature50 °CMaximum temperature250 °C

## Second Oven Technical Features

541 🔛 🚑 🔗 🔿	盘 健 凿 ≌ @		
Net volume of the	54	Removable inner door	Yes
second cavity		No. total door glasses	3
Gross volume, 2nd cavity	701	No. thermo-reflective door glasses	2
Cavity material	Ever Clean enamel	Safety Thermostat	Yes
No. of shelves	4	Cooling system	Tangential
Type of shelves	Metal racks	Usable cavity space	290x444x425 mm
No. of lights	1	dimensions (HxWxD)	
Light type	Halogen	Temperature control	Electro-mechanical
Light Power	40 W	Lower heating element -	1100 W
Cooking time setting	Stop	power	
Light when oven door is open	Yes	Upper heating element - Power	1000 W
Door opening	Flap down	Grill element - power	1700 W
Removable door	Yes	Circular heating element	2000 W
Full glass inner door	Yes	- Power	
-		Grill type	Electric
		Tilting grill	Yes

## **Options Auxiliary Oven**

Timer Y	Yes	Minimum Temperature	50 °C
End of cooking acoustic Y	Yes	Maximum temperature	280 °C

## Accessories included for Main Oven & Hob

TOP Oven grid with	2	Wide baking tray	2
back stop			

## Accessories included for Secondary Oven


Rack with back and side	1	Catalityc panels	3
stop		Pizza Accessories	Refractory stone + cover +
40mm deep tray	1		shovel
Grill mesh	1		

## **Electrical Connection**

Plug	(I) Australia	Type of electric cable installed	Yes, Double and Three Phase



Electrical connection rating	7700 W	Power supply cable length	150 cm
Current Voltage Voltage 2 (V)	34 A 220-240 V 380-415 V	Frequency Terminal block	50 Hz 5 poles





### **Compatible Accessories**

### BN620-1



Enamelled tray, 20mm deep

## BNP608T

Teflon-coated tray, 8mm depth, to be placed on the grid



**GRM** Gas hobs moka support

### KIT2A5-5

Plinth, 150 cm, stainless steel suitable for A5 Opera cookers



### PPR9

Refractary pizza stone without handles. Squared shaped stone: L64xH2,3xP37,5 cm Suitable also for gas ovens, to be put on the griddle.



## SMOLD

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C



Enamelled tray, 40mm deep



GC120 Cast iron grill plate suitable for A3/A4/A5 cookers

### KIT1A5-81

Splashback 150x75 cm, stainless steel, suitable for Opera A5-81 cookers

PALPZ

Pizza shovel with fold away handle width: 315mm length : 325mm




SFLK1 Child lock

**TPKX** Teppanyaki inox

SMEG SPA



## Symbols glossary



enabling any size or shape to be cooked.

# •ss•smeg

月	All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.		The inner door glass: can be removed with a few quick movements for cleaning.
.0 .0	Side lights: Two opposing side lights increase visibility inside the oven.		Automatic opening: some models have Automatic opening door when the cycle is finished which is a perfect solution for handle-less kitchen units as no handle is needed. For safety reasons, the door locks automatically when the machine is in use to avoid it being opened inadvertently.
<u>الا</u>	Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.	ת:ָּיַין	Removable roof liner: This is a perfect solution that protects the upper part of the cavity of the oven from pollution. Easy to remove for cleaning, it can be washed in the dishwasher.
<u>.4</u>	The oven cavity has 4 different cooking levels.		Electronic control: Allows you to maintain temperature inside the oven with the precision 2- 3 ° C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.
	Tilting grill: the tilting grill can be easily unhooked to move the heating element and clean the roof of the appliance in one simple step.	$\bigcirc$	Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.
54 it	The capacity indicates the amount of usable space in the oven cavity in litres.	77 it	The capacity indicates the amount of usable space in the oven cavity in litres.



## Benefit (TT)

### Gas hob

Induction offers fast cooking and precise temperature control

Equipped with a thermocouple, the gas supply is cut off if the flame is extinguished for greater safety

### **Ever Clean Enamel**

Easy oven cleaning thanks to special pyrolytic enamel

### **Touch control**

Easy and intuitive timer setting with a single touch

### Drawer storage compartment

More space thanks to the lower compartment, ideal for storing accessories or cooking utensils

### **True-convection**

The best cooking performances guaranteed by ventilated circular flow.

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

### Multilevel cooking

Several cooking levels allow maximum flexibility of use

### **Removalble inner glass**

Internal door glasses are easily removable for complete cleaning

### **Tangential cooling**

New cooling system with tangential fan and airflow from the door to the splashback

### **Isothermic Cavity**

The best cooking performance at the highest energy efficiency

### AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket

### Cold door

During any function, the external door glass is cold, avoiding any risk of burns

### Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)



### BBQ (optional accessory)

Barbeque cooking directly in the oven with the double-sided grill

### Adjustable height

Cooker top flushed with the working area thanks to adjustable feet

### Single turbine

The oven has a fan equipped with a circular heating element allowing cooking with rotating heat