

ALFA1035HR-2

Product Family	Ovens
Subfamily	Convection oven 10 trays EN 600x400 mm or GN1/1
Oven type	Fan with humidification
Oven controls	Mechanical
Tray capacity	10 trays 600x400 mm - GN1/1
Default power supply	400 V 3N~ / 23A / 16 kW / 50-60 Hz
Steam technology	Direct
App for recipe development and upload	Not available
Maximum depth with open door	1536 mm
Adjustable feet	Yes
Net weight (kg)	102,000 kg
Product dimensions WxDxH	798x772x1100 mm
EAN code	8017709272838



Target

Potential users	Bakery/Pastry making; Industrial pastry & bakery test kitchen; Butcher's shops	Suggested for	Bars/Cafes
------------------------	---	----------------------	------------

Aesthetics

Colour	Stainless steel	Front panel Logo	Yes Smeg printed
Door with stainless steel strip	Yes		

Controls

Adjustable timer	1 min - 99hrs + continuous	Adjustable chimney	Manual
-------------------------	----------------------------	---------------------------	--------




Options

Right hand hinge	ALFA1035EHR	Condense hood	K4610X
-------------------------	-------------	----------------------	--------

Construction

Oven material	Stainless steel/glass/plastics	Humidification system on each fan	Yes
Cavity dimensions (WxDxH)	672x437x854mm	Steam assisted levels Exhaust exit	Manual Back

Gross volume	616x431x340mm	Time adjustment	Electromechanical timer
Net volume	616x431x340mm	Temperature range	50-270°C
Internal net volume	199,1 lt	End of cooking alarm	Yes
Cavity material	Stainless steel	Orange light indicator when t° achieved	Yes
No. of shelves	10	Green light indicator when time achieved	Yes
Tray support frame	Chrome	Heating element interruption with open door	Yes
Distance between shelves	77 mm	Manual safety thermostat reset	Yes
Door construction	Yes	Removable deflector	Yes
Door opening	Lateral - right hinge	No. of lights	3 Halogen lights
Handle type	New ergonomics	Light power	40 W
Inner glass	Openable	Water connection	Yes
Fan type and number	3 contrarotating fans with time direction reversal	Power cable length	170 cm
Fan motor power	180W	Back panel	Galvanized
Fan speed	Single speed	IPX protection	Scheduled start H/12
Max motor speed (rpm)	2		



Q	MORSETTO EQUIPOTENZIALE EARTH TERMINAL
E	CAVO ALIMENTAZIONE ELETTRICA ELECTRICITY SUPPLY CABLE
C	TUBO DI CARICO FILLER HOSE

Compatible Accessories



3743
Flat aluminium tray



3751
Flat perforated aluminium tray




3805
Flat chrome-plated wire grid



3810
Corrugated grid for baguettes



3927
Air flow reducer kit



RGN11-1035-2



T11TH20
2cm height GN1/1 non-stick tray for Galileo professional




T11TH40
4cm height GN1/1 non-stick tray for Galileo professional




T11XH20
2cm height aluminium GN1/1 tray for Galileo professional



T11XH65
6,5cm height aluminium GN1/1 tray for Galileo professional



TF11XH2
Perforated aluminium GN1/1 tray for Galileo professional



TMF11TH2
GN 1/1 non-sticking microperforated tray

Alternative products



ALFA1035H-2

Colour: Stainless steel

Symbols glossary



Fan forced



Fan with humidification