

ALFA43X



Family	Professional ovens
Subfamily	Convection oven 4 trays 435x320 mm
Power supply	Electric
Oven type	Convection oven
Oven control	Manual
Trays capacity	4 trays 435x320 mm
Power supply	230 V~ / 13 A / 3,0 kW / 50 Hz
Maximum depth with open door	993 mm
Adjustable feet	Yes
Net weight	32.800 kg
Product dimensions WxDxH	602x580x537 mm
EAN code	8017709236731



Target

Solutions	Coffee shops/Wine bars; Hotels; Restaurants/Pubs; Bakery/Pastry making; Frozen bakery industry; Food retail; QSR
------------------	------------------------------------------------------------------------------------------------------------------------------

Aesthetics

Colour	Stainless steel	Front panel	Yes
Door with stainless steel stripes	Yes	Logo	Smeg printed

Controls

Timer setting range	1-60 minutes + endless
----------------------------	------------------------

Options

Other versions	ALFA43UK with UK plug; ALFA43K - 60Hz version; ALFA43KSA - 60Hz with UK plug	Combinable hood	K43X
-----------------------	------------------------------------------------------------------------------------	------------------------	------

Accessories Included


Aluminized tray 3820	kit of 4 pieces
-----------------------------	-----------------

Electrical Connection

Plug (F;E) Schuko

Construction


Oven materials	Stainless steel / glass / plastics	Motor rpm in standard speed	2700 rpm
Cavity dimensions (WxDxH)	460x360x425 mm	Exhaust position	Back
Internal net volume	54,5 lt	Timer type	Electric
Cavity material	Ever Clean enamel	Temperature range	50-250°C
Shelves number	4	End cooking signal	Yes
Tray frame support	Chromed wire	Orange light indicator t° achievement	Yes
Shelves distance	80 mm	Green light indicator time achievement	Yes
Door construction	Double glass	Manual reset safety thermostat	Yes
Door opening	Tilting	Removable deflector	Yes
Handle type	Fixed	Lighting	1 Halogen lamp
Glass	With clip	Light power	40 W
Fan type and number	Fan with fixed rotation	Power cable length	115 cm
Fan motor power	Dual speed	Back panel	Galvanized
Engine rpm	Single speed	IPX protection	IPX3




Compatible Accessories




3755
Flat perforated aluminium tray (4pcs)



3780
Flat non-stick trays (4pcs)



3820
Flat aluminised steel tray (4pcs)



3900
Flat chrome-plated wire grid (4pcs)



3926
Air flow reducer kit for ALFA43 ovens



4730
External tank kit 5 lt.

Symbols glossary



Electric



Fan forced heating

Benefit (TT)

Mechanical control panel

Ease of use and effortless control of the essential cooking parameters

The control panel, equipped with practical knobs, allows for simple, intuitive, and effortless management of the main functions. Using the buttons, you can adjust the cooking time, temperature, and, in selected models, the level of humidification. By turning the knob to position 1, steam will be delivered until it is released.

In multifunction ovens with a mechanical control panel, there is also a dedicated button for selecting different oven functions based on the desired cooking mode.

Clip-open

Easily accessible glass for effortless maintenance and cleaning

The glass panels are designed to be easily accessible and inspectable, ensuring great convenience during cleaning and maintenance operations. This feature significantly simplifies the process, making it quick and efficient, while ensuring that every intervention can be carried out with maximum comfort and complete safety.