

ALFA43XE

Product Family	Ovens
Subfamily	Convection oven 4 trays 435x320 mm
Oven type	Convection oven
Default power supply	230 V~ / 13 A / 3,0 kW / 50-60 Hz
App for recipe development and upload	Not available
Adjustable feet	Yes
Product dimensions WxDxH	602x580x537 mm
Maximum depth with open door	993 mm



Target

Potential users	Bars/Cafes; Hotels; Restaurants/Catering; Bakery/Pastry making; Industrial pastry & bakery test kitchen; Butcher's shops; QSR	Subfamily	Convection ovens
-----------------	--	-----------	------------------

Aesthetics

Colour	Stainless steel	Front panel Logo	Yes Smeg printed
Door with stainless steel strip	Yes		
Digital display colour	Red		

Controls

Adjustable timer	1 min - 99hrs + continuous
------------------	----------------------------

Options

60Hz version	ALFA1035EHR	Condense hood	Restaurants/Catering
--------------	-------------	---------------	----------------------

Accessories Included


Flat aluminium tray 3820	4 x trays
-----------------------------	-----------

Electrical Connection

Plug (F;E) Schuko

Construction

Oven material	Stainless steel/glass/plastics	Max motor speed (rpm)	2700 rpm
Cavity dimensions (WxDxH)	460x360x425mm	Steam assisted levels	None
Internal net volume	54.5 lt	Exhaust exit	Back
Cavity material	Easy clean enamel	Time adjustment	Electronic timer
No. of shelves	4	Temperature range	50-250°C
Tray support frame	Chrome	End of cooking alarm	Yes
Distance between shelves	80 mm	Manual safety thermostat reset	Yes
Door construction	Yes	Removable deflector	Yes
Door opening	Drop down	No. of lights	1 Halogen light
Handle type	Smeg	Light power	40 W
Inner glass	Removable	Power cable length	115 cm
Fan motor power	Double speed	Back panel	Galvanized
Fan speed	Single speed	IPX protection	Scheduled start H/12




Compatible Accessories



3755

Flat perforated aluminium tray



3780

Flat non-stick trays



3926

Air flow reducer kit



4730

External tank kit 5 lt.

Symbols glossary



Fan forced

Benefit

Clip-open

Easily accessible glass for effortless maintenance and cleaning

The glass panels are designed to be easily accessible and inspectable, ensuring great convenience during cleaning and maintenance operations. This feature significantly simplifies the process, making it quick and efficient, while ensuring that every intervention can be carried out with maximum comfort and complete safety.