

# ALFA43XE

<b>Familie</b>	Professional ovens
<b>Subfamily</b>	Convection oven 4 trays 435x320 mm
<b>Oven type</b>	Convection oven
<b>Electrische aansluiting</b>	230 V~ / 13 A / 3,0 kW / 50-60 Hz
<b>Program storage with application</b>	Not available
<b>Diepte open deur</b>	993 mm
<b>verstelbare poten</b>	Ja
<b>Netto gewicht</b>	32.800 kg
<b>Product dimensions WxDxH</b>	602x580x537 mm
<b>EAN code</b>	8017709142872



## Target

<b>Solutions</b>	Coffee shops/Wine bars; Hotels; Restaurants/Pubs; Bakery/Pastry making; Frozen bakery industry; Food retail; QSR	<b>Subfamilie</b>	Not available for EU market
------------------	--	-------------------	-----------------------------

## Design

<b>Kleur</b>	Roestvrij staal	<b>Front paneel met relief</b>	Ja
<b>Deur met roestvrijstalen delen</b>	Ja	<b>Logo</b>	Smeg gedrukt
<b>Led kleur</b>	Rood		

## Bediening

<b>Programmeerbare minuten</b>	1-99 minutes + endless
--------------------------------	------------------------

## Opties

<b>60Hz version</b>	Ja	<b>Combinable hood</b>	K43X
---------------------	----	------------------------	------

## Meegeleverde accessoires


<b>Aluminium bakplaat 3820</b>	kit of 4 pieces
--------------------------------	-----------------

## Elektrische aansluiting

Stekker (F;E) Schuko

## Construction

<b>Materiaal bakruimte</b>	Ever Clean emaille	<b>Materiaal bakruimte</b>	2700 rpm
<b>Afmetingen bakruimte (BxDxH)</b>	460x360x425 mm	<b>Vochtigheidsniveaus</b>	Geen
<b>Afmetingen bakruimte (BxDxH)</b>	54,5 lt	<b>Water aansluiting</b>	Back
<b>Materiaal bakruimte</b>	Ever Clean emaille	<b>Tijd instellen</b>	Electrical
<b>Aantal kookniveau's</b>	4	<b>Temperatuur bereik</b>	50-250°C
<b>Frame bakplaat geleiders</b>	Verchroomd	<b>Einde baktijd alarm</b>	Ja
<b>Afstand tussen bakniveaus</b>	80 mm	<b>Handmatige reset van thermostaat</b>	Ja
<b>Goed geïsoleerde deur met compleet te openen binnenruit</b>	Double glass	<b>Water aansluiting</b>	Ja
<b>Deur openen</b>	Tilting	<b>Verlichting</b>	1 Halogen lamp
<b>Type handvat</b>	Smeg	<b>Vermogen lamp</b>	40 W
<b>Binnenruit</b>	Openable with clip	<b>Lengte voedingskabel</b>	115 cm
<b>Materiaal bakruimte</b>	80W	<b>Achterwand</b>	Verzinkt
<b>Materiaal bakruimte</b>	Single speed	<b>Timer optie</b>	IPX3



---


## Compatibile Accessoire

---



**3755**

Flat perforated aluminium tray (4pcs)



**3780**

Flat non-stick trays (4pcs)



**3926**

Air flow reducer kit for ALFA43 ovens



**4730**

External tank kit 5 lt.

## Symbols glossary

---



Fan forced heating