

ALFA43XEH

Family	Ovens
Subfamily	Convection oven 4 trays 435x320 mm
Oven type	Fan with humidification
Power supply	230 V~ / 13 A / 3,0 kW / 50-60 Hz
WiFi connection	Not available
Maximum depth with open door	1178 mm
Adjustable feet	Yes
Net weight	34.200 kg
Product dimensions WxDxH	602x580x537 mm



Distribution

Solutions	Bars/Cafes; Hotels; Restaurants/Catering; Bakery/Pastry making; Industrial pastry&bakery laboratories; Buthcher's shops; QSR	Subfamily	4 trays 435x320 mm
-----------	---	-----------	--------------------

Aesthetics

Colour	Stainless steel	Front panel	Yes
Door with stainless steel stripes	Yes	Logo	Smeg printed
Digit display color	Red		

Controls

Timer setting range	1 minute -99h + endless
---------------------	-------------------------

Programs / Functions

Backing functions



Fan forced with humidification

Options

Right hand hinge

ALFA1035EHR

Solutions

Restaurants/Catering

Accessories Included

Aluminized tray 3820 kit of 4 pieces



Electrical Connection

Plug

(F;E) Schuko

Construction

Oven materials	Ever Clean enamel	Water injection on each fan	Yes
Cavity dimensions (lxdxh)	460x360x425mm	Humidification levels	5 + manual
Internal net volume	54,5 lt	Exhaust position	Back
Cavity material	Ever Clean enamel	Timer type	Electronic timer
Shelves number	4	Temperature range	50-280°C
Tray frame support	Chrome	End cooking signal	Yes
Shelves distance	80 mm	Manual reset safety thermostat	Yes
Door construction	Double glass	Removable deflector	Yes
Door opening	Tilting	Lighting	1 Halogen lamp
Handle type	Smeg	Light power	40 W
Openable glass	Removable	Water load pipe	Yes
Engine speed	2	Power cable length	115 cm
Engine speed	Single speed	Back panel	Galvanized
Max standard speed motor rpm	2700 rpm	IPX protection	Scheduled start H/12




Q	MORSETTO EQUIPOTENZIALE EARTH TERMINAL
E	CAVO ALIMENTAZIONE ELETTRICA ELECTRICITY SUPPLY CABLE
C	TUBO DI CARICO (solo su alcuni modelli) FILLER HOSE (on some models only)

Not included accessories



4730

External tank kit 5 lt.



3780

Flat non-stick trays



3755

Flat perforated aluminium tray



3926

Air flow reducer kit

Symbols glossary (TT)



...