

ALFA43XMFDS



Family Professional ovens

Subfamily Multifunction oven 4 trays 435x320

mm

Power supply Electric

Oven type Convection multifunction oven

Oven control Manual

Trays capacity 4 trays 435x320 mm

Power supply $230 \text{ V} \sim / 13 \text{ A} / 3.0 \text{ kW} / 50 \text{ Hz}$

Program storage with Not available

application

Adjustable feet Yes

Product dimensions WxDxH 602x580x537 mm

Maximum depth with open door 993 mm



Target

Solutions Coffee shops/Wine bars;

Hotels; Restaurants/Pubs; Bakery/Pastry making; Frozen bakery industry;

Food retail

Aesthetics

Series Alfa Front panel Yes

Colour Stainless steel Logo Smeg printed

Door with stainless

steel stripes

Yes

Controls

Timer setting range 1-60 minutes + endless

Accessories Included

Aluminized tray 3820 kit of 4 pieces

Electrical Connection

Plug (F;E) Schuko



Construction

Oven materials Stainless steel / glass / plastics **Cavity dimensions** 460x360x425 mm (wxdxh) Cavity material Ever Clean enamel Shelves number Tray frame support Chromed wire Shelves distance 80 mm **Door construction** Triple glass Door opening **Tilting** Handle type Fixed Glass Openable with clip Fan with fixed rotation Fan type and number 80W Fan motor power Engine rpm **Dual speed** Motor rpm in standard 2700 rpm

Motor rpm in low speed 2100 rpm
Exhaust position Back
Timer type Electric
Temperature range 50-270°C
End cooking signal Yes
Orange light indicator t° Yes
achievement
Green light indicator Yes

time achievement

Manual reset safety

thermostat

Removable deflector Yes
Lighting 1 Ho

Lighting 1 Halogen lamp
Light power 40 W
Power cable length 115 cm

Back panel Galvanized IPX protection IPX3


Logistic Information


speed

Net weight36.100 kgPacked width625 mmPackaged depth695 mm

Height (mm) packed Gross weight (kg) Packed product dimensions 610 mm 38.200

Yes







Compatible Accessories



3820

Flat aluminised steel tray (4pcs)



3900

Flat chrome-plated wire grid (4pcs)



RUTVL

Wheels kit for all oven table models (4pcs)



TVL40

Oven stand for 8 trays - 600x600x900/950mm



Symbols glossary

Electric Double speed fan

Fan with lower element Fan forced heating

Large grill heating element Static heating with upper and lower elements



Benefit (TT)

Mechanical control panel

Ease of use and effortless control of the essential cooking parameters

The control panel, equipped with practical knobs, allows for simple, intuitive, and effortless management of the main functions. Using the buttons, you can adjust the cooking time, temperature, and, in selected models, the level of humidification. By turning the knob to position 1, steam will be delivered until it is released. In multifunction ovens with a mechanical control panel, there is also a dedicated button for selecting different oven functions based on the desired cooking mode.

Clip-open

Easily accessible glass for effortless maintenance and cleaning

The glass panels are designed to be easily accessible and inspectable, ensuring great convenience during cleaning and maintenance operations. This feature significantly simplifies the process, making it quick and efficient, while ensuring that every intervention can be carried out with maximum comfort and complete safety.

Two-speed fan

Perfect ventilation for the ideal cooking of the most delicate dishes

The fan speed adjustment function allows you to tailor the ventilation intensity to the specific needs of each dish, ensuring consistently flawless results. Thanks to the dual-speed setting, you can create the perfect conditions for delicate preparations such as meringues, profiteroles, and soufflés, enveloping them in a gentler, more even airflow that preserves their lightness and structure.