

# ALFA43MFHDS

<b>Family</b>	Professional ovens
<b>Subfamily</b>	Multifunction oven 4 trays 435x320 mm
<b>Oven type</b>	Multifunction convection oven with humidifier
<b>Oven control</b>	Manual
<b>Trays capacity</b>	4 trays 435x320 mm
<b>Power supply</b>	230 V~ / 13 A / 3,0 kW / 50 Hz
<b>Steam generation</b>	Direct
<b>Program storage with application</b>	Not available
<b>Maximum depth with open door</b>	993 mm
<b>Adjustable feet</b>	Yes
<b>Net weight</b>	36,400 kg
<b>Product dimensions WxDxH</b>	602x580x537 mm
<b>EAN code</b>	8017709305949



## Target

<b>Solutions</b>	Coffee shops/Wine bars; Hotels; Restaurants/Pubs; Bakery/Pastry making; Frozen bakery industry; Food retail
------------------	---

## Aesthetics

<b>Colour</b>	Stainless steel	<b>Front panel</b>	Yes
<b>Door with stainless steel stripes</b>	Yes	<b>Logo</b>	Smeg printed

## Controls

<b>Timer setting range</b>	1-60 minutes + endless
----------------------------	------------------------

## Accessories Included


<b>Aluminized tray 3820</b>	kit of 4 pieces
-----------------------------	-----------------

## Electrical Connection

<b>Plug</b>	(F;E) Schuko
-------------	--------------

## Construction

<b>Oven materials</b>	Stainless steel / glass / plastics	<b>Motor rpm in low speed</b>	2100 rpm
<b>Cavity dimensions (wxdxh)</b>	460x360x425 mm	<b>Exhaust position</b>	Back
<b>Cavity material</b>	Ever Clean enamel	<b>Timer type</b>	Electric
<b>Shelves number</b>	4	<b>Temperature range</b>	50-250°C
<b>Tray frame support</b>	Chromed wire	<b>End cooking signal</b>	Yes
<b>Shelves distance</b>	80 mm	<b>Orange light indicator t° achievement</b>	Yes
<b>Door construction</b>	Triple glass	<b>Green light indicator time achievement</b>	Yes
<b>Door opening</b>	Tilting	<b>Manual reset safety thermostat</b>	Yes
<b>Handle type</b>	Fixed	<b>Removable deflector</b>	Yes
<b>Glass</b>	With clip	<b>Lighting</b>	1 Halogen lamp
<b>Fan type and number</b>	Fan with fixed rotation	<b>Light power</b>	40 W
<b>Fan motor power</b>	Dual speed	<b>Power cable length</b>	115 cm
<b>Engine rpm</b>	Single speed	<b>Back panel</b>	Galvanized
<b>Motor rpm in standard speed</b>	2700 rpm	<b>IPX protection</b>	IPX3



## Not included accessories

---



**3820**  
Flat aluminised steel tray (4pcs)



**3900**  
Flat chrome-plated wire grid (4pcs)

## Symbols glossary

---



Fan with lower element



Fan forced heating



Fan forced heating with humidity injection



Large grill heating element



Static heating with upper and lower elements



Double speed fan