

# ALFA43XUK



<b>Product Family</b>	Ovens
<b>Subfamily</b>	Convection oven 4 trays 435x320 mm
<b>Power supply</b>	Electric
<b>Oven type</b>	Convection oven
<b>Oven controls</b>	Mechanical
<b>Tray capacity</b>	4 trays 435x320 mm
<b>Default power supply</b>	230 V~ / 12 A / 2,75 kW / 50 Hz
<b>App for recipe development and upload</b>	Not available
<b>Adjustable feet</b>	Yes
<b>Product dimensions WxDxH</b>	602x580x537 mm
<b>Maximum depth with open door</b>	993 mm



## Target

<b>Industries</b>	Bar / Cafeterias / Bistros / Wine bars / Pubs; Hotels; Restaurants; Bakeries / Pastry shops; Butcher shops / Delicatessens; Catering; Care facilities; Commercial food services; Grocery shops / Food retail
-------------------	---

## Aesthetics

<b>Door with stainless steel strip</b>	Yes	<b>Front panel Series</b>	Yes Alfa
<b>Colour</b>	Stainless steel		

## Controls

<b>Adjustable timer</b>	1-60 minutes + continuous
-------------------------	---------------------------

## Options

<b>Other versions</b>	ALFA43UK version with English plug; ALFA43K version 60Hz; ALFA43KSA version 60Hz with English plug	<b>Condense hood</b>	Restaurants/Catering
-----------------------	--	----------------------	----------------------

## Accessories Included

Flat aluminium tray 3820 4 x trays

## Electrical Connection


Plug (G) UK e Singapore

## Construction

Oven material	Stainless steel/glass/plastics	Max motor speed (rpm)	2700 rpm
Cavity dimensions (WxDxH)	460x360x425mm	Exhaust exit	Back
Internal net volume	54.5 lt	Time adjustment	Electromechanical timer
Cavity material	Easy clean enamel	Temperature range	50-250°C
No. of shelves	4	End of cooking alarm	Yes
Tray support frame	Chrome	Orange light indicator when t° achieved	Yes
Distance between shelves	80 mm	Green light indicator when time achieved	Yes
Door construction	Yes	Manual safety thermostat reset	Yes
Door opening	Drop down	Removable deflector	Yes
Handle type	Smeg	No. of lights	1 Halogen light
Inner glass	Removable	Light power	40 W
Fan type and number	1	Power cable length	115 cm
Fan motor power	Double speed	Back panel	Galvanized
Fan speed	Single speed	IPX protection	IPX3

## Logistic Information

Packed product dimensions (WxDxH)	625x695x610 mm	Net weight (kg)	32,500 kg
EAN code	8017709236755	Gross weight (kg)	34,600 kg



---

## Compatible Accessories

---



**3755**

Flat perforated aluminium tray



**3780**

Flat non-stick trays



**3900**

Flat chrome-plated wire grid (4pcs)



**3926**

Air flow reducer kit



**RUTVL**

Wheels kit for all oven table models  
(4pcs)



**SVRPP43**

Connection kit for stacking ovens  
ALFA3



**TVL40**

8-level tray holder rack for ALFA43  
ovens, dim. 600x600x900 mm (height  
with kit RUTVL: 998 mm)

## Symbols glossary

---



Electric



Fan forced

## Benefit

---

### **Mechanical control panel**

Ease of use and effortless control of the essential cooking parameters

The control panel, equipped with practical knobs, allows for simple, intuitive, and effortless management of the main functions. Using the buttons, you can adjust the cooking time, temperature, and, in selected models, the level of humidification. By turning the knob to position 1, steam will be delivered until it is released.

In multifunction ovens with a mechanical control panel, there is also a dedicated button for selecting different oven functions based on the desired cooking mode.

### **Clip-open**

Easily accessible glass for effortless maintenance and cleaning

The glass panels are designed to be easily accessible and inspectable, ensuring great convenience during cleaning and maintenance operations. This feature significantly simplifies the process, making it quick and efficient, while ensuring that every intervention can be carried out with maximum comfort and complete safety.