

# ALFA45MFPGN

|                              |   |
|------------------------------|---|
| Family                       | Professional ovens                            |
| Subfamily                    | Convection oven 4 trays 435x320 mm            |
| Oven type                    | Multifunction convection oven with humidifier |
| Power supply                 | 230 V~ / 13 A / 3,0 kW / 50 Hz                |
| Maximum depth with open door | 1178 mm                                       |
| Adjustable feet              | Yes   |
| Net weight                   | 37,400 kg                                     |
| Product dimensions WxDxH     | xx mm   |
| EAN code                     | 8017709202859                                 |



## Aesthetics

|                                   |     |      |              |
|-----------------------------------|-----|------|--------------|
| Door with stainless steel stripes | Yes | Logo | Smeg printed |
| Front panel                       | Yes |      |              |

## Controls

|                     |                        |
|---------------------|------------------------|
| Timer setting range | 1-60 minutes + endless |
|---------------------|------------------------|

## Accessories Included

|                      |                 |             |     |
|----------------------|-----------------|-------------|-----|
| Aluminized tray 3820 | kit of 4 pieces | Pizza stone | Yes |
|----------------------|-----------------|-------------|-----|





## Construction

|                           |                      |  |            |
|---------------------------|----------------------|--|------------|
| Cavity dimensions (wxdxh) | 460x360x425 mm       | End cooking signal                     | Yes        |
| Cavity material           | Ever Clean enamel    | Orange light indicator t° achievement  | Yes        |
| Shelves number            | 4                    | Green light indicator time achievement | Yes        |
| Tray frame support        | Chromed wire         | Safety switch with open door           | Yes        |
| Shelves distance          | 80 mm                | Manual reset safety thermostat         | Yes        |
| Door construction         | Triple glass         |  |            |
| Door opening              | Lateral - left hinge |  |            |
| Handle type               | Fixed                |  |            |
| Glass                     | Openable with clip   | Lighting                               | 1 LED lamp |
| Timer type                | Electric             | Light power                            | 40 W       |
|                           |                      | Water load pipe                        | Yes        |

Temperature range 70-280°C

Power cable length  
Back panel

115 cm  
Galvanized



## Compatible Accessories

---



**3820**

Flat aluminised steel tray (4pcs)

# Symbols glossary

---



Fan with lower element



Fan forced heating with humidity injection



Large grill heating element



Pizza stone cooking

---

## Benefit (TT)

---

### **Mechanical control panel**

Ease of use and effortless control of the essential cooking parameters

The control panel, equipped with practical knobs, allows for simple, intuitive, and effortless management of the main functions. Using the buttons, you can adjust the cooking time, temperature, and, in selected models, the level of humidification. By turning the knob to position 1, steam will be delivered until it is released.

In multifunction ovens with a mechanical control panel, there is also a dedicated button for selecting different oven functions based on the desired cooking mode.

### **Clip-open**

Easily accessible glass for effortless maintenance and cleaning

The glass panels are designed to be easily accessible and inspectable, ensuring great convenience during cleaning and maintenance operations. This feature significantly simplifies the process, making it quick and efficient, while ensuring that every intervention can be carried out with maximum comfort and complete safety.