

B95IMX9

Cooker size

N. of cavities with energy label

Cavity heat source

Hob type

Type of main oven

Cleaning system main oven

EAN code

Energy efficiency class

90x60 cm

1

ELECTRICITY Induction

Thermo-ventilated

Vapor Clean

8017709302955



Aesthetics







Aesthetic Mista Series Master Design Professional Colour

Finishing Satin

Command panel finish

Logo Assembled st/steel Logo position Hob colour Stainless steel

Type of control setting

Type of control knobs

Stainless steel

Finger friendly stainless

Facia below the oven

Control knobs

Smeg Master Pro Silver

Controls colour Stainless steel

No. of controls Serigraphy colour Black Display name DigiScreen

Door With 2 horizontal strips

Glass type **Eclipse**

Handle Smeg new squared **Handle Colour** Brushed stainless steel

Storage compartment Door Feet color Silver

Programs / Functions main oven

No. of cooking functions Traditional cooking functions

Static

Fan assisted



Circulaire

Eco

Large grill



Fan grill (large)

Base

Fan assisted base

SMEG SPA 29/8/2025

9



Other functions

Defrost by time

Cleaning functions



Vapor clean

Hob options







Control lock **Limited Power**

Consumption Mode

Yes

Yes

Limited Power 3700, 4800, 7400 W

Consumption Mode in W

Multizone Option Yes

Hob technical features







Total no. of cook zones 5

Front left - Induction - multizone - 2.10 kW - Booster 2.30 kW - 21.0x19.0 cm

Rear left - Induction - multizone - 1.60 kW - Booster 1.85 kW - 21.0x19.0 cm Central - Induction - single - 2.30 kW - Booster 3.00 kW - Ø 27.0 cm

Rear right - Induction - single - 1.20 kW - Booster 1.40 kW - Ø 18.0 cm

Front right - Induction - single - 2.30 kW - Booster 3.00 kW - Ø 21.0 cm

Yes

No. of cooking zones with Booster

Number of Flexible

zones Automatic switch off

when overheat

Automatic pan Yes

detection

Minimum pan diameter Yes

indication

Selected zone indicator Yes Residual heat indicator

Main Oven Technical Features

























No. of lights 2 Fan number 2 Net volume of the cavity 115 l Gross volume, 1st cavity 129 l

Cavity material Ever Clean enamel

No. of shelves

Metal racks Type of shelves Halogen Light type **Light Power** 40 W

Cooking time setting Start and Stop

Light when oven door is

open

Door opening

Flap down

Cooling system Usable cavity space dimensions (HxWxD)

Temperature control

Removable inner door

No.of thermo-reflective

Safety Thermostat

door glasses

Total no. of door glasses 3

Lower heating element

Electro-mechanical 1700 W

371x724x418 mm

Yes

Yes

Tangential

power

Upper heating element - 1200 W

Power



Grill elememt 1700 W Removable door 2900 W Yes Large grill - Power Full glass inner door Circular heating element 2 x 1550 W Yes

- Power

Grill type Electric Soft Close system Yes

Options Main Oven

Timer Yes Minimum Temperature 50 °C End of cooking acoustic Yes Maximum temperature 260 °C

alarm

Accessories included for Main Oven & Hob

46 A

Current

Rack with back and side 1 Grill mesh Telescopic Guide rails, 20mm deep tray partial Extraction

40mm deep tray 1 **Meat Probe** 1

Electrical Connection

Plug Not present Electric cable Installed, Single phase

Additional connection

Double and Three Phase


Electrical connection 10600 W Power supply cable 150 cm

rating length

modalities Voltage 220-240 V Frequency 50/60 Hz

Voltage 2 (V) 380-415 V Terminal block 5 poles







Compatible Accessories

AIRFRY

Air fryer rack AIRFRY. Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.

BBO

Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.

BN920

Enamelled tray 90cm cavity, 20mm deep

GRILLPLATE

Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm

GTT

Totally extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.

KITC9X9-1

Splashback kit, st/steel, 90cm, suitable for Portofino Multifunction, Master and Sinfonia cookers

PPR9

Refractary pizza stone without handles. Squared shaped stone: L64xH2,3xP37,5 cm Suitable also for gas ovens, to be put on the griddle.

AIRFRY9

Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.

BBQ9

teflon-coated aluminum grid for 90 cm cavity

BN940

Enamelled tray 90 cm, 40 mm deep

GTP

Partially extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the

KIT95B95X

Height extension kit 2 side and front panels (950mm), st/steel, for B95 cookers

PALPZ

Pizza shovel with folding handle. Dimensions L31.5 x H32.5 cm. Easy and convenient to use and store. Perfect for serving pizza, bread and savory pastries in a safe and professional way.

Non-scratch hob scraper - suitable for induction and ceramic hobs


29/8/2025



smooth extraction of the trays.













SFLK1 Child lock



SMOLD

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C

TPKPLATE



Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.



Symbols glossary

Symbols glossury			
Ō	Automatic merge of zones for a bigger area	P	Power booster: option allows the zone to work at full power when very intense cooking is necessary.
A T		B	Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.
	Installation in column: Installation in column	<u></u>	Air cooling system: to ensure a safe surface temperatures.
**	Defrost by time: Manual defrost function. At the end of the set duration, the function stops.	3 3	Triple glazed doors: Number of glazed doors.
ECO logic	ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.		Ever Clean Enamel: Ever Clean enamel is applied electrostatically, corner to corner and edge to edge to prevent cracking or cracks over time. It is a particular pyrolytic enamel, resistant to acids which, in addition to being pleasantly bright, promotes greater cleaning of the oven walls, thanks to its lower porosity. It is baked at over 850 °C and slowly polymerized at a scientifically determined rate to ensure uniform depth and strength Ever Clean enamel creates an impeccable finish both on the inside of the oven and on the trays, making the surfaces of the oven incredibly easy to maintain over time as it reduces the adhesion of fat during cooking
*	Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new.	Φ	Knobs control
*)	Fan assisted base: the mix of fan and lower heating element alone allows to finish cooking foods already cooked on the surface but not internally more quickly. This system is recommended to finish cooking foods that are already well cooked on the surface, but not internally, which therefore require a moderate higher heat. Ideal for any type of food.	(%)	Fan assisted: Intense and homogeneous traditional cooking, also suitable for complex recipes. The fan is active and the heat comes from below and from above at the same time. Ventilated cooking ensures a faster and more homogeneous result, leaving fragrant foods outside and moister inside. Ideal for baked pasta, biscuits, roasts and cobblers.
\Box	Static: Traditional cooking suitable for the preparation of one dish at a time. The fan is not active and the heat comes from below and from	\smile	Base: the heat comes only from the bottom of the cavity. The fan is not active. Ideal for sweet and savory pies, cobblers and pizzas. Designed to

SMEG SPA 29/8/2025

above at the same time. Static cooking is slower

cooking all types of roasts, fatty meats, bread,

and more delicate, ideal in order to get well cooked and dry dishes even inside. Ideal for

filled cakes.

complete cooking and make food more crunchy

This symbol in gas ovens indicates the gas

burner.





Circulaire: it is the perfect function for cooking all types of dishes in a more delicate way. The heat comes from the back of the oven and is distributed quickly and evenly The fan is active. It is also ideal for cooking on multiple levels without mixing smells and flavors.



ECO: low energy consumption cooking: this function is particularly suitable for cooking on a single shelf with low energy consumption. It is recommended for all types of food except those that can generate a lot of moisture (for example vegetables). To achieve maximum energy savings and reduce time, it is recommended to put the food in the oven without preheating the cooking compartment



Grill: Very intense heat coming only from above from a double heating element. The fan is not active. Provides excellent grilling and gratinating results. Used at the end of cooking, it gives a uniform browning to dishes.



Fan grill: very intense heat coming only from above from a double heating element The fan is active. It allows the optimal grilling of thickest meats. Ideal for large cuts of meat.



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.



All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.



The inner door glass: can be removed with a few quick movements for cleaning.



Side lights: Two opposing side lights increase visibility inside the oven.



Automatic opening: some models have Automatic opening door when the cycle is finished which is a perfect solution for handle-less kitchen units as no handle is needed. For safety reasons, the door locks automatically when the machine is in use to avoid it being opened inadvertently.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



The oven cavity has 5 different cooking levels.



Soft close: all models are equipped with advanced function of smooth closing of the door, which allows the device to close smoothly and quietly.



Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.



Vapor Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.



The capacity indicates the amount of usable space in the oven cavity in litres.



4.3 inch display with LED technology, usability with knobs + 3 touch keys



Benefit (TT)

Induction hob

Induction offers fast cooking and precise temperature control

Through the use of suitable cookware, induction is easy to use and maintain, safe and responsive.

Vapor Clean

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal.

Touch control

Easy and intuitive timer setting with a single touch

Storage compartment

More space thanks to the lower compartment, ideal for storing accessories or cooking utensils

True-convection

The best cooking performances guaranteed by ventilated circular flow

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

Multilevel cooking

Several cooking levels allow maximum flexibility of use

Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

Removalble inner glass

Internal door glasses are easily removable for complete cleaning

Tangential cooling

New cooling system with tangential fan and airflow from the door to the splashback

Telescopic guides

Easy extraction and safe insertion of trays into the oven thanks to telescopic guides

Adjustable height

Cooker top flushed with the working area thanks to adjustable feet



Cold door

During any function, the external door glass is cold, avoiding any risk of burns

AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket (optional accessory)

Isothermic Cavity

The best cooking performance at the highest energy efficiency

BBQ (optional accessory)

Barbecue cooking directly in the oven with the double-sided grill (BBQ optional accessory)

Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)

Soft close

The door is equipped with a specific system for silent closing

Double Turbine

The oven has two fans equipped with two circular heating elements allowing cooking with rotating heat