

BG93GMBL

| | |
|--|-------------------|
| Cooker size | 90x60 cm |
| N. of cavities with energy label | 2 |
| Cavity heat source | Electric |
| Hob type | Gas |
| Type of main oven | Thermo-ventilated |
| Type of second oven | Thermo-ventilated |
| EAN code | 8017709345907 |
| Energy efficiency class | A |
| Energy efficiency class, second cavity | B |




Aesthetics



| | | | |
|--------------------------------|-----------------|--------------------------|-------------------------|
| Design | Standard | Control knobs | Smeg Master Glass |
| Command panel finish | Enamelled metal | Controls colour | Black |
| Aesthetics | Classic | No. of controls | 8 |
| Logo | Assembled | Serigraphy colour | Silver |
| Colour | Black | Display | Touch |
| Logo position | Command panel | Door | Full glass |
| Finishing | Gloss Black | Glass type | Black |
| Series | Master | Handle | Smeg Classic |
| Hob colour | Black enamel | Handle Colour | Brushed stainless steel |
| Type of pan stands | Cast Iron | Feet | Black |
| Type of control setting | Control knobs | | |

Programs / Functions

| | |
|-------------------------------|---|
| No. of cooking functions | 1 |
| Traditional cooking functions | |



Circulaire

Programs / Functions Auxiliary Oven

| | |
|----------------------------|---|
| Cooking functions cavity 2 | 1 |
|----------------------------|---|

Programme / Functions Third Oven

No. of functions third oven

1

Full grill



Hob technical features

UR

Total no. of cook zones 5

Front left - Gas - Rapid - 2.90 kW

Rear left - Gas - Semi Rapid - 1.80 kW

Central - Gas - UR - 4.00 kW

Rear right - Gas - Semi Rapid - 1.80 kW

Front right - Gas - AUX - 1.00 kW

Type of gas burners Standard

Gas safety valves

Yes

Automatic electronic ignition

Yes

Burner caps

Matte black enamelled

Main Oven Technical Features



No. of lights

1

Fan number

1

Net volume of the cavity

61 litres

Gross volume, 1st cavity

70 l

Cavity material

Easy clean enamel

Shelf positions

4

Type of shelves

Metal racks

Light type

Halogen

Light power

40 W

Cooking time setting

Start and Stop

Door opening

Side opening

Removable door

Yes

Full glass inner door

Yes

Removable inner door

Yes

Total no. of door glasses

3

No. of thermo-reflective door glasses

1

Safety Thermostat

Yes

Cooling system

Tangential

Usable cavity space dimensions (HxWxD)

316x460x412 mm

Temperature control

Electro-mechanical

Circular heating element - Power

2000 W

Options Main Oven

Timer

Yes

End of cooking acoustic alarm

Yes

Minimum Temperature

50 °C

Maximum temperature

245 °C

Second Oven Technical Features



| | | | |
|--|-------------------|---|--------------------|
| Fan number | 1 | Full glass inner door | Yes |
| Net volume of the second cavity | 62 litres | No. total door glasses | 2 |
| Gross volume, 2nd cavity | 69 l | No. thermo-reflective door glasses | 1 |
| Cavity material | Easy clean enamel | Safety Thermostat | Yes |
| Shelf positions | 9 | Cooling system | Tangential |
| Type of shelves | Metal racks | Usable cavity space dimensions (HxWxD) | 605x275x370 mm |
| Door opening | Side opening | Temperature control | Electro-mechanical |
| Removable door | Yes | Circular heating element - Power | 2500 W |

Options Auxiliary Oven

| | | | |
|----------------------------|-------|----------------------------|--------|
| Minimum Temperature | 50 °C | Maximum temperature | 245 °C |
|----------------------------|-------|----------------------------|--------|

Third Oven Technical Features



| | | | |
|---------------------------------|-------------------|---|--------------------|
| Net volume, 3rd cavity | 35 l | No. total door glasses | 3 |
| Gross volume, 3rd cavity | 41 l | No. of thermo-reflective door glasses | 1 |
| Cavity material | Easy clean enamel | Safety Thermostat | Yes |
| Shelf positions | 2 | Cooling system | Tangential |
| Type of shelves | Metal racks | Usable cavity space dimensions (HxWxD) | 169x440x443 mm |
| Door opening | Flap down | Temperature control | Electro-mechanical |
| Removable door | Yes | Large grill - Power | 2700 W |
| Full glass inner door | Yes | Grill type | Electric |
| Removable inner door | Yes | Tilting grill | Yes |

Options Third Oven

| | | | |
|----------------------------|-------|----------------------------|--------|
| Minimum Temperature | 50 °C | Maximum temperature | 260 °C |
|----------------------------|-------|----------------------------|--------|

Accessories included for Main Oven & Hob


| | | | |
|---|---|-----------------------|---|
| Chrome shelf with back and side stop | 1 | 40mm deep tray | 1 |
|---|---|-----------------------|---|

Accessories included for Secondary Oven

| | |
|------------------------------------|---|
| Chrome shelf with back stop | 3 |
|------------------------------------|---|

Electrical Connection

| | | | |
|-------------------------------|-------------------|---|-----------------------------|
| Max Power Draw | 7600 W | Additional connection modalities | Yes, Double and Three Phase |
| Current | 33 A | Frequency | 50/60 Hz |
| Voltage | 220-240 V | Terminal block | 5 poles |
| Voltage 2 (V) | 380-415 V | Plug | No |
| Type of electric cable | Yes, Single phase | | |



Compatible Accessories

AIRFRY

Air fryer rack AIRFRY. Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.



BBQ

Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.



BN640

Enamelled tray, 40mm deep



GRM

Gas hobs moka support



GTT

Totally extractable telescopic guides (1 level) Extraction: 433 mm Material: Stainless steel AISI 430 polished



KITH93

Height extension kit (950 mm), suitable for TR93 cookers



SFLK1

Child lock



AIRFRY2

Air fryer tray. Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.



BN620-1

Enamelled tray, 20mm deep



BNP608T

Teflon-coated tray, 8mm depth, to be placed on the grid



GTP

Partially extractable telescopic guides (1 level) Extraction: 300 mm Material: Stainless steel AISI 430 polished



KIT90N9

Splashback 90 cm, black, for BU & BM cookers




PALPZ

Pizza shovel with fold away handle width: 315mm length : 325mm



SMOLD

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C



STONE

























Rectangular refractory stone. Ideal for cooking pizzas with the same results as a typical wood-fired oven. Can also be used for baking bread, focaccias and other recipes such as pies, flans or biscuits Dimensions: L42 x H1,8 x P37,5 cm.



WOKGHU

Cast-Iron WOK Support

Symbols glossary

| | |
|--|--|
|  <p>Heavy duty cast iron pan stands: for maximum stability and strength.</p> |  <p>A: Product drying performance, measured from A+++ to D / G depending on the product family</p> |
|  <p>Installation in column: Installation in column</p> |  <p>Air cooling system: to ensure a safe surface temperatures.</p> |
|  <p>B: Product energy rating, measured from A+++ to D / G depending on the product family.</p> |  <p>Double glazed doors: Number of glazed doors.</p> |
|  <p>Triple glazed doors: Number of glazed doors.</p> |  <p>Enamel interior: The enamel interior of all Smeg ovens have a special antacid lining which helps keep the interior clean by reducing the amount of cooking grease adhering to it.</p> |
|  <p>Circulaire: The combination of the fan and circular element around it gives a hot air cooking method. This provides many benefits including no preheat if cook time is more than 20 minutes, no flavour transfer when cooking different foods at the same time, less energy, and shorter cook times. Good for all types of food.</p> |  <p>Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.</p> |
|  <p>All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.</p> |  <p>The inner door glass: can be removed with a few quick movements for cleaning.</p> |
|  <p>Side lights: Two opposing side lights increase visibility inside the oven.</p> |  <p>The oven cavity has 2 different cooking levels.</p> |
|  <p>The oven cavity has 4 different cooking levels.</p> |  <p>The oven cavity has 9 different cooking levels.</p> |
|  <p>Electronic control: Allows you to maintain temperature inside the oven with the precision 2-3 ° C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.</p> |  <p>Tilting grill: the tilting grill can be easily unhooked to move the heating element and clean the roof of the appliance in one simple step.</p> |
|  <p>Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.</p> |  <p>The capacity indicates the amount of usable space in the oven cavity in litres.</p> |
|  <p>The capacity indicates the amount of usable space in the oven cavity in litres.</p> |  <p>The capacity indicates the amount of usable space in the oven cavity in litres.</p> |
|  <p>The touch timer display or DigiScreen guarantees simple functionality. They display the time, set programmed cooking and the minute minder timer.</p> |  <p>Knobs control</p> |

Benefit

Gas hob

Gas provides constant control of the heat source, with an immediate change in temperature

Equipped with a thermocouple, the gas supply is cut off if the flame is extinguished for greater safety

Ever Clean Enamel

Easy oven cleaning thanks to the special antacid lining which helps to reduce the amount of dirt adhering to the surface.

Touch control

Easy and intuitive timer setting with a single touch

Circulaire

The best cooking performances guaranteed by ventilated circular flow.

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

Multilevel cooking

Several cooking levels allow maximum flexibility of use

Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

Removable inner glass

Internal door glasses are easily removable for complete cleaning

Tangential cooling

New cooling system with tangential fan and airflow from the door to the splashback

Adjustable height

Cooker top flushed with the working area thanks to adjustable feet

Cold door

During any function, the external door glass is cold, avoiding any risk of burns

AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket

BBQ (optional accessory)

Barbeque cooking directly in the oven with the double-sided grill

Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)

Isothermic Cavity

The best cooking performance at the highest energy efficiency

Single turbine

The oven has a fan equipped with a circular heating element allowing cooking with rotating heat