

C3170NE



Product Family	Refrigerator
Installation	Built-in
Category	Bottom Mount
Built-in niche	178
Reference width	Until 60
Reference height	160 - 200
Sistema Total No - Frost	Only freezer
Cooling type	Fan assisted refrigerator, no-frost freezer
Defrost	Automatic
Hinge type	Sliding
Hinge position	Right
Reversible door	Yes
EAN code	8017709293390



Aesthetics

Aesthetic	Universale	Side colour	White
Colour	White	Logo	Silk screen
Material	Metal sheet	Door shelves profile color	Silver
Logo colour	Silver	Drawers profile color	Silver
Side material	Steel	Color of glass shelf profile	Chrome

Refrigerator compartment features



No. of adjustable shelves	3	Bottle shelf	Yes
Number of fruit and vegetables drawers	1	Type of crisper/vegetable drawers cover	Glass
Type of adjustable shelves	Glass	Internal light in fridge	Yes
Type of crisper/vegetable drawers cover	Standard	Type of internal light (fridge)	LED
Crisper Cover	Yes		

Refrigerator Inner Door

Number of adjustable door shelves	3	No. of bottle shelves	1
-----------------------------------	---	-----------------------	---

Other Refrigerator features



Accessories	Egg tray	Fan	Yes
-------------	----------	-----	-----

Freezer compartment features

Number of drawers	3	No. of shelves	2
-------------------	---	----------------	---

Other Freezer features

Accessories	1 ice box
-------------	-----------

Other technical features



Type of temperature control	Meccanico
No. of compressors	1
Refrigerant gas type	R600a
Type of compressor	Inverter
Refrigerant Quantity (gr)	44 g
Foam agent	Cyclopentane

Performance / Energy Label - Reg. 2019



Annual energy consumption	224 kWh/a	Airborne acoustical noise emissions	38 dB(A) re 1 pW
Energy efficiency class	E	Temperature Rise Time	13 h
Airborne acoustical noise emission class	C	4 star - Freezing capacity	3.2 Kg/24h
Total net volume	262 l	Climate class	SN, T
Sum of the volumes of the frozen compartment(s)	69 l	EER	99 %
Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)	193 l		


Electrical Connection

Plug	(F;E) Schuko	Voltage (V)	220-240 V
		Frequency (Hz)	50 Hz

Electrical connection rating 125 W

Power supply cable length 150 cm

Current 0,8 A



Symbols glossary



4 stars freezing compartment for better food preservation.



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



Smeg's evolution towards more intelligent and eco-friendly models has led to the choice of Inverter technology, which significantly reduces consumption.



Built-in niche



No Frost: The No Frost and Frost free systems prevent ice from forming so that no defrosting is required.



Energy efficiency class E

Benefit (TT)

Fan

The fan contributes to an even distribution of air inside the refrigerator

Refrigerant gas R600a

Environmentally friendly R600a refrigerant gas contributes to rapid cooling with lower energy consumption

Climate class

Climatic class SN-T makes the appliance suitable for working at room temperature between 10 °C and 43 °C (50 °F ~ 109 °F)

Refrigerator Internal lighting

Interior lighting for perfect visibility of shelves in the refrigerator compartment

Fruit and vegetable drawer

The fruit and vegetable drawer ensures the best storage conditions for fresh food, avoiding any contamination

Inverter compressor

Inverter compressor reduces noise and vibration levels for a quiet and comfortable kitchen environment

Inverter compressor technology offers significant advantages for refrigeration systems, improving both performance and efficiency. Better temperature control ensures a more stable and constant indoor environment, preserving the freshness of food. This technology also results in reduced energy consumption, as the compressor adjusts its speed according to cooling needs.