

C3170NE







Product Family Refrigerator Installation Built-in **Bottom Mount** Category

Built-in niche 178 Reference width Until 60 Reference height 160 - 200

Cooling type Fan assisted refrigerator, no-frost

freezer

Defrost Automatic Sliding Hinge type Hinge position Right Reversible door Yes

EAN code 8017709293390



Aesthetics

Universale Side colour White **Aesthetic** Colour White Logo Silk screen Door shelves profile Material Metal sheet Silver color Logo colour Silver Drawers profile color Side material Steel

Color of glass shelf

profile

Silver Chrome

Yes

Yes

Yes

LED

Glass

Refrigerator compartment features



Number of 1 Crisper Cover compartments Bottle shelf Compartment types Fruit and vegetable Type of

compartment crisper/vegetable No. of adjustable 3 drawers cover

shelves Internal light in fridge Number of fruit and 1 Type of internal light vegetables drawers (fridge)

Glass

Standard Type of

Type of adjustable shelves

crisper/vegetable drawers cover

Refrigerator Inner Door

No. of bottle shelves

SMEG SPA 16/9/2025



Number of adjustable door shelves

3

Other Refrigerator features

(**)

Fan Accessories Egg tray Yes

Freezer compartment features

Number of drawers 3 No. of shelves 2

Other Freezer features

Accessories 1 ice box

Other technical features



Type of temperature control Meccanico

No. of compressors 1 R600a Refrigerant gas type Type of compressor Inverter Refrigerant Quantity (gr) 44 g

Foam agent Cyclopentane

Performance / Energy Label - Reg. 2019

224 kWh/a Annual energy consumption

Energy efficiency class

Airborne acoustical C noise emission class

Total net volume 262 I 69 I

Sum of the volumes of the frozen compartment(s)

Sum of the volumes of 193 I the chill compartment(s)

and the unfrozen compartment(s)

Airborne acoustical 38 dB(A) re 1 pW noise emissions

Temperature Rise Time 13 h 4 star - Freezing 3,2 kg/24h capacity

Climate class SN, T 99 % EEI

Electrical Connection

Plug (F;E) Schuko Voltage (V) 220-240 V

SMEG SPA 16/9/2025




Electrical connection rating

125 W

Current 0,8 A Frequency (Hz) Power supply cable length

50 Hz 150 cm



SMEG SPA 16/9/2025



Symbols glossary



4 stars freezing compartment for better food preservation.



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



Energy efficiency class E



Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



Smeg's evolution towards more intelligent and eco-friendly models has led to the choice of Inverter technology, which significantly reduces consumption.



Built-in niche



No Frost: The No Frost and Frost free systems prevent ice from forming so that no defrosting is required.

SMEG SPA 16/9/2025



Benefit (TT)

Fan

The fan contributes to an even distribution of air inside the refrigerator

Refrigerant gas R600a

Environmentally friendly R600a refrigerant gas contributes to rapid cooling with lower energy consumption

Climate class

Climatic class SN-T makes the appliance suitable for working at room temperature between 10 $^{\circ}$ C and 43 $^{\circ}$ C (50 $^{\circ}$ F \sim 109 $^{\circ}$ F)

Refrigerator Internal lighting

Interior lighting for perfect visibility of shelves in the refrigerator compartment

Fruit and vegetable drawer

The fruit and vegetable drawer ensures the best storage conditions for fresh food, avoiding any contamination

Inverter compressor

Inverter compressor reduces noise and vibration levels for a quiet and comfortable kitchen environment

Inverter compressor technology offers significant advantages for refrigeration systems, improving both performance and efficiency. Better temperature control ensures a more stable and constant indoor environment, preserving the freshness of food. This technology also results in reduced energy consumption, as the compressor adjusts its speed according to cooling needs.

SMEG SPA 16/9/2025