C4172E



Product Family	Refrigerator
Installation	Built-in
Category	Bottom Mount
Built-in niche	178
Reference width	Until 60 cm
Reference height	160 - 200 cm
Cooling type	Static
Defrost	Automatic for refrigerator, manual for freezer
Hinge type	Sliding
Hinge position	Right
Reversible door	Yes
EAN code	8017709323905

Aesthetics

Aesthetic	Universale	**Logo**	Silk screen
Colour	White	**Door shelves profile color**	White
Material	Metal sheet	**Color of glass shelf profile**	White
Side material	Steel	**Display**	LED
Side colour	White	**Display position**	Interno (cella frigo)

Refrigerator compartment features

Number of compartments	2	**Crisper Cover**	Yes
Compartment types	Fruit and vegetable compartment	**Type of crisper/vegetable drawers cover**	Glass
No. of adjustable shelves	4	**No. of lights refrigerator compartment**	1
Number of fruit and vegetables drawers	2	**Internal light in fridge**	Yes
Shelves material	Glass	**Type of internal light (fridge)**	LED
Type of crisper/vegetable drawers cover	Standard		

Refrigerator Inner Door

No. of door shelves with transparent cover	1	**No. of bottle shelves**	1
Number of adjustable door shelves	2		

Other Refrigerator features

Accessories	Egg tray

Freezer compartment features

Number of drawers	3

Other Freezer features

Accessories	1 ice box

Other technical features



Functions display	Fast freezing, Temperature alarm
Fast freezing button	Yes
Door open alarm	Yes
Temperature Alarm	Acoustic and visual
Type of temperature control	Electronic
No. of compressors	1
Refrigerant gas type	R600a
Type of compressor	Standard
Foam agent	Cyclopentane

Performance / Energy Label - Reg. 2019




Annual energy consumption	219 kWh/a	**Airborne acoustical noise emissions**	34 dB(A) re 1 pW
Energy efficiency class	E	**Temperature Rise Time**	11,50 h
Airborne acoustical noise emission class	B	**4 star - Freezing capacity**	3,3 kg/24h
Total net volume	271 l	**Climate class**	SN, N, ST, T
Sum of the volumes of the frozen compartment(s)	73 l	**EEI**	100 %
Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)	198 l		

Electrical Connection

Electrical connection rating	140 W	**Frequency (Hz)**	50 Hz
Current	1,1 A	**Power supply cable length**	240 cm
Voltage (V)	230-240 V	**Plug**	(F;E) Schuko

Logistic Information

Width	546 mm	**Depth of the built-in niche**	550 mm
Width of the built-in niche	560 mm	**Height**	1772 mm
Depth without handle	549 mm	**Height of the built-in niche**	1780 mm



Symbols glossary



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



LED display: to show programmes, functions and options selected and the time to the end of the cycle.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



Energy efficiency class E



Fast freezing: The fast freezing function brings the temperature of the compartment down when activated a few hours prior to usage.



Built-in niche