

C6IPWHM2

Cooker size

N. of cavities with energy label

Cavity heat source

Hob type

Type of main oven

Cleaning system main oven

EAN code

Energy efficiency class

60x60 cm

1

ELECTRICITY Induction

Thermo-ventilated

Pyrolitic

8017709332594



Aesthetics



Aesthetic Classica Series Sinfonia

Design Square design

White Colour Glossy **Finishing**

Command panel finish

Logo position

Upstand Yes

Hob colour Stainless steel Hybrid: Knobs + Touch

Type of control setting

hob

Hob LED colours Red Type of control knobs **Smeg Classic** Controls colour Stainless steel

No. of controls 6 Serigraphy colour Black Display name DigiScreen

Door With 2 horizontal strips Glass type **Eclipse**

Handle **Smeq Classic**

Handle Colour Brushed stainless steel

Storage compartment Door Feet color Silver

Programs / Functions main oven

No. of cooking functions Traditional cooking functions

Enamelled metal

Assembled st/steel

Facia below the oven

Fan assisted

Circulaire

Turbo

Static

Eco

Small grill

Large grill



Fan grill (large)



Fan assisted base

SMEG SPA 24/4/2025

9



Cleaning functions



Pyrolytic

Hob options







Control lock Yes End cooking timer 4

Minute minder 1 **Bridge option** Yes

Hob technical features





Total no. of cook zones 4

Front left - Induction - single - 1.50 kW - Booster 2.00 kW - - Ø 18.0 cm Rear left - Induction - single - 1.50 kW - Booster 2.00 kW - - Ø 18.0 cm Rear right - Induction - single - 1.50 kW - Booster 2.00 kW - - Ø 18.0 cm Front right - Induction - single - 1.50 kW - Booster 2.00 kW - - Ø 18.0 cm

Number of Flexible Automatic pan Yes zones detection

3,0 kW Minimum pan diameter Yes **Booster power left** indication Bridge

Selected zone indicator **Booster power right** 3.0 kW Yes Bridge Residual heat indicator Yes Automatic switch off Yes

Main Oven Technical Features







when overheat















No. of lights 1 Fan number

Net volume of the cavity 70 l Gross volume, 1st cavity 791

Cavity material Ever Clean enamel

5 No. of shelves

Type of shelves Metal racks Light type Halogen 40 W **Light Power** Cooking time setting Start and Stop

Light when oven door is Yes

open

Flap down Door opening

Removable door Yes Full glass inner door Yes Removable inner door Yes Total no. of door glasses 4 No.of thermo-reflective

door glasses

Safety Thermostat Yes Heating suspended Yes when door is opened

Tangential Cooling system **Door Lock During** Yes

Pyrolisis

Usable cavity space

dimensions (HxWxD)

Temperature control

Lower heating element

Electro-mechanical 1200 W

360X460X425 mm

power

Upper heating element - 1000 W

Power

Large grill - Power 2700 W



Circular heating element 2000 W

- Power

Grill type Electric

Options Main Oven

Timer Yes Minimum Temperature 50 °C End of cooking acoustic Yes Maximum temperature 260 °C

alarm

Accessories included for Main Oven & Hob

380-415 V

Rack with back and side 2

Voltage 2 (V)

Rack with back and side 2 Telescopic Guide rails, 1 stop partial Extraction

40mm deep tray 1 Meat Probe 1


Grill mesh 1

Electrical Connection

Plug Not present Electric cable Installed, Single phase Electrical connection rating Electric cable Installed, Single phase Double and Three Phase modalities

Current 44 A Frequency 50/60 Hz Voltage 220-240 V Terminal block 5 poles







Compatible Accessories

BN620-1

BNP608T



Enamelled tray suitable for 45cm and 60cm ovens. Depth 20 mm. Perfect for a wide range of savoury and sweet baking.

BN640

Enamelled tray suitable for 45cm and 60cm ovens. Depth 540 mm. Perfect for cooking and roasting meat and fish in sauces. Also ideal for experimenting with lighter and crunchy side dishes

GTP



Teflon-coated tray, 8mm depth, to be placed on the grid



Partially extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.

GTT



Totally extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



KITP60X9

Splashback, stainless steel, suitable for 60X60cm Concerto cookers with pyro and MF oven



SCRP

Non-scratch hob scraper - suitable for induction and ceramic hobs



SFLK1

Child lock

SMOLD



Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C



STONE

Rectangular refractory stone Ideal for cooking pizzas with the same results as a typical wood-fired oven. Can also be used for baking bread, focaccias and other recipes such as pies, flans or biscuits Dimensions:L42 x H1,8 x P37,5 cm.



Alternative products



C6IPMBM2

Colour: Matt Black




C6IPXM2

Colour: Stainless steel



Symbols glossary



SMEG SPA 24/4/2025

above from a double heating element The fan is

active. It allows the optimal grilling of thickest

meats. Ideal for large cuts of meat.

foods. Best results can be obtained by using the

larger ones, such as chops or sausages. For half

top shelf for small items, the lower shelves for

grill heat is generated only at the centre of the element, so is ideal for smaller quantities.





Turbo: the heat comes from 3 directions: above, below and from the back of the oven The fan is active. It allows quick cooking, even on several shelves without mixing the aromas. Ideal for large volumes or foods that require intense cooking.



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.



All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.



The inner door glass: can be removed with a few quick movements for cleaning.



Side lights: Two opposing side lights increase visibility inside the oven.



Automatic opening: some models have Automatic opening door when the cycle is finished which is a perfect solution for handle-less kitchen units as no handle is needed. For safety reasons, the door locks automatically when the machine is in use to avoid it being opened inadvertently.



PYROLYSIS - AUTOMATIC CLEANING FUNCTION: the oven heats up to a temperature approaching 500 °C and chars grease and food residues into a fine ash that can be easily wiped off with a damp cloth. At such a high temperature, the door locks automatically for safety, while the temperature of the door remains controlled so it is safe to touch User adjustable function based on the level of dirt present in the oven.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



The oven cavity has 5 different cooking levels.



Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.



Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.



TWIN_ZONE_72dpi



The capacity indicates the amount of usable space in the oven cavity in litres.



4.3 inch display with LED technology, usability with knobs + 3 touch keys



Benefit (TT)

Induction hob

Induction offers fast cooking and precise temperature control

Through the use of suitable cookware, induction is easy to use and maintain, safe and responsive.

Pyrolysis

Easy oven cleaning thanks to special pyrolytic function

Touch control

Easy and intuitive timer setting with a single touch

Storage compartment

More space thanks to the lower compartment, ideal for storing accessories or cooking utensils

True-convection

The best cooking performances guaranteed by ventilated circular flow

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

Multilevel cooking

Several cooking levels allow maximum flexibility of use

Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

Removalble inner glass

Internal door glasses are easily removable for complete cleaning

Tangential cooling

New cooling system with tangential fan and airflow from the door to the splashback

Telescopic guides

Easy extraction and safe insertion of trays into the oven thanks to telescopic guides

Isothermic Cavity

The best cooking performance at the highest energy efficiency

BBQ (optional accessory)

Barbeque cooking directly in the oven with the double-sided grill (BBQ optional accessory)



Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)

Adjustable height

Cooker top flushed with the working area thanks to adjustable feet

Cold door

During any function, the external door glass is cold, avoiding any risk of burns

AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket (optional accessory)

Single turbine

The oven has a fan equipped with a circular heating element allowing cooking with rotating heat