

C6IPXM2

Cooker size

N. of cavities with energy label

Cavity heat source

Hob type

Type of main oven

Cleaning system main oven

EAN code

Energy efficiency class

60x60 cm

1

ELECTRICITY Induction

Thermo-ventilated

Pyrolitic

8017709330880

Α



Hybrid: Knobs + Touch

Aesthetics





Aesthetic Classica Series Sinfonia

Colour Stainless steel

Finishing Satin

Design Square design

Door With 2 horizontal strips

Upstand Yes

Hob colour Stainless steel

Command panel finish Finger friendly stainless

steel

Control knobsSmeg ClassicControls colourStainless steelDisplayDigiScreen

No. of controls 6
Serigraphy colour Black

Type of control setting

hob

Hob LED colours

Handle Smeg Classic

Handle Colour Brushed stainless steel

Red

Glass type Eclipse
Feet Silver
Storage compartment Door

LogoAssembled st/steelLogo positionFacia below the oven

Programme / Functions

No. of cooking functions Traditional cooking functions 9



Static

8

Fan assisted



Circulaire



Turbo



Eco



Small grill



Large grill



Fan grill (large)



Fan assisted base



Cleaning functions



Pyrolytic

Hob options







Control lock Yes End cooking timer 4

Minute minder 1 **Bridge option** Yes

Hob technical features





Total no. of cook zones 4

Front left - Induction - single - 1.50 kW - Booster 2.00 kW - - Ø 18.0 cm Rear left - Induction - single - 1.50 kW - Booster 2.00 kW - - Ø 18.0 cm Rear right - Induction - single - 1.50 kW - Booster 2.00 kW - - Ø 18.0 cm Front right - Induction - single - 1.50 kW - Booster 2.00 kW - - Ø 18.0 cm

Booster power left

3.0 kW

Bridge

Booster power right

Bridge

Automatic switch off

when overheat

Automatic pan

detection

3.0 kW

Yes

Yes

Minimum pan diameter Yes

indication

Selected zone indicator Yes Residual heat indicator Yes

Main Oven Technical Features


























Cavity material Ever Clean enamel

5 No. of shelves

Type of shelves Metal racks Light type Halogen 40 W **Light Power**

Cooking time setting Start and Stop Light when oven door is Yes

open

Door opening

Flap down Removable door Yes Full glass inner door Yes

Removable inner door Yes Total no. of door glasses 4 No.of thermo-reflective

door glasses

Safety Thermostat Yes Heating suspended Yes when door is opened

Tangential Cooling system

Door Lock During

Pyrolisis

Usable cavity space dimensions (HxWxD) 360X460X425 mm

Yes

Temperature control

Electro-mechanical Lower heating element 1200 W

power

Upper heating element - 1000 W

Power

Large grill - Power 2700 W



Circular heating element 2000 W

- Power

Grill type Electric

Options Main Oven

Timer Yes Minimum Temperature 50 °C End of cooking acoustic Yes Maximum temperature 280 °C

alarm


Accessories included for Main Oven & Hob



Rack with back and side 1 Grill mesh 1
stop Telescopic Guide rails, 1
20mm deep tray 1 total Extraction
40mm deep tray 1 Meat Probe 1

Electrical Connection

Plug Not present Installed electric cable Yes, Single phase **Electrical connection** 10000 W Additional connection Yes, Double and Three modalities rating Phase 44 A 50/60 Hz Current Frequency Voltage 220-240 V Terminal block 5 poles Voltage 2 (V) 380-415 V





Not included accessories



SFLK1 Child lock



BNP608T

SCRP

Teflon-coated tray, 8mm depth, to be placed on the grid



GTP

Partially extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



BN620-1

Enamelled tray suitable for 45cm and 60cm ovens. Depth 20 mm. Perfect for a wide range of savoury and sweet baking.





Non-scratch hob scraper - suitable for induction and ceramic hobs



Rectangular refractory stone Ideal for cooking pizzas with the same results as a typical wood-fired oven. Can also be used for baking bread, focaccias and other recipes such as pies, flans or biscuits Dimensions:L42 x H1,8 x P37,5 cm.



GTT

Totally extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



KITP60X9

Splashback, stainless steel, suitable for 60X60cm Concerto cookers with pyro and MF oven



SMOLD



Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C



BN640

Enamelled tray suitable for 45cm and 60cm ovens. Depth 540 mm. Perfect for cooking and roasting meat and fish in sauces. Also ideal for experimenting with lighter and crunchy side dishes



Symbols glossary (TT)



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.





Air cooling system: to ensure a safe surface temperatures.



Quadruple glazed: Number of glazed doors.



Ever Clean Enamel: Ever Clean enamel is applied electrostatically, corner to corner and edge to edge to prevent cracking or cracks over time. It is a particular pyrolytic enamel, resistant to acids which, in addition to being pleasantly bright, promotes greater cleaning of the oven walls, thanks to its lower porosity. It is baked at over 850 °C and slowly polymerized at a scientifically determined rate to ensure uniform depth and strength Ever Clean enamel creates an impeccable finish both on the inside of the oven and on the trays, making the surfaces of the oven incredibly easy to maintain over time as it reduces the adhesion of fat during cooking



Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new.



Fan assisted base: the mix of fan and lower heating element alone allows to finish cooking foods already cooked on the surface but not internally more quickly. This system is recommended to finish cooking foods that are already well cooked on the surface, but not internally, which therefore require a moderate higher heat. Ideal for any type of food.



Fan assisted: Intense and homogeneous traditional cooking, also suitable for complex recipes. The fan is active and the heat comes from below and from above at the same time. Ventilated cooking ensures a faster and more homogeneous result, leaving fragrant foods outside and moister inside. Ideal for baked pasta, biscuits, roasts and cobblers.



Static: Traditional cooking suitable for the preparation of one dish at a time. The fan is not active and the heat comes from below and from above at the same time. Static cooking is slower and more delicate, ideal in order to get well cooked and dry dishes even inside. Ideal for cooking all types of roasts, fatty meats, bread, filled cakes.



Circulaire: it is the perfect function for cooking all types of dishes in a more delicate way. The heat comes from the back of the oven and is distributed quickly and evenly The fan is active. It is also ideal for cooking on multiple levels without mixing smells and flavors.



ECO: low energy consumption cooking: this function is particularly suitable for cooking on a single shelf with low energy consumption. It is recommended for all types of food except those that can generate a lot of moisture (for example vegetables). To achieve maximum energy savings and reduce time, it is recommended to put the food in the oven without preheating the cooking compartment



4.3 inch display with LED technology, usability with knobs + 3 touch keys



Grill: Very intense heat coming only from above from a double heating element. The fan is not active. Provides excellent grilling and gratinating results. Used at the end of cooking, it gives a uniform browning to dishes.



Half grill: For rapid cooking and browning of foods. Best results can be obtained by using the top shelf for small items, the lower shelves for larger ones, such as chops or sausages. For half grill heat is generated only at the centre of the element, so is ideal for smaller quantities.





Fan grill: very intense heat coming only from above from a double heating element The fan is active. It allows the optimal grilling of thickest meats. Ideal for large cuts of meat.



Turbo: the heat comes from 3 directions: above, below and from the back of the oven The fan is active. It allows quick cooking, even on several shelves without mixing the aromas. Ideal for large volumes or foods that require intense cooking.



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.



All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.



The inner door glass: can be removed with a few quick movements for cleaning.



Side lights: Two opposing side lights increase visibility inside the oven.



Automatic opening: some models have Automatic opening door when the cycle is finished which is a perfect solution for handle-less kitchen units as no handle is needed. For safety reasons, the door locks automatically when the machine is in use to avoid it being opened inadvertently.



PYROLYSIS - AUTOMATIC CLEANING FUNCTION: the oven heats up to a temperature approaching 500 °C and chars grease and food residues into a fine ash that can be easily wiped off with a damp cloth. At such a high temperature, the door locks automatically for safety, while the temperature of the door remains controlled so it is safe to touch User adjustable function based on the level of dirt present in the oven.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



The oven cavity has 5 different cooking levels.



Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.



Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.



TWIN_ZONE_72dpi



The capacity indicates the amount of usable space in the oven cavity in litres.



Benefit (TT)

True-convection

The best cooking performances guaranteed by ventilated circular flow

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

Induction hob

Induction offers fast cooking and precise temperature control

Through the use of suitable cookware, induction is easy to use and maintain, safe and responsive.

Touch control

Easy and intuitive timer setting with a single touch

Single turbine

The oven has a fan equipped with a circular heating element allowing cooking with rotating heat

Isothermic Cavity

The best cooking performance at the highest energy efficiency

Tangential cooling

New cooling system with tangential fan and airflow from the door to the splashback

Pyrolysis

Easy oven cleaning thanks to special pyrolytic function

Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

Telescopic guides

Easy extraction and safe insertion of trays into the oven thanks to telescopic guides

Adjustable height

Cooker top flushed with the working area thanks to adjustable feet

Removalble inner glass

Internal door glasses are easily removable for complete cleaning

Multilevel cooking

Several cooking levels allow maximum flexibility of use



Cold door

During any function, the external door glass is cold, avoiding any risk of burns

AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket (optional accessory)

BBQ (optional accessory)

Barbeque cooking directly in the oven with the double-sided grill (BBQ optional accessory)

Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)

Storage compartment

More space thanks to the lower compartment, ideal for storing accessories or cooking utensils