

C7176DNPHSG



| | |
|------------------|---|
| Product Family | Refrigerator |
| Installation | Built-in |
| Category | Bottom Mount |
| Built-in niche | 178 |
| Reference width | Until 60 cm |
| Reference height | 160 - 200 cm |
| Cooling type | Fan assisted refrigerator, no-frost freezer |
| Defrost | Automatic |
| Hinge type | Door on door |
| Hinge position | Right |
| Reversible door | Yes |
| EAN code | 8017709256166 |



Aesthetics



| | | | |
|---------------|-------------|------------------------------|-----------|
| Aesthetic | Universale | Door shelves profile color | Silver |
| Colour | White | Drawers profile color | Silver |
| Side material | Steel | Color of glass shelf profile | Chrome |
| Side colour | White | Display | LCD Touch |
| Logo | Silk screen | Display position | |

Refrigerator compartment features



| | | | |
|---|----------|---|-------|
| No. of adjustable shelves | 3 | Type of crisper/vegetable drawers cover | Glass |
| Number of fruit and vegetables drawers | 2 | Low temperature compartment | Yes |
| Shelves material | Glass | Internal light in fridge | Yes |
| Type of crisper/vegetable drawers cover | Standard | Type of internal light (fridge) | LED |
| Crisper Cover | Yes | | |

Refrigerator Inner Door

| | | | |
|--|---|-----------------------|---|
| No. of door shelves with transparent cover | 1 | No. of bottle shelves | 1 |
|--|---|-----------------------|---|

Number of adjustable door shelves 2

Other Refrigerator features



Accessories Egg tray Fan Yes

Freezer compartment features

Number of drawers 3

Other Freezer features

Accessories 1 ice box, 2 eutectics

Other technical features



| | |
|---------------------------------|---|
| Functions display | Holiday, Fast freezing, Fast cooling, Control lock, Temperature alarm |
| Water network connection | |
| Temperature alarm lamp | Yes |
| Door open alarm | Yes |
| Temperature Alarm | Yes |
| Type of temperature control | Electronic |
| No. of compressors | 1 |
| Refrigerant gas type | R600a |
| Type of compressor | Standard |
| Refrigerant Quantity (g) | 45 g |
| Max weight door panel (fridge) | 20 kg |
| Foam agent | Cyclopentane |
| Max weight door panel (freezer) | 41 kg |

Performance / Energy Label - Reg. 2019

Airborne acoustical noise emissions 39 dB(A) re 1 pW


Electrical Connection

| | | | |
|------------------------------|-----------|---------------------------|--------------------|
| Electrical connection rating | 140 W | Frequency (Hz) | 50 Hz |
| Current | 1,1 A | Power supply cable length | 240 cm |
| Voltage (V) | 230-240 V | Plug | (G) UK e Singapore |

Logistic Information

Width 560 mm
 Depth without handle 549 mm

Height 1780 mm



Symbols glossary

| | | | |
|--|--|---|---|
|  | 4 stars freezing compartment for better food preservation. |  | The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether. |
|  | Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed. |  | LCD display: to optimize performance and simplify the use of the appliance. |
|  | Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge. |  | Fast freezing: The fast freezing function brings the temperature of the compartment down when activated a few hours prior to usage. |
|  | Power saving mode: The power saving mode allows you to disable the refrigerator and keep the freezer working. |  | LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance. |
|  | Built-in niche |  | No Frost: The No Frost and Frost free systems prevent ice from forming so that no defrosting is required. |