

# C81721E



Product Family	Refrigerator
Installation	Built-in
Category	Bottom Mount
Built-in niche	178
Reference width	Until 60 cm
Reference height	160 - 200 cm
Cooling type	Fan assisted
Defrost	Automatic for refrigerator, manual for freezer
Hinge type	Sliding
Hinge position	Right
Reversible door	Yes
EAN code	8017709323943



## Aesthetics



Aesthetic	Universale	Logo	Silk screen
Colour	White	Door shelves profile color	Silver
Material	Metal sheet	Drawers profile color	Silver
Handle type	Fixed	Color of glass shelf profile	Chrome
Side material	Steel	Display	LED
Side colour	White	Display position	Interno (cella frigo)

## Refrigerator compartment features



Number of compartments	2	Type of crisper/vegetable drawers cover	Standard
Compartment types	Fruit and vegetable compartment	Crisper Cover	Yes
No. of adjustable shelves	4	Type of crisper/vegetable drawers cover	Glass
Number of fruit and vegetables drawers	2	Internal light in fridge	Yes
Type of adjustable shelves	Glass	Type of internal light (fridge)	LED

## Refrigerator Inner Door

No. of bottle shelves	1
-----------------------	---

No. of door shelves with 1 transparent cover

Number of adjustable door shelves 2

## Other Refrigerator features



Accessories

Egg tray

Fan

Yes

## Freezer compartment features

Number of drawers 3

## Other Freezer features

Accessories 1 ice box

## Other technical features



Functions display

Fast freezing, Temperature alarm

Power on lamp

Yes

Temperature alarm lamp

Yes

Door open alarm

Yes

Temperature Alarm

Yes

Type of temperature control

Electro-mechanical

No. of compressors

1

Refrigerant gas type

R600a

Type of compressor

Standard

Foam agent

Cyclopentane

## Performance / Energy Label - Reg. 2019



Annual energy consumption 220 kWh/a

Airborne acoustical noise emissions

34 dB(A) re 1 pW

Energy efficiency class E

Temperature Rise Time

11,50 h

Airborne acoustical noise emission class B

4 star - Freezing capacity

3,3 kg/24h

Total net volume 269 l

Climate class

SN, N, ST, T

Sum of the volumes of the frozen compartment(s) 73 l

EEI

100 %


**Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)** 196 l

## Electrical Connection

<b>Electrical connection rating</b>	140 W	<b>Frequency (Hz)</b>	50 Hz
<b>Current</b>	1,1 A	<b>Power supply cable length</b>	240 cm
<b>Voltage (V)</b>	230-240 V	<b>Plug</b>	(F;E) Schuko

## Logistic Information

<b>Width</b>	546 mm	<b>Depth of the built-in niche</b>	550 mm
<b>Width of the built-in niche</b>	560 mm	<b>Height</b>	1772 mm
<b>Depth without handle</b>	549 mm	<b>Height of the built-in niche</b>	1780 mm



## Symbols glossary

	The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.		Energy efficiency class E
	LED display: to show programmes, functions and options selected and the time to the end of the cycle.		Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.
	Fast freezing: The fast freezing function brings the temperature of the compartment down when activated a few hours prior to usage.		LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.
			Built-in niche