C81721EI



Product Family	Refrigerator
Installation	Built-in
Category	Bottom Mount
Built-in niche	178
Reference width	Until 60 cm
Reference height	160 - 200 cm
Cooling type	Fan assisted
Defrost	Automatic for refrigerator, manual for freezer
Hinge type	Sliding
Hinge position	Right
Reversible door	Yes
EAN code	8017709323974

Aesthetics

Aesthetic	Universale	**Door shelves profile color**	Silver
Colour	White	**Drawers profile color**	Silver
Material	Metal sheet	**Color of glass shelf profile**	Chrome
Side material	Steel	**Display**	LED
Side colour	White	**Display position**	Interno (cella frigo)
Logo	Silk screen		

Refrigerator compartment features

Number of compartments	2	**Type of crisper/vegetable drawers cover**	Standard
Compartment types	Fruit and vegetable compartment	**Crisper Cover**	Yes
No. of adjustable shelves	4	**Type of crisper/vegetable drawers cover**	Glass
Number of fruit and vegetables drawers	2	**Internal light in fridge**	Yes
Shelves material	Glass	**Type of internal light (fridge)**	LED

Refrigerator Inner Door

No. of door shelves with transparent cover	1	**No. of bottle shelves**	1

Number of adjustable door shelves	2

Other Refrigerator features



Accessories	Egg tray	**Fan**	Yes

Freezer compartment features

Number of drawers	3

Other Freezer features

Accessories	1 ice box

Other technical features

Type of temperature control	Electro-mechanical
No. of compressors	1
Refrigerant gas type	R600a
Type of compressor	Standard
Refrigerant Quantity (g)	72 g
Foam agent	Cyclopentane

Performance / Energy Label - Reg. 2019



Annual energy consumption	220 kWh/a	**Airborne acoustical noise emissions**	34 dB(A) re 1 pW
Energy efficiency class	E	**Temperature Rise Time**	11,50 h
Airborne acoustical noise emission class	B	**4 star - Freezing capacity**	3,3 kg/24h
Total net volume	269 l	**Climate class**	SN, N, ST, T
Sum of the volumes of the frozen compartment(s)	73 l	**EEI**	100 %
Sum of the volumes of the chill compartment(s) and the unfrozen compartment(s)	196 l		


Electrical Connection

Electrical connection rating	140 W	**Frequency (Hz)**	50 Hz

Current	1,1 A	**Power supply cable length**	240 cm
Voltage (V)	230-240 V	**Plug**	(F;E) Schuko

Logistic Information

Width	540 mm	**Height**	1772 mm
Width of the built-in niche	560 mm	**Height of the built-in niche**	1780 mm
Depth without handle	549 mm	**Spacer depth**	38 mm
Depth of the built-in niche	550 mm		



Symbols glossary



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



LED display: to show programmes, functions and options selected and the time to the end of the cycle.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.



Energy efficiency class E



Ventilated: Forced distribution of cold air in the refrigerator compartment, which allows even temperature distribution within the fridge.



Built-in niche