

C91IEA9

Cooker size

N. of cavities with energy label

Cavity heat source

Hob type

Type of main oven

Cleaning system main oven

EAN code

Energy efficiency class

90x60 cm

ELECTRICITY

Induction

Thermoseal

Vapour Clean

8017709296988



Aesthetics



Aesthetic Mista

Serie Master Design Square design

Anthracite Colour **Enamelled metal**

Command panel finish Logo

Logo position Facia below the oven

Hob colour Anthracite Control knobs Smeg Soft Touch

Controls colour Black

7 No. of controls Serigraphy colour Silver Display Touch With frame Door Glass type eclypse Handle **Smeg Classic Handle Colour** Anthracite Storage compartment Push pull

Feet Black

Programs / Functions

No. of cooking functions Traditional cooking functions

Static

Assembled st/steel

Fan assisted



Circulaire

Small grill



Large grill

Fan grill (large)

Base

Fan assisted bottom

SMEG SPA 12/12/2024

9



Other functions

Defrost by time

Cleaning functions



Vapour Clean

Hob options







Control lock Yes

Limited Power Yes **Consumption Mode**

Limited Power 3700, 4800, 7400 W

Consumption Mode in W **Multizone Option** Yes

Hob technical features







Total no. of cook zones 5

Front left - Induction - multizone - 2.10 kW - Booster 2.30 kW - 21.0x19.0 cm Rear left - Induction - multizone - 1.60 kW - Booster 1.85 kW - 21.0x19.0 cm

Central - Induction - single - 2.30 kW - Booster 3.00 kW - Ø 27.0 cm Rear right - Induction - single - 1.20 kW - Booster 1.40 kW - Ø 18.0 cm Front right - Induction - single - 2.30 kW - Booster 3.00 kW - Ø 21.0 cm

No. of cooking zones with Booster

Number of Flexible zones

Automatic switch off

when overheat

Automatic pan

detection

Minimum pan diameter Yes

indication

Selected zone indicator Yes Residual heat indicator

Main Oven Technical Features

















Yes

Yes







No. of lights 2 Fan number 2 Net volume of the cavity 115 l Gross volume, 1st cavity 129 l

Cavity material Ever Clean enamel

No. of shelves

Metal racks Type of shelves Halogen Light type **Light Power** 40 W

Cooking time setting Start and Stop

Light when oven door is

open

Door opening Flap down

Removable inner door Yes Total no. of door glasses 3 No.of thermo-reflective door glasses

Safety Thermostat Yes

Cooling system Tangential

Usable cavity space dimensions (HxWxD)

Temperature control Electro-mechanical

371x724x418 mm

1700 W

Lower heating element

power

Upper heating element - 1200 W

Power



Removable door Yes Large grill - Power 2900 W
Full glass inner door Yes Circular heating element 2 x 1550 W

- Power

Grill type Electric

Options Main Oven

alarm

Timer Yes Minimum Temperature 50 °C End of cooking acoustic Yes Maximum temperature 260 °C

Accessories included for Main Oven & Hob

Rack with back and side 1 Grill mesh 1 stop Meat Probe 1

stop Meat Probe
20mm deep tray 1
40mm deep tray 1

Electrical Connection


Electrical connection 10600 W Power supply cable 150 cm

rating length
Current 46 A Type of electric cable Yes, Double and Three

 Voltage
 220-240 V
 Phase

 Voltage 2 (V)
 380-415 V
 Frequency
 50/60 Hz

Type of electric cable Yes, Single phase Terminal block 5 poles installed





Not included accessories

AIRFRY9

Air fryer rack AIRFRY. Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.



KITH95CPF9

Height extension kit (950 mm), suitable for Portofino cookers



SFLK1

Child lock



GTP

Partially extractable telescopic guides (1 level) Extraction: 300 mm Material: Stainless steel AISI 430 polished



PRTX

Refractary pizza stone with handles. D=35cm Not suitable for microwave ovens. Suitable for gas ovens, to be put on the griddle.



GRILLPLATE

Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.



PPR9

Refractary pizza stone without handles. Squared shaped stone: L64xH2,3xP37,5 cm Suitable also for gas ovens, to be put on the griddle.



KITPBX

Height reduction feet (850 mm)



KITH900CPF9

Height extension kit (950 mm), suitable for TR4110 cookers



BBQ9



KITROT9

Rotisserie kit for 90x60 cookers, new cavity (115 L)



SCRP

Induction and ceramic hobs and teppanyaki scraper



KITPD

Heigh extension black feet (950 mm) for cookers



TPKPLATE

Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.



KITC9X9-1

Splashback, 90x75 cm, stainless steel. suitable for Portofino, Master and Sinfonia cookers



PALPZ

Pizza shovel with fold away handle width: 315mm length: 325mm



GTT

Totally extractable telescopic guides (1 level) Extraction: 433 mm Material: Stainless steel AISI 430 polished



SMOLD

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C





Alternative products



C91IEX9

Colour: Stainless steel



Symbols glossary (TT)

<	Α	A**

A: Product drying performance, measured from A+++ to D / G depending on the product family



Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



Installation in column: Installation in column



Air cooling system: to ensure a safe surface temperatures.



Defrost by time: with this function the time of thawing of foods are determined automatically.



Triple glazed doors: Number of glazed doors.



ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.



Enamel interior: The enamel interior of all Smeg ovens have a special antacid lining which helps keep the interior clean by reducing the amount of cooking grease adhering to it.



Fan assisted base: the mix of fan and lower heating element alone allows to finish cooking foods already cooked on the surface but not internally more quickly. This system is recommended to finish cooking foods that are already well cooked on the surface, but not internally, which therefore require a moderate higher heat. Ideal for any type of food.



Fan with upper and lower elements: The elements combined with the fan aim to provide more uniform heat, a similar method to conventional cooking, so pre-heat is required. Most suitable for items requiring slow cooking methods.



Upper and lower element only: a traditional cooking method best suited for single items located in the centre of the oven. the top pf the oven will always be hottest. Ideal for roast, fruit cakes, bread etc.



Lower heating element only: This function is ideal for foods that require extra base temperature without browning, e.g. pastry dishes, pizza. Also suitable for slow cooking of stews and casseroles.



Circulaire: The combination of the fan and circular element around it gives a hot air cooking method. This provides many benefits including no preheat if cook time is more than 20 minutes, no flavour transfer when cooking different foods at the same time, less energy, and shorter cook times. Good for all types of food.



ECO: The combination of the grill, fan and lower element is particularly suitable for cooking small quantities of food.



Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.



Half grill: For rapid cooking and browning of foods. Best results can be obtained by using the top shelf for small items, the lower shelves for larger ones, such as chops or sausages. For half grill heat is generated only at the centre of the element, so is ideal for smaller quantities.



Fan with grill element: The fan reduces the fierce heat from the grill, providing an excellent method of grilling various foods, chops, steaks, sausages etc. giving even browning and heat distribution, without drying out the food. The top two levels recommended for use, and the lower part of the oven can be used to keep items warm at the same time, an excellent facility when cooking a grilled breakfast. Half grill (centre portion only) is ideal for small quantities of food.





Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.



All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.



The inner door glass: can be removed with a few quick movements for cleaning.



Side lights: Two opposing side lights increase visibility inside the oven.



Automatic opening: some models have Automatic opening door when the cycle is finished which is a perfect solution for handle-less kitchen units as no handle is needed. For safety reasons, the door locks automatically when the machine is in use to avoid it being opened inadvertently.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



The oven cavity has 5 different cooking levels.



Vapour Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.



The capacity indicates the amount of usable space in the oven cavity in litres.



...



Automatic merge of zones for a bigger area



Benefit (TT)

True-convection

The best cooking performances guaranteed by ventilated circular flow.

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

Induction hob

Induction offers fast cooking and precise temperature control

Through the use of suitable cookware, induction is easy to use and maintain, safe and responsive

Vapor Clean

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal.

Touch control

Easy and intuitive timer setting with a single touch

Isothermic Cavity

The best cooking performance at the highest energy efficiency

Double Turbine

The oven has two fans equipped with two circular heating elements allowing cooking with rotating heat

Tangential cooling

New cooling system with tangential fan and airflow from the door to the splashback

Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

Adjustable height

Cooker top flushed with the working area thanks to adjustable feet

Removalble inner glass

Internal door glasses are easily removable for complete cleaning

Multilevel cooking

Several cooking levels allow maximum flexibility of use



Cold door

During any function, the external door glass is cold, avoiding any risk of burns

AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket

BBQ (optional accessory)

Barbeque cooking directly in the oven with the double-sided grill

Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)

Push-pull storage compartment

More space thanks to the lower push-pull compartment, ideal for storing accessories or cooking utensils