

C92GMX2

Cooker size

N. of cavities with energy label

Cavity heat source

Hob type

Type of main oven

Type of second oven

Cleaning system main oven

EAN code

Energy efficiency class

Energy efficiency class, second cavity

90x60 cm

2

ELECTRICITY

Gas

Thermo-ventilated

Static

Vapor Clean

8017709321277

Α



Aesthetics









Aesthetic Classica Series Sinfonia

Design Square design Colour Stainless steel

Finishing Satin

Command panel finish Finger friendly stainless

Logo Assembled st/steel Facia below the oven Logo position

Upstand Yes

Hob colour Stainless steel Type of pan stands Cast Iron Control knobs Type of control setting

hob

Type of control knobs **Smeg Classic** Controls colour Stainless steel

No. of controls 8 Serigraphy colour Black Display name DigiScreen

Door With 2 horizontal strips

Glass type **Eclipse**

Handle **Smeq Classic Handle Colour** Brushed stainless steel

Storage compartment Door Feet color

Silver

Programs / Functions main oven

No. of cooking functions

8



Gross volume, 1st cavity 79 l

Cavity material

Traditional cooking function	ons					
Fan assisted base + Vapor cle	ean Static	8	Circulaire			
Turbo	ECO Eco	•*•	Small grill			
Large grill	Fan grill (la	irge)				
Cleaning functions						
Catalytic	V Vapor clea	n				
Programs / Functions auxiliary oven						
Cooking functions cavity 2 Bottom element + Upper e		4				
Traditional cooking function	ons, cavity 2					
Static	Small grill	er a	Large grill			
Bottom						
Hob technical features						
UR						
Total no. of cook zones 5						
Centrale sinistra - Gas - 2UR	(dual) - 4.20 kW					
Rear centre - Gas - Semi Rap						
Front centre - Gas - AUX - 1.0						
Rear right - Gas - Rapid - 2.9 Front right - Gas - Semi Rapid						
Type of gas burners	Standard	Gas safety valves	Yes			
	′es	Burner caps	Matt black enamelled			
Main Oven Technic	al Features					
7011						
No. of lights 1 Removable inner door Yes						
Fan number 1		Total no. of door glasses 3				
Net volume of the cavity 7	70 I	No.of thermo-reflec	ctive 2			

SMEG SPA 7/9/2025

Ever Clean enamel

door glasses

Safety Thermostat

Yes



No. of shelves

Type of shelves Metal racks Halogen Light type **Light Power** 40 W

Cooking time setting Start and Stop

Light when oven door is

open

Flap down Door opening

Removable door Yes Full glass inner door Yes Cooling system **Tangential**

Usable cavity space 360X460X425 mm dimensions (HxWxD)

Temperature control Electro-mechanical

1200 W

Yes

311x206x418 mm

Electro-mechanical

Lower heating element

power

Upper heating element - 1000 W

Power

Grill elememt 1700 W 2700 W Large grill - Power Circular heating element 2000 W

- Power

Grill type Electric

Options Main Oven

Timer Minimum Temperature 40 °C Yes End of cooking acoustic Yes Maximum temperature 260 °C

alarm

Second Oven Technical Features

Net volume of the 35 I No. total door glasses 3 second cavity No. thermo-reflective 2 door glasses

Gross volume, 2nd 36 I cavity Safety Thermostat

Ever Clean enamel Cavity material Cooling system **Tangential**

No. of shelves 4 Usable cavity space

Type of shelves Metal racks dimensions (HxWxD) No. of lights 1 Temperature control

Light type Incandescent Lower heating element - 700 W

Light Power 25 W power

Upper heating element - 600 W Flap down Door opening

Power Removable door Yes

Grill element - power 1300 W Full glass inner door Yes 1900 W Large grill - Power Removable inner door Yes Grill type Electric

Options Auxiliary Oven

50 °C Minimum Temperature Maximum temperature 245 °C

Accessories included for Main Oven & Hob

Moka stand 1 Grill mesh 1

> Catalityc panels 3



Rack with back and side 2

stop

40mm deep tray

Telescopic Guide rails, partial Extraction

Accessories included for Secondary Oven

Rack with back and side 1

stop

Wide baking tray

Grill mesh 1

Electrical Connection

Plug Not present Electrical connection 5200 W

rating

Current 23 A

Voltage 220-240 V Voltage 2 (V) 380-415 V Electric cable Installed, Single phase

Double and Three Phase


Power supply cable 120 cm

length

Additional connection

modalities

Frequency 50/60 Hz Terminal block 5 poles





Compatible Accessories

AIRFRY

Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.



BBQ

Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.



Cast iron grill plate suitable for 90 cm Victoria, 60 and 90 cm Master and Sinfonia cookers



BN620-1

Enamelled tray suitable for 45 cm and 60 cm ovens. Depth 20 mm. Perfect for a wide range of savoury and sweet baking.



Enamelled tray suitable for 45cm and 60cm ovens. Depth 540 mm. Perfect for cooking and roasting meat and fish in sauces. Also ideal for experimenting with lighter and crunchy side dishes



BNP608T

Teflon-coated tray, 8 mm depth, to be placed on the grid



Partially extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



Totally extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



KIT600C92PX

Cover strip for hob back side, suitable for 90cm Symphony cooker with pyro oven



KITC9X9-1

Splashback kit, st/steel, 90cm, suitable for Portofino Multifunction, Master and Sinfonia cookers



KITH900CPF9

Plinth, 90cm, three sides, black, suitable for CPF9 Portofino or Sinfony C9 cookers



KITH95CPF9

Height extension kit with plinth, (950mm), three sides, black with feet, suitable for CPF9 Portofino and Sinfony C9 cookers





KITPBX

Height reduction feet (850mm), st/steel, for Sinfonia and Master cookers (845-856mm)



PALPZ

Pizza shovel with folding handle. Dimensions L31.5 x H32.5 cm. Easy and convenient to use and store. Perfect for serving pizza, bread and savory pastries in a safe and professional way.



SFLK1

Child lock



SMOLD

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C



Rectangular refractory stone Ideal for cooking pizzas with the same results as a typical wood-fired oven. Can also be used for baking bread, focaccias and other recipes such as pies, flans or biscuits Dimensions:L42 x H1,8 x P37,5 cm.





Symbols glossary

***	Heavy duty cast iron pan stands: for maximum stability and strength.	A F	
	Installation in column: Installation in column	:::	Air cooling system: to ensure a safe surface temperatures.
DIGI screen	4.3 inch display with LED technology, usability with knobs + 3 touch keys	3	Triple glazed doors: Number of glazed doors.
	Ever Clean Enamel: Ever Clean enamel is applied electrostatically, corner to corner and edge to edge to prevent cracking or cracks over time. It is a particular pyrolytic enamel, resistant to acids which, in addition to being pleasantly bright, promotes greater cleaning of the oven walls, thanks to its lower porosity. It is baked at over 850 °C and slowly polymerized at a scientifically determined rate to ensure uniform depth and strength Ever Clean enamel creates an impeccable finish both on the inside of the oven and on the trays, making the surfaces of the oven incredibly easy to maintain over time as it reduces the adhesion of fat during cooking		Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new.
	Static: Traditional cooking suitable for the preparation of one dish at a time. The fan is not active and the heat comes from below and from above at the same time. Static cooking is slower and more delicate, ideal in order to get well cooked and dry dishes even inside. Ideal for cooking all types of roasts, fatty meats, bread, filled cakes.		Static: Traditional cooking suitable for the preparation of one dish at a time. The fan is not active and the heat comes from below and from above at the same time. Static cooking is slower and more delicate, ideal in order to get well cooked and dry dishes even inside. Ideal for cooking all types of roasts, fatty meats, bread, filled cakes.
	Base: the heat comes only from the bottom of the cavity. The fan is not active. Ideal for sweet and savory pies, cobblers and pizzas. Designed to complete cooking and make food more crunchy This symbol in gas ovens indicates the gas burner.	J	Base: the heat comes only from the bottom of the cavity. The fan is not active. Ideal for sweet and savory pies, cobblers and pizzas. Designed to complete cooking and make food more crunchy This symbol in gas ovens indicates the gas burner.
®	Circulaire: it is the perfect function for cooking all types of dishes in a more delicate way. The heat comes from the back of the oven and is distributed quickly and evenly The fan is active. It is also ideal for cooking on multiple levels without mixing smells and flavors.	ECO	ECO: low energy consumption cooking: this function is particularly suitable for cooking on a single shelf with low energy consumption. It is recommended for all types of food except those that can generate a lot of moisture (for example vegetables). To achieve maximum energy savings and reduce time, it is recommended to put the food in the oven without preheating the cooking compartment
	Grill: Very intense heat coming only from above from a double heating element. The fan is not active. Provides excellent grilling and gratinating results. Used at the end of cooking, it gives a uniform browning to dishes.		Half grill: For rapid cooking and browning of foods. Best results can be obtained by using the top shelf for small items, the lower shelves for larger ones, such as chops or sausages. For half grill heat is generated only at the centre of the element, so is ideal for smaller quantities.





Fan grill: very intense heat coming only from above from a double heating element The fan is active. It allows the optimal grilling of thickest meats. Ideal for large cuts of meat.



Light



Turbo: the heat comes from 3 directions: above, below and from the back of the oven The fan is active. It allows quick cooking, even on several shelves without mixing the aromas. Ideal for large volumes or foods that require intense cooking.



All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.



The inner door glass: can be removed with a few quick movements for cleaning.



Side lights: Two opposing side lights increase visibility inside the oven.



Automatic opening: some models have Automatic opening door when the cycle is finished which is a perfect solution for handle-less kitchen units as no handle is needed. For safety reasons, the door locks automatically when the machine is in use to avoid it being opened inadvertently.



The oven cavity has 4 different cooking levels.



The oven cavity has 5 different cooking levels.



Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.



Electronic control: Allows you to maintain temperature inside the oven with the precision 2-3 ° C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.



Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.



Vapor Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.



The capacity indicates the amount of usable space in the oven cavity in litres.



The capacity indicates the amount of usable space in the oven cavity in litres.



Knobs control



Benefit (TT)

Gas hob

Gas provides permanent control of the heat source and the temperature change is immediate

Equipped with a thermocouple, the gas supply is cut off if the flame is extinguished for greater safety.

Vapor Clean

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal.

Touch control

Easy and intuitive timer setting with a single touch

Storage compartment

More space thanks to the lower compartment, ideal for storing accessories or cooking utensils

True-convection

The best cooking performances guaranteed by ventilated circular flow

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

Multilevel cooking

Several cooking levels allow maximum flexibility of use

Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

Removalble inner glass

Internal door glasses are easily removable for complete cleaning

Tangential cooling

New cooling system with tangential fan and airflow from the door to the splashback

Telescopic guides

Easy extraction and safe insertion of trays into the oven thanks to telescopic guides

Adjustable height

Cooker top flushed with the working area thanks to adjustable feet



Isothermic Cavity

The best cooking performance at the highest energy efficiency

AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket (optional accessory)

Cold door

During any function, the external door glass is cold, avoiding any risk of burns

Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)

BBQ (optional accessory)

Barbecue cooking directly in the oven with the double-sided grill (BBQ optional accessory)

Single turbine

The oven has a fan equipped with a circular heating element allowing cooking with rotating heat

Catalysis

Easy oven cleaning through the use of catalytic panels in the cavity

This permanent process allows continuous cleaning and degreasing of the three cavity walls, starting its grease oxidation phase when the oven reaches 200 °C.