

# C92GPX2

Cooker size

N. of cavities with energy label

Cavity heat source

Hob type

Type of main oven

Type of second oven

Cleaning system main oven

EAN code

**Energy efficiency class** 

Energy efficiency class, second cavity

90x60 cm

2

**ELECTRICITY** 

Gas

Thermo-ventilated

Static Pyrolitic

8017709329723

A A



# **Aesthetics**



Design







Square design

Control knobs

Command panel finish Finger friendly stainless

steel

Aesthetic Classica

Logo Assembled st/steel
Colour Stainless steel

**Logo position** Facia below the oven

Finishing Satin
Upstand Yes
Series Sinfonia
Hob colour Stainless steel
Type of pan stands Cast Iron

Type of control setting hob

Type of control knobs

No. of controls

Serigraphy colour

Controls colour

Display name

Door

Glass type

Handle

Handle Colour

Storage compartment

Feet color

Smeg Classic

Stainless steel

8 Black

DigiScreen

With 2 horizontal strips

Eclipse

**Smeg Classic** 

Brushed stainless steel

Door Silver

# Programs / Functions main oven

No. of cooking functions

9



Net volume of the cavity  $\,\,70\,I$ 

Gross volume, 1st cavity 791

Traditional cooking function	s					
Static	Fan assiste	d @	Circulaire			
Turbo	ECO Eco	<u></u>	Large grill			
Fan grill (large)	Base	8	Fan assisted base			
Cleaning functions						
Pyrolytic						
Programs / Functions auxiliary oven						
Cooking functions cavity 2 Bottom element + Upper ele	ment	4				
Traditional cooking function	s, cavity 2					
Static	Small grill	•	Large grill			
Bottom						
Hob technical featur	res					
UR						
Total no. of cook zones 5						
Centrale sinistra - Gas - 2UR (d	ual) - 4.20 kW					
Rear centre - Gas - Semi Rapid						
Front centre - Gas - AUX - 1.00						
Rear right - Gas - Rapid - 2.90 Front right - Gas - Semi Rapid -						
Rear right - Gas - Rapid - 3.00	kW					
	andard	Gas safety valves	Yes			
Automatic electronic Ye ignition	S	Burner caps	Matt black enamelled			
Main Oven Technical Features						
7011 <b>5</b> 5						
No. of lights 1		Total no. of door g				
Fan number 1		No.of thermo-refle	ective 3			

SMEG SPA 12/26/2025

door glasses

Safety Thermostat

Yes



Cavity material

Ever Clean enamel

Start and Stop

No. of shelves

Type of shelves Metal racks Light type Halogen 40 W **Light Power** 

Cooking time setting

Light when oven door is

open Door opening

Flap down

Removable door Yes Full glass inner door Yes Removable inner door Yes

Heating suspended when door is opened

Cooling system **Tangential Door Lock During** Yes

Yes

360X460X425 mm

**Pyrolisis** 

Usable cavity space

dimensions (HxWxD)

Temperature control Electro-mechanical 1200 W

Lower heating element

power

Upper heating element - 1000 W

**Power** 

Grill elememt 1700 W Large grill - Power 2700 W Circular heating element 2000 W

- Power

Grill type Electric

# **Options Main Oven**

Timer

Yes Yes

End of cooking acoustic

alarm

Minimum Temperature Maximum temperature 50 °C 260°C

3

1

311x206x418 mm

# **Second Oven Technical Features**











36 I



Metal racks

Flap down

Yes

Yes

Yes

Net volume of the second cavity

Gross volume, 2nd

cavity

Ever Clean enamel

Cavity material No. of shelves

Type of shelves

No. of lights

Light type Incandescent 25 W

**Light Power** Door opening Removable door

Full alass inner door Removable inner door 35 I

No. total door glasses No. thermo-reflective

door glasses

Safety Thermostat Yes

Cooling system **Tangential** 

Usable cavity space dimensions (HxWxD)

Electro-mechanical Temperature control

Lower heating element - 700 W

power

Upper heating element - 600 W

**Power** 

Grill element - power 1300 W Large grill - Power 1900 W Grill type Electric

# **Options Auxiliary Oven**

Minimum Temperature 50 °C Maximum temperature 245 °C

# Accessories included for Main Oven & Hob





Moka stand 1 Rack with back and side 2

stop

40mm deep tray

Grill mesh 1
Telescopic Guide rails, 1

partial Extraction

Meat Probe 1

# Accessories included for Secondary Oven

Rack with back and side 1

stop

Wide baking tray

Grill mesh

# **Electrical Connection**

Electrical connection 5100 W

rating

 Current
 23 A

 Voltage
 220-240 V

 Voltage 2 (V)
 380-415 V

Electric cable Installed, Single phase


Additional connection

modalities

Frequency 50/60 Hz
Terminal block 5 poles
Plug Not present

1

Double and Three Phase





# Compatible Accessories

#### **AIRFRY**

Air fryer rack AIRFRY. Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.



Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.

#### BN620-1

Enamelled tray suitable for 45 cm and 60 cm ovens. Depth 20 mm. Perfect for a wide range of savoury and sweet baking.

#### BNP608T

Teflon-coated tray, 8 mm depth, to be placed on the grid

# **GTT**

Totally extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.

# KITH900CPF9

Plinth, 90cm, three sides, black, suitable for CPF9 Portofino or Sinfony C9 cookers

Height reduction feet (850mm), st/steel, for Sinfonia and Master cookers (845-856mm)

#### AIRFRY2

Air fryer tray. Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.

#### **BGTR9**

Cast iron grill plate suitable for 90 cm Victoria, 60 and 90 cm Master and Sinfonia cookers

#### **BN640**

Enamelled tray suitable for 45cm and 60cm ovens. Depth 540 mm. Perfect for cooking and roasting meat and fish in sauces. Also ideal for experimenting with lighter and crunchy side dishes

## **GTP**

Partially extractable telescopic quides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.

#### KIT600C92PX

Cover strip for hob back side, suitable for 90cm Symphony cooker with pyro oven

# KITH95CPF9

Height extension kit with plinth, (950mm), three sides, black with feet, suitable for CPF9 Portofino and Sinfony C9 cookers

#### KITPC9X9

Splashback, 90 cm, for Sinfonia and Portofino pyrolytic cookers

12/26/2025









**SMEG SPA** 



#### **PALPZ**



Pizza shovel with folding handle. Dimensions L31.5 x H32.5 cm. Easy and convenient to use and store. Perfect for serving pizza, bread and savory pastries in a safe and professional way.



SFLK1 Child lock

# **SMOLD**



Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C



#### **STONE**

Rectangular refractory stone Ideal for cooking pizzas with the same results as a typical wood-fired oven. Can also be used for baking bread, focaccias and other recipes such as pies, flans or biscuits Dimensions:L42 x H1,8 x P37,5 cm.



Symbols glossary					
	Heavy duty cast iron pan stands: for maximum stability and strength.	A D	Energy efficiency class A		
	Installation in column: Installation in column.	Ф	Knobs control		
<b></b>	Air cooling system: to ensure a safe surface temperatures.	DIGI screen	4.3 inch display with LED technology, usability with knobs + 3 touch keys		
3	Triple glazed doors: Number of glazed doors.	4	Quadruple glazed: Number of glazed doors.		
	Ever Clean Enamel: Ever Clean enamel is applied electrostatically, corner to corner and edge to edge to prevent cracking or cracks over time. It is a particular pyrolytic enamel, resistant to acids which, in addition to being pleasantly bright, promotes greater cleaning of the oven walls, thanks to its lower porosity. It is baked at over 850 °C and slowly polymerized at a scientifically determined rate to ensure uniform depth and strength. Ever Clean enamel creates an impeccable finish both on the inside of the oven and on the trays, making the surfaces of the oven incredibly easy to maintain over time as it reduces the adhesion of fat during cooking.		Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new.		
*	Fan assisted base: the mix of fan and lower heating element alone allows to finish cooking foods already cooked on the surface but not internally more quickly. This system is recommended to finish cooking foods that are already well cooked on the surface, but not internally, which therefore require a moderate higher heat. Ideal for any type of food.	8	Fan assisted: Intense and homogeneous traditional cooking, also suitable for complex recipes. The fan is active and the heat comes from below and from above at the same time. Ventilated cooking ensures a faster and more homogeneous result, leaving fragrant foods outside and moister inside. Ideal for baked pasta, biscuits, roasts and cobblers.		
	Static: Traditional cooking suitable for the		Static: Traditional cooking suitable for the		

preparation of one dish at a time. The fan is not active and the heat comes from below and from above at the same time. Static cooking is slower and more delicate, ideal in order to get well cooked and dry dishes even inside. Ideal for cooking all types of roasts, fatty meats, bread,

filled cakes.

Base: the heat comes only from the bottom of the cavity. The fan is not active. Ideal for sweet and savory pies, cobblers and pizzas. Designed to complete cooking and make food more crunchy. This symbol in gas ovens indicates the gas burner.

filled cakes. Base: the heat comes only from the bottom of the cavity. The fan is not active. Ideal for sweet and savory pies, cobblers and pizzas. Designed to complete cooking and make food more crunchy This symbol in gas ovens indicates the gas

preparation of one dish at a time. The fan is not

active and the heat comes from below and from

above at the same time. Static cooking is slower

and more delicate, ideal in order to get well

cooked and dry dishes even inside. Ideal for

cooking all types of roasts, fatty meats, bread,

SMEG SPA 12/26/2025

burner.



<b>®</b>	Circulaire: it is the perfect function for cooking all types of dishes in a more delicate way. The heat comes from the back of the oven and is distributed quickly and evenly. The fan is active. It is also ideal for cooking on multiple levels without mixing smells and flavors.	ECO	ECO: low energy consumption cooking: this function is particularly suitable for cooking on a single shelf with low energy consumption. It is recommended for all types of food except those that can generate a lot of moisture (for example vegetables). To achieve maximum energy savings and reduce time, it is recommended to put the food in the oven without preheating the cooking compartment.
	Grill: Very intense heat coming only from above from a double heating element. The fan is not active. Provides excellent grilling and gratinating results. Used at the end of cooking, it gives a uniform browning to dishes.	•	Half grill: For rapid cooking and browning of foods. Best results can be obtained by using the top shelf for small items, the lower shelves for larger ones, such as chops or sausages. For half grill heat is generated only at the centre of the element, so is ideal for smaller quantities.
<b>R</b>	Fan grill: very intense heat coming only from above from a double heating element. The fan is active. It allows the optimal grilling of thickest meats. Ideal for large cuts of meat.	Ċ	Light
<b>®</b>	Turbo: the heat comes from 3 directions: above, below and from the back of the oven. The fan is active. It allows quick cooking, even on several shelves without mixing the aromas. Ideal for large volumes or foods that require intense cooking.		Top element only: This is used from above only, and is ideal for foods that are finished off with golden topping but do not require the full heat from the grill. Dishes such as Lasagne, potato topped foods, and cheese topped recipes benefit from this mode.
	All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.		The inner door glass: can be removed with a few quick movements for cleaning.
Ö.	Side lights: Two opposing side lights increase visibility inside the oven.		Automatic opening: some models have Automatic opening door when the cycle is finished which is a perfect solution for handle-less kitchen units as no handle is needed. For safety reasons, the door locks automatically when the machine is in use to avoid it being opened inadvertently.
P	PYROLYSIS - AUTOMATIC CLEANING FUNCTION: the oven heats up to a temperature approaching 500 ° C and chars grease and food	<b>.4</b> :	The oven cavity has 4 different cooking levels.

controlled so it is safe to touch User adjustable function based on the level of dirt present in the oven. .5

off with a damp cloth. At such a high

The oven cavity has 5 different cooking levels.

residues into a fine ash that can be easily wiped

temperature, the door locks automatically for safety, while the temperature of the door remains

Electronic control: Allows you to maintain temperature inside the oven with the precision 2-3 ° C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.

Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.

Ultra rapid burners: Powerful ultra rapid burners UR offer up to 5kw of power.





The capacity indicates the amount of usable space in the oven cavity in litres.



The capacity indicates the amount of usable space in the oven cavity in litres.



# Benefit (TT)

#### Gas hob

Gas provides permanent control of the heat source and the temperature change is immediate

Equipped with a thermocouple, the gas supply is cut off if the flame is extinguished for greater safety.

#### **Pyrolysis**

Easy oven cleaning thanks to special pyrolytic function

#### Touch control

Easy and intuitive timer setting with a single touch

## Storage compartment

More space thanks to the lower compartment, ideal for storing accessories or cooking utensils

#### True-convection

The best cooking performances guaranteed by ventilated circular flow

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

#### Multilevel cooking

Several cooking levels allow maximum flexibility of use

## Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

## Removalble inner glass

Internal door glasses are easily removable for complete cleaning

# Tangential cooling

New cooling system with tangential fan and airflow from the door to the splashback

## Telescopic guides

Easy extraction and safe insertion of trays into the oven thanks to telescopic guides

#### **Isothermic Cavity**

The best cooking performance at the highest energy efficiency

## Cold door

During any function, the external door glass is cold, avoiding any risk of burns



# AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket (optional accessory)

# Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)

# BBQ (optional accessory)

Barbecue cooking directly in the oven with the double-sided grill (BBQ optional accessory)

# Adjustable height

Cooker top flushed with the working area thanks to adjustable feet

## Single turbine

The oven has a fan equipped with a circular heating element allowing cooking with rotating heat