

C92IPX2

Cooker size

N. of cavities with energy label

Cavity heat source

Hob type

Type of main oven

Type of second oven

Cleaning system main oven

EAN code

Energy efficiency class

Energy efficiency class, second cavity

90x60 cm

2

ELECTRICITY

Induction

Thermo-ventilated

Static **Pyrolitic**

8017709329716

Α



Aesthetics





Aesthetic

Series

Design

Colour

Finishing

Command panel finish

Logo position

Upstand

Hob colour

hob

Type of control setting

Hob LED colours

Red

Type of control knobs

Controls colour No. of controls

Serigraphy colour

Display name

Door

Glass type

Handle

Handle Colour

Storage compartment

Feet color

Smeg Classic

Stainless steel

8 Black

DigiScreen

With 2 horizontal strips

Eclipse

Smeq Classic

Brushed stainless steel

Door

Silver

Programs / Functions main oven

Classica

Sinfonia

Satin

Yes

Square design

Stainless steel

Enamelled metal

Stainless steel

Control knobs

Assembled st/steel

Facia below the oven

No. of cooking functions Traditional cooking functions

9

Static

Turbo

Fan assisted



Eco

Large grill

Circulaire

Fan grill (large)



Base

Fan assisted base

SMEG SPA

5/9/2025



Cleaning functions



Pyrolytic

Programs / Functions auxiliary oven

Cooking functions cavity 2

Bottom element + Upper element

Traditional cooking functions, cavity 2

Static



Large grill



Bottom

Yes

Yes

Yes

Yes

Yes

Yes

Tangential

Hob technical features









Total no. of cook zones 5

Front left - Induction - multizone - 2.10 kW - Booster 2.30 kW - 21.0x19.0 cm

Rear left - Induction - multizone - 1.60 kW - Booster 1.85 kW - 21.0x19.0 cm

Central - Induction - single - 2.30 kW - Booster 3.00 kW - Ø 27.0 cm

Rear right - Induction - single - 1.20 kW - Booster 1.40 kW - Ø 18.0 cm

Front right - Induction - single - 2.30 kW - Booster 3.00 kW - Ø 21.0 cm

No. of cooking zones

with Booster

Number of Flexible

zones

Automatic switch off

when overheat

Automatic switch off

when overflow

Automatic pan

detection

Minimum pan diameter

indication

Selected zone indicator Yes

Residual heat indicator

Removable inner door

No.of thermo-reflective

Safety Thermostat

Heating suspended

Cooling system

Door Lock During

when door is opened

door glasses

Total no. of door glasses 4

Main Oven Technical Features


















Yes









Cavity material Ever Clean enamel

No. of shelves

Type of shelves Metal racks

Roof Liner Light type Halogen 40 W **Light Power**

Cooking time setting Start and Stop

Light when oven door is

Door opening

Flap down

Usable cavity space dimensions (HxWxD)

360X460X425 mm

Temperature control Electro-mechanical

Lower heating element 1200 W

power

Pyrolisis



Removable door Yes Upper heating element - 1000 W Power

Full glass inner door Grill elememt 1700 W Large grill - Power 2700 W

Circular heating element 2000 W

- Power

Grill type Electric

Temperature control

Yes

Electro-mechanical

Options Main Oven

50 °C Timer Minimum Temperature Yes End of cooking acoustic Yes Maximum temperature 260 °C

alarm

Second Oven Technical Features

Yes

Net volume of the 35 I No. total door glasses second cavity No. thermo-reflective

Gross volume, 2nd 36 I door glasses cavity Safety Thermostat

Cavity material Ever Clean enamel Cooling system **Tangential**

No. of shelves Usable cavity space 311x206x418 mm

Type of shelves Metal racks dimensions (HxWxD)

No. of lights

Lower heating element - 700 W Light type Incandescent

power **Light Power** 25 W

Upper heating element - 600 W Door opening Flap down **Power**

Removable door Yes Grill element - power 1300 W Full glass inner door Yes Large grill - Power 1900 W Removable inner door Yes

Grill type Electric

Options Auxiliary Oven

Minimum Temperature 50 °C Maximum temperature 245 °C

Accessories included for Main Oven & Hob



Rack with back and side 1 Telescopic Guide rails,

total Extraction

Meat Probe 20mm deep tray 1 1 40mm deep tray Child Lock 1

Grill mesh 1

Accessories included for Secondary Oven



Rack with back and side 1

stop

Wide baking tray 1

Grill mesh 1 Child lock 1

Electrical Connection


Plug Not present Electrical connection 12000 W

rating

Current 36 A Voltage 220-240 V Voltage 2 (V) 380-415 V Electric cable
Additional connection
modalities

Installed, Single phase
Double and Three Phase

Frequency 50/60 Hz Terminal block 5 poles





Compatible Accessories

AIRFRY

Air fryer rack AIRFRY. Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.



BBQ

Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.

BN620-1



Enamelled tray suitable for 45 cm and 60 cm ovens. Depth 20 mm. Perfect for a wide range of savoury and sweet baking.



BN640

Enamelled tray suitable for 45cm and 60cm ovens. Depth 540 mm. Perfect for cooking and roasting meat and fish in sauces. Also ideal for experimenting with lighter and crunchy side dishes

BNP608T

GTP



Teflon-coated tray, 8 mm depth, to be placed on the grid



GRILLPLATE

Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.



Partially extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they quarantee stability and facilitate the smooth extraction of the trays.



GTT

Totally extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.

KIT600C92PX



Cover strip for hob back side, suitable for 90cm Symphony cooker with pyro oven




KITH900CPF9

Plinth, 90cm, three sides, black, suitable for CPF9 Portofino or Sinfony C9 cookers



KITH95CPF9





KITPBX

Height reduction feet (850mm), st/steel, for Sinfonia and Master cookers (845-856mm)



PALPZ



Pizza shovel with folding handle. Dimensions L31.5 x H32.5 cm. Easy and convenient to use and store. Perfect for serving pizza, bread and savory pastries in a safe and professional way.



Non-scratch hob scraper - suitable for induction and ceramic hobs





SFLK1

Child lock



SMOLD

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C

STONE

Rectangular refractory stone Ideal for cooking pizzas with the same results as a typical wood-fired oven. Can also be used for baking bread, focaccias and other recipes such as pies, flans or biscuits Dimensions:L42 x H1,8 x P37,5 cm.



TPKPLATE

Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.



Symbols glossary

Ō	Automatic merge of zones for a bigger area	P	Power booster: option allows the zone to work at full power when very intense cooking is necessary.
A T		δ	Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.
	Installation in column: Installation in column	<u> </u>	Air cooling system: to ensure a safe surface temperatures.
1 3	Triple glazed doors: Number of glazed doors.	4	Quadruple glazed: Number of glazed doors.
ECO logic	ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.		Ever Clean Enamel: Ever Clean enamel is applied electrostatically, corner to corner and edge to edge to prevent cracking or cracks over time. It is a particular pyrolytic enamel, resistant to acids which, in addition to being pleasantly bright, promotes greater cleaning of the oven walls, thanks to its lower porosity. It is baked at over 850 °C and slowly polymerized at a scientifically determined rate to ensure uniform depth and strength Ever Clean enamel creates an impeccable finish both on the inside of the oven and on the trays, making the surfaces of the oven incredibly easy to maintain over time as it reduces the adhesion of fat during cooking
*	Fan assisted base: the mix of fan and lower heating element alone allows to finish cooking foods already cooked on the surface but not internally more quickly. This system is recommended to finish cooking foods that are already well cooked on the surface, but not internally, which therefore require a moderate higher heat. Ideal for any type of food.	&	Fan assisted: Intense and homogeneous traditional cooking, also suitable for complex recipes. The fan is active and the heat comes from below and from above at the same time. Ventilated cooking ensures a faster and more homogeneous result, leaving fragrant foods outside and moister inside. Ideal for baked pasta, biscuits, roasts and cobblers.
	Static: Traditional cooking suitable for the preparation of one dish at a time. The fan is not active and the heat comes from below and from above at the same time. Static cooking is slower and more delicate, ideal in order to get well cooked and dry dishes even inside. Ideal for cooking all types of roasts, fatty meats, bread, filled cakes.		Static: Traditional cooking suitable for the preparation of one dish at a time. The fan is not active and the heat comes from below and from above at the same time. Static cooking is slower and more delicate, ideal in order to get well cooked and dry dishes even inside. Ideal for cooking all types of roasts, fatty meats, bread, filled cakes.
	Base: the heat comes only from the bottom of the cavity. The fan is not active. Ideal for sweet and savory pies, cobblers and pizzas. Designed to complete cooking and make food more crunchy This symbol in gas ovens indicates the gas burner.		Base: the heat comes only from the bottom of the cavity. The fan is not active. Ideal for sweet and savory pies, cobblers and pizzas. Designed to complete cooking and make food more crunchy This symbol in gas ovens indicates the gas burner.





Circulaire: it is the perfect function for cooking all types of dishes in a more delicate way. The heat comes from the back of the oven and is distributed quickly and evenly The fan is active. It is also ideal for cooking on multiple levels without mixing smells and flavors.



ECO: low energy consumption cooking: this function is particularly suitable for cooking on a single shelf with low energy consumption. It is recommended for all types of food except those that can generate a lot of moisture (for example vegetables). To achieve maximum energy savings and reduce time, it is recommended to put the food in the oven without preheating the cooking compartment



Grill: Very intense heat coming only from above from a double heating element. The fan is not active. Provides excellent grilling and gratinating results. Used at the end of cooking, it gives a uniform browning to dishes.



Fan grill: very intense heat coming only from above from a double heating element The fan is active. It allows the optimal grilling of thickest meats. Ideal for large cuts of meat.



Light



Turbo: the heat comes from 3 directions: above, below and from the back of the oven The fan is active. It allows quick cooking, even on several shelves without mixing the aromas. Ideal for large volumes or foods that require intense cooking.



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.



All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.



The inner door glass: can be removed with a few quick movements for cleaning.



Side lights: Two opposing side lights increase visibility inside the oven.



Automatic opening: some models have Automatic opening door when the cycle is finished which is a perfect solution for handle-less kitchen units as no handle is needed. For safety reasons, the door locks automatically when the machine is in use to avoid it being opened inadvertently.



Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.



PYROLYSIS - AUTOMATIC CLEANING FUNCTION: the oven heats up to a temperature approaching 500 °C and chars grease and food residues into a fine ash that can be easily wiped off with a damp cloth. At such a high temperature, the door locks automatically for safety, while the temperature of the door remains controlled so it is safe to touch User adjustable function based on the level of dirt present in the oven.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Removable roof liner: This is a perfect solution that protects the upper part of the cavity of the oven from pollution. Easy to remove for cleaning, it can be washed in the dishwasher.



The oven cavity has 4 different cooking levels.



The oven cavity has 5 different cooking levels.





Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.



Electronic control: Allows you to maintain temperature inside the oven with the precision 2-3 °C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.



The capacity indicates the amount of usable space in the oven cavity in litres.



The capacity indicates the amount of usable space in the oven cavity in litres.



4.3 inch display with LED technology, usability with knobs + 3 touch keys



Knobs control



Benefit (TT)

Induction hob

Induction offers fast cooking and precise temperature control

Through the use of suitable cookware, induction is easy to use and maintain, safe and responsive.

Pyrolysis

Easy oven cleaning thanks to special pyrolytic function

Touch control

Easy and intuitive timer setting with a single touch

Storage compartment

More space thanks to the lower compartment, ideal for storing accessories or cooking utensils

True-convection

The best cooking performances guaranteed by ventilated circular flow

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

Multilevel cooking

Several cooking levels allow maximum flexibility of use

Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

Removalble inner glass

Internal door glasses are easily removable for complete cleaning

Tangential cooling

New cooling system with tangential fan and airflow from the door to the splashback

Telescopic guides

Easy extraction and safe insertion of trays into the oven thanks to telescopic guides

Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)

BBQ (optional accessory)

Barbecue cooking directly in the oven with the double-sided grill (BBQ optional accessory)



Adjustable height

Cooker top flushed with the working area thanks to adjustable feet

AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket (optional accessory)

Cold door

During any function, the external door glass is cold, avoiding any risk of burns

Isothermic Cavity

The best cooking performance at the highest energy efficiency

Single turbine

The oven has a fan equipped with a circular heating element allowing cooking with rotating heat