

C92IPX9

Cooker size

N. of cavities with energy label

Cavity heat source

Hob type

Type of main oven

Type of second oven

Cleaning system main oven

EAN code

Energy efficiency class

Energy efficiency class, second cavity

90x60 cm

2

ELECTRICITY

Induction

Thermo-ventilated

Static Pyrolitic

8017709268381

A A



Aesthetics





Aesthetic Series

Design Square design
Colour Stainless steel

Classica

Sinfonia

Yes

Stainless steel

Stainless steel

Control knobs

Assembled st/steel

Facia below the oven

Finishing Satin

Command panel finish

Lege

Logo position

Upstand

Hob colour

Type of control setting

hob

Hob LED colours Red

Type of control knobs Smeg Classic
Controls colour Stainless steel

No. of controls 8
Serigraphy colour Black
Display name DigiScreen

Door With 2 horizontal strips

Glass type Eclipse
Handle Smeq Classic

Handle Colour Brushed stair

Storage compartment Door Feet color Silver

Brushed stainless steel Door

Programme / Functions

No. of cooking functions Traditional cooking functions



Static

8

Fan assisted



Circulaire



Turbo



Eco



Small grill



Large grill



Fan grill (large)



Fan assisted base

SMEG SPA 31/10/2024

9



Cleaning functions



Pyrolytic

Programs / Functions Auxiliary Oven

Cooking functions cavity 2 Bottom element + Upper element

Traditional cooking functions, cavity 2

Static

Small grill



Bottom

Hob technical features









Total no. of cook zones 5

Front left - Induction - multizone - 2.10 kW - Booster 2.30 kW - 21.0x19.0 cm

Rear left - Induction - multizone - 1.60 kW - Booster 1.85 kW - 21.0x19.0 cm

Central - Induction - single - 2.30 kW - Booster 3.00 kW - Ø 27.0 cm Rear right - Induction - single - 1.20 kW - Booster 1.40 kW - Ø 18.0 cm

Front right - Induction - single - 2.30 kW - Booster 3.00 kW - Ø 21.0 cm

Yes

No. of cooking zones with Booster

Automatic switch off Yes

when overheat

Automatic switch off Yes

when overflow

Automatic pan

detection

Minimum pan diameter Yes

indication

Selected zone indicator Yes Residual heat indicator Yes

Main Oven Technical Features
























Net volume of the cavity 70 l Gross volume, 1st cavity 791

Cavity material Ever Clean enamel

No. of shelves 5

Cooking time setting

SMEG SPA

Type of shelves Metal racks Light type Halogen **Light Power** 40 W

Start and Stop

Total no. of door glasses 4 No.of thermo-reflective

door glasses

Safety Thermostat Yes Heating suspended Yes

when door is opened **Tangential** Cooling system

Door Lock During

Pyrolisis

Usable cavity space dimensions (HxWxD) Temperature control

360X460X425 mm Electro-mechanical

31/10/2024

Yes



Light when oven door is Yes

open

Door opening

Removable door Full glass inner door Removable inner door Flap down

Yes Yes Yes

Lower heating element

power

Upper heating element - 1000 W

Power

Grill elememt 1700 W Large grill - Power 2700 W

Circular heating element 2000 W

- Power

Grill type Electric

Options Main Oven

Timer

Yes

End of cooking acoustic alarm

Yes

Minimum Temperature

50 °C

Yes

Tangential

311x206x418 mm

280 °C

Second Oven Technical Features















Net volume of the second cavity

Gross volume, 2nd

cavity

Cavity material No. of shelves

Type of shelves

No. of lights

Light type

Light Power Door opening

Removable door Full glass inner door

Removable inner door



35 I

36 I

Ever Clean enamel

Metal racks

Incandescent 25 W

Flap down

Yes Yes Yes

Maximum temperature

1200 W

No. total door glasses No. thermo-reflective

door glasses

Safety Thermostat

Cooling system

Usable cavity space dimensions (HxWxD)

Electro-mechanical Temperature control

Lower heating element - 700 W

Upper heating element - 600 W

Power

Grill element - power Large grill - Power Grill type

1300 W 1900 W

Electric

Options Auxiliary Oven

Minimum Temperature 50°C Maximum temperature 245°C

Accessories included for Main Oven & Hob



Rack with back and side 1 Telescopic Guide rails, 1 total Extraction

20mm deep tray **Meat Probe** 1 1 40mm deep tray 1 Child Lock

Grill mesh 1




Accessories included for Secondary Oven

Rack with back and side 1 Grill mesh 1 stop Child lock 1

Wide baking tray 1

Electrical Connection

Plug	Not present	Electric cable	Installed, Single phase
Electrical connection rating	15400 W	Additional connection modalities	Double and Three Phase
Current	43 A	Frequency	50/60 Hz
Voltage	220-240 V	Terminal block	5 poles
Voltage 2 (V)	380-415 V		





Not included accessories

KITH95CPF9



Height extension kit with plinth, (950mm), three sides, black with feet, suitable for CPF9 Portofino and Sinfony C9 cookers

AIRFRY

Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.

PRTX



SFLK1 Child lock



Partially extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they quarantee stability and facilitate the smooth extraction of the trays.

KIT600C92PX



Cover strip for hob back side, suitable for 90cm Symphony cooker with pyro oven



Refractary pizza stone with handles. D=35cm Not suitable for microwave ovens. Suitable for gas ovens, to be put on the griddle.

GRILLPLATE



Teflon-coated tray, 8mm depth, to be placed on the grid



Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.

KITPBX

BNP608T



Height reduction feet (850mm), st/steel, for Sinfonia and Master cookers (845-856mm)



KITH900CPF9



Plinth, 90cm, three sides, black, suitable for CPF9 Portofino or Sinfony C9 cookers

BN620-1



Enamelled tray suitable for 45cm and 60cm ovens. Depth 20 mm. Perfect for a wide range of savoury and sweet baking.



SCRP

Non-scratch hob scraper - suitable for induction and ceramic hobs

вво



Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.



STONE




Rectangular refractory stone Ideal for cooking pizzas with the same results as a typical wood-fired oven. Can also be used for baking bread, focaccias and other recipes such as pies, flans or biscuits Dimensions:L42 x H1.8 x P37.5 cm.

TPKPLATE



Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.





Pizza shovel with folding handle. Dimensions L31.5 x H32.5 cm. Easy and convenient to use and store. Perfect for serving pizza, bread and savory pastries in a safe and professional way.



GTT



Totally extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



BN640

Enamelled tray suitable for 45cm and 60cm ovens. Depth 540 mm. Perfect for cooking and roasting meat and fish in sauces. Also ideal for experimenting with lighter and crunchy side dishes

SMOLD



Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C



Symbols glossary (TT)

Symbols glossary (11)					
A A		P	Power booster: option allows the zone to work at full power when very intense cooking is necessary.		
B	Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.		Installation in column: Installation in column		
	Air cooling system: to ensure a safe surface temperatures.	3	Triple glazed doors: Number of glazed doors.		
4	Quadruple glazed: Number of glazed doors.	ECO logic	ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.		
	Ever Clean Enamel: Ever Clean enamel is applied electrostatically, corner to corner and edge to edge to prevent cracking or cracks over time. It is a particular pyrolytic enamel, resistant to acids which, in addition to being pleasantly bright, promotes greater cleaning of the oven walls, thanks to its lower porosity. It is baked at over 850 °C and slowly polymerized at a scientifically determined rate to ensure uniform depth and strength Ever Clean enamel creates an impeccable finish both on the inside of the oven and on the trays, making the surfaces of the oven incredibly easy to maintain over time as it reduces the adhesion of fat during cooking	*	Fan assisted base: the mix of fan and lower heating element alone allows to finish cooking foods already cooked on the surface but not internally more quickly. This system is recommended to finish cooking foods that are already well cooked on the surface, but not internally, which therefore require a moderate higher heat. Ideal for any type of food.		
(%)	Fan assisted: Intense and homogeneous traditional cooking, also suitable for complex recipes. The fan is active and the heat comes from below and from above at the same time. Ventilated cooking ensures a faster and more homogeneous result, leaving fragrant foods outside and moister inside. Ideal for baked pasta, biscuits, roasts and cobblers.		Static: Traditional cooking suitable for the preparation of one dish at a time. The fan is not active and the heat comes from below and from above at the same time. Static cooking is slower and more delicate, ideal in order to get well cooked and dry dishes even inside. Ideal for cooking all types of roasts, fatty meats, bread, filled cakes.		
	Static: Traditional cooking suitable for the preparation of one dish at a time. The fan is not active and the heat comes from below and from above at the same time. Static cooking is slower and more delicate, ideal in order to get well cooked and dry dishes even inside. Ideal for cooking all types of roasts, fatty meats, bread, filled cakes.		Base: the heat comes only from the bottom of the cavity. The fan is not active. Ideal for sweet and savory pies, cobblers and pizzas. Designed to complete cooking and make food more crunchy This symbol in gas ovens indicates the gas burner.		
8	Circulaire: it is the perfect function for cooking all types of dishes in a more delicate way. The heat comes from the back of the oven and is distributed quickly and evenly The fan is active. It is also ideal for cooking on multiple levels without mixing smells and flavors.	ECO	ECO: low energy consumption cooking: this function is particularly suitable for cooking on a single shelf with low energy consumption. It is recommended for all types of food except those that can generate a lot of moisture (for example vegetables). To achieve maximum energy		

SMEG SPA 31/10/2024

savings and reduce time, it is recommended to put the food in the oven without preheating the

cooking compartment



	Grill: Very intense heat coming only from above from a double heating element. The fan is not active. Provides excellent grilling and gratinating results. Used at the end of cooking, it gives a uniform browning to dishes.		Half grill: For rapid cooking and browning of foods. Best results can be obtained by using the top shelf for small items, the lower shelves for larger ones, such as chops or sausages. For half grill heat is generated only at the centre of the element, so is ideal for smaller quantities.
*	Fan grill: very intense heat coming only from above from a double heating element The fan is active. It allows the optimal grilling of thickest meats. Ideal for large cuts of meat.	<u>@</u>	Turbo: the heat comes from 3 directions: above, below and from the back of the oven The fan is active. It allows quick cooking, even on several shelves without mixing the aromas. Ideal for large volumes or foods that require intense cooking.
STOP °C∓	Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.		Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.
	All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.		The inner door glass: can be removed with a few quick movements for cleaning.
Ŷ.	Side lights: Two opposing side lights increase visibility inside the oven.		Automatic opening: some models have Automatic opening door when the cycle is finished which is a perfect solution for handle-less kitchen units as no handle is needed. For safety reasons, the door locks automatically when the machine is in use to avoid it being opened inadvertently.
	Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.	b	PYROLYSIS - AUTOMATIC CLEANING FUNCTION: the oven heats up to a temperature approaching 500 °C and chars grease and food residues into a fine ash that can be easily wiped off with a damp cloth. At such a high temperature, the door locks automatically for safety, while the temperature of the door remains controlled so it is safe to touch User adjustable function based on the level of dirt present in the oven.
H	Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.	.4	The oven cavity has 4 different cooking levels.
.5	The oven cavity has 5 different cooking levels.		Telescopic rails: allow you to pull out the dish and check it without having to remove it from the

SMEG SPA 31/10/2024

Electronic control: Allows you to maintain

souffles, puddings.

temperature inside the oven with the precision 2-

3 ° C. This enables to cook meals that are very sensitive to temperature changes, such as cakes,

oven entirely.

The capacity indicates the amount of usable

space in the oven cavity in litres.





The capacity indicates the amount of usable space in the oven cavity in litres.



4.3 inch display with LED technology, usability with knobs + 3 touch keys



Knobs control



Automatic merge of zones for a bigger area



Benefit (TT)

True-convection

The best cooking performances guaranteed by ventilated circular flow

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

Induction hob

Induction offers fast cooking and precise temperature control

Through the use of suitable cookware, induction is easy to use and maintain, safe and responsive.

Touch control

Easy and intuitive timer setting with a single touch

Single turbine

The oven has a fan equipped with a circular heating element allowing cooking with rotating heat

Isothermic Cavity

The best cooking performance at the highest energy efficiency

Tangential cooling

New cooling system with tangential fan and airflow from the door to the splashback

Pyrolysis

Easy oven cleaning thanks to special pyrolytic function

Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

Telescopic guides

Easy extraction and safe insertion of trays into the oven thanks to telescopic guides

Adjustable height

Cooker top flushed with the working area thanks to adjustable feet

Removalble inner glass

Internal door glasses are easily removable for complete cleaning

Multilevel cooking

Several cooking levels allow maximum flexibility of use



Cold door

During any function, the external door glass is cold, avoiding any risk of burns

AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket (optional accessory)

BBQ (optional accessory)

Barbeque cooking directly in the oven with the double-sided grill (BBQ optional accessory)

Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)

Storage compartment

More space thanks to the lower compartment, ideal for storing accessories or cooking utensils