

C9IMX2

Cooker size

N. of cavities with energy label

Cavity heat source

Hob type

Type of main oven

Cleaning system main oven

EAN code

Energy efficiency class

90x60 cm

1

ELECTRICITY Induction

Thermoseal

Vapour Clean

Door

8017709321314

Α



Aesthetics







Aesthetic Serie

DesignSquare designColourStainless steel

Finishing Satin

Command panel finish Finger friendly stainless

steel

Classic

Sinfonia

LogoAssembled st/steelLogo positionFacia below the oven

Hob colourStainless steelType of control settingControl knobs

Slider Red

Control knobsSmeg ClassicControls colourStainless steel

No. of controls 7
Serigraphy colour Black
Display Touch

Glass type eclypse

Handle Smeg Classic

Handle Colour Brushed stainless steel

With 2 horizontal strips

Storage compartment Door Feet Silver

Programs / Functions

No. of cooking functions
Traditional cooking functions

R

Fan assisted

₩

Circulaire

ECO

Eco

Static

Small grill



Large grill

ૠ

Fan grill (large)

_

Base

ૠ

Fan assisted bottom

SMEG SPA 2/08/2025

9



Other functions



Defrost by time

Cleaning functions



Vapour Clean

Hob options







Consumption Mode

Control lock **Limited Power**

Yes Yes Limited Power Consumption Mode in W

3700, 4800, 7400 W

Multizone Option Yes

Hob technical features







Total no. of cook zones 5

Front left - Induction - multizone - 2.10 kW - Booster 2.30 kW - 21.0x19.0 cm Rear left - Induction - multizone - 1.60 kW - Booster 1.85 kW - 21.0x19.0 cm

Central - Induction - single - 2.30 kW - Booster 3.00 kW - Ø 27.0 cm Rear right - Induction - single - 1.20 kW - Booster 1.40 kW - Ø 18.0 cm Front right - Induction - single - 2.30 kW - Booster 3.00 kW - Ø 21.0 cm

Yes

No. of cooking zones with Booster

Number of Flexible

Automatic switch off

when overheat

Automatic pan Yes

detection

zones

Minimum pan diameter Yes

indication

Selected zone indicator Yes Residual heat indicator

Main Oven Technical Features























No. of lights 2 Fan number 2 Net volume of the cavity 115 l Gross volume, 1st cavity 129 l

Cavity material Ever Clean enamel

No. of shelves

Metal racks Type of shelves Halogen Light type **Light Power** 40 W

Cooking time setting Start and Stop

Light when oven door is

open

Door opening Flap down

Removable inner door Yes Total no. of door glasses 3 No.of thermo-reflective door glasses

Safety Thermostat Yes

Cooling system Tangential

Usable cavity space dimensions (HxWxD)

Temperature control Electro-mechanical

371x724x418 mm

1700 W

Lower heating element

power

Upper heating element - 1200 W

Power



Removable door Yes Large grill - Power 2900 W
Full glass inner door Yes Circular heating element 2 x 1550 W

- Power

Grill type Electric

Options Main Oven

Timer Yes Minimum Temperature 50 °C End of cooking acoustic Yes Maximum temperature 260 °C

alarm

Accessories included for Main Oven & Hob

1

Rack with back and side 1 Grill mesh 1

stop Meat Probe 1 20mm deep tray 1

Electrical Connection

40mm deep tray

Electrical connection 10600 W Power supply cable 150 cm


rating length
Current 46 A Type of electric cable Yes, Double and Three

 Voltage
 220-240 V
 Phase

 Voltage 2 (V)
 380-415 V
 Frequency
 50/60 Hz

Type of electric cable Yes, Single phase Terminal block 5 poles installed







Compatible Accessories

AIRFRY9

Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.

BBQ9

teflon-coated aluminum grid for 90 cm cavity

BN940



GTP

Partially extractable telescopic quides (1 level) Extraction: 300 mm Material: Stainless steel AISI 430 polished

KITC9X9-1

Splashback, 90x75 cm, stainless steel, suitable for Portofino, Master and Sinfonia cookers

KITPBX

Height reduction feet (850 mm)

PPR9

Refractary pizza stone without handles. Squared shaped stone: L64xH2,3xP37,5 cm Suitable also for gas ovens, to be put on the griddle.

SFLK1

Child lock

BBQ

Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.

BN920



GRILLPLATE

Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.

GTT

Totally extractable telescopic guides (1 level) Extraction: 433 mm Material: Stainless steel AISI 430 polished

KITH95CPF9



Height extension kit (950 mm), suitable for Portofino cookers

PALPZ

Pizza shovel with fold away handle width: 315mm length: 325mm

SCRP

Induction and ceramic hobs and teppanyaki scraper

SMOLD



Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C



TPKPLATE



Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.



Alternative products



С9ІММВ2

Colour: Matte black



C9IMN2

Colour: Matte black



Symbols glossary

Ō	Automatic merge of zones for a bigger area	P	Power booster: option allows the zone to work at full power when very intense cooking is necessary.
S	Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.	A	A: Product drying performance, measured from A+++ to D / G depending on the product family
	Installation in column: Installation in column	Φ	Knobs control
!!!	Air cooling system: to ensure a safe surface temperatures.	₩.	Defrost by time: with this function the time of thawing of foods are determined automatically.
DIGI screen		3	Triple glazed doors: Number of glazed doors.
In ECO logic	ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.		Enamel interior: The enamel interior of all Smeg ovens have a special antacid lining which helps keep the interior clean by reducing the amount of cooking grease adhering to it.
*	Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new.	*	Fan assisted base: the mix of fan and lower heating element alone allows to finish cooking foods already cooked on the surface but not internally more quickly. This system is recommended to finish cooking foods that are already well cooked on the surface, but not internally, which therefore require a moderate higher heat. Ideal for any type of food.
8	Fan with upper and lower elements: The elements combined with the fan aim to provide more uniform heat, a similar method to conventional cooking, so pre-heat is required. Most suitable for items requiring slow cooking methods.		Upper and lower element only: a traditional cooking method best suited for single items located in the centre of the oven. the top pf the oven will always be hottest. Ideal for roast, fruit cakes, bread etc.
	Lower heating element only: This function is ideal for foods that require extra base temperature without browning, e.g. pastry dishes, pizza. Also suitable for slow cooking of stews and casseroles.	®	Circulaire: The combination of the fan and circular element around it gives a hot air cooking method. This provides many benefits including no preheat if cook time is more than 20 minutes, no flavour transfer when cooking different foods at the same time, less energy, and shorter cook times. Good for all types of food.
ECO	ECO: The combination of the grill, fan and lower element is particularly suitable for cooking small quantities of food.	\sim	Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.





Half grill: For rapid cooking and browning of foods. Best results can be obtained by using the top shelf for small items, the lower shelves for larger ones, such as chops or sausages. For half grill heat is generated only at the centre of the element, so is ideal for smaller quantities.



Fan with grill element: The fan reduces the fierce heat from the grill, providing an excellent method of grilling various foods, chops, steaks, sausages etc. giving even browning and heat distribution, without drying out the food. The top two levels recommended for use, and the lower part of the oven can be used to keep items warm at the same time, an excellent facility when cooking a grilled breakfast. Half grill (centre portion only) is ideal for small quantities of food.



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.



All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.



The inner door glass: can be removed with a few quick movements for cleaning.



Side lights: Two opposing side lights increase visibility inside the oven.



Automatic opening: some models have Automatic opening door when the cycle is finished which is a perfect solution for handle-less kitchen units as no handle is needed. For safety reasons, the door locks automatically when the machine is in use to avoid it being opened inadvertently.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 °C, the indicator goes out.



The oven cavity has 5 different cooking levels.



Vapour Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.



The capacity indicates the amount of usable space in the oven cavity in litres.



Benefit (TT)

Induction hob

Induction offers fast cooking and precise temperature control

Through the use of suitable cookware, induction is easy to use and maintain, safe and responsive

Vapor Clean

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal.

Touch control

Easy and intuitive timer setting with a single touch

Storage compartment

More space thanks to the lower compartment, ideal for storing accessories or cooking utensils

True-convection

The best cooking performances guaranteed by ventilated circular flow.

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

Multilevel cooking

Several cooking levels allow maximum flexibility of use

Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

Removalble inner glass

Internal door glasses are easily removable for complete cleaning

Tangential cooling

New cooling system with tangential fan and airflow from the door to the splashback

Adjustable height

Cooker top flushed with the working area thanks to adjustable feet

Cold door

During any function, the external door glass is cold, avoiding any risk of burns



AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket

Isothermic Cavity

The best cooking performance at the highest energy efficiency

BBQ (optional accessory)

Barbeque cooking directly in the oven with the double-sided grill

Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)

Double Turbine

The oven has two fans equipped with two circular heating elements allowing cooking with rotating heat