

CB3202PNFC



Product Family	Refrigerator
Installation	Built-in
Category	Bottom Mount
Built-in niche	178
Reference width	Until 60
Reference height	160 - 200
Cooling type	Static refrigerator, no-frost freezer
Defrost	Automatic
Hinge type	Sliding
Hinge position	Right
Reversible door	Yes
EAN code	8017709242497



Aesthetics

Aesthetic	Universal	Logotipo	Logotipo serigrafado
Colour	White	Cor do perfil da prateleira de vidro	White
Material	Metal sheet	Display	7 segments
Handle kit to be ordered separately	No	Mostrar porções	Interno (no Topo)
Handle type	Fixed	Dispenser	No
Side material	Steel	HomeBar	No
Side colour	White		

Refrigerator compartment features



No. of adjustable shelves	3	Type of crisper/vegetable drawers cover	Glass
Type of adjustable shelves	Glass	Life Plus zone-0°C	No
Type of crisper/vegetable drawers cover	Standard	Compartimento baixa temperatura	No
Crisper Cover	Yes	Internal light in fridge	Yes
Bottle shelf	No	Type of internal light (fridge)	LED

Refrigerator Inner Door

Number of adjustable door shelves	3	No. of bottle shelves	1
-----------------------------------	---	-----------------------	---

Adjustable door shelves with wire support No

Bottle shelves with wire support No

Other Refrigerator features

Accessories
MultiFlow
Fan

Egg tray
No
No

Ionizer
Tecnologia de titânio
Filtro de odor antibacteriano No
No
No

Freezer compartment features

Number of drawers
Internal light in freezer 3
Yes

Type of internal light (freezer)
Type of shelves Incandescent light
Glass

Freezer Inner Door

Pizza box No

Other Freezer features

Accessories
Manual ice maker 1 ice box
No

Ice maker
Ice tray shelf No
No

Other technical features



Functions display

MultiZone

Fast freezing button

Ligação à rede de água

Temperature alarm lamp

Antibacterial Gasket

Type of temperature control

No. of compressors

Refrigerant gas type

Type of compressor

Refrigerant Quantity (gr)

Espuma expansiva de isolamento

Fast freezing, Temperature alarm

No

Yes

Yes

Yes

Electronic

1

R600a

Standard

44 g

Ciclopentano

Etiqueta de Desempenho / Energia - Reg. 2019









Airborne acoustical noise emissions 40 dB(A) re 1 pW

Electrical Connection

Electrical connection rating 125 W
Current 0,35 A
Voltage (V) 220-240 V

Frequency (Hz) 50 Hz
Power supply cable length 240 cm

Symbols glossary

	Compartimento de congelamento de 4 estrelas para uma melhor preservação dos alimentos.		O sistema de descongelamento automático funciona descongelando automaticamente em intervalos regulares, eliminando a necessidade de descongelar completamente.
	Tratamento antibacteriano: tratamento antibacteriano para garantir uma melhor higiene		A++: A classe de eficiência energética A++ ajuda a economizar até 20% de energia em comparação com a classe A. O desempenho máximo com consumo mínimo é garantido.
	CONGELAMENTO RÁPIDO: A função de congelamento rápido reduz a temperatura do compartimento quando ativado algumas horas antes do uso.		Iluminação interior LED: é uma forma mais eficiente em termos energéticos e duradoura de iluminar o interior do aparelho.
	Nicho incorporado		No Frost: Os sistemas sem geada e livre de geada impedem a formação de gelo, de modo que não é necessário descongelar.

Benefit (TT)

Refrigerant gas R600a

Environmentally friendly R600a refrigerant gas contributes to rapid cooling with lower energy consumption

Climate class

Climatic class SN-T makes the appliance suitable for working at room temperature between 10 °C and 43 °C (50 °F ~ 109 °F)

Refrigerator Internal lighting

Interior lighting for perfect visibility of shelves in the refrigerator compartment

Freezer internal lighting

Interior lighting for perfect visibility of the drawers in the freezer compartment

Fruit and vegetable drawer

The fruit and vegetable drawer ensures the best storage conditions for fresh food, avoiding any contamination

Internal display

Internal display for targeted temperature control and a clean, minimalist design