

CG90IXT9

Cooker size

N. of cavities with energy label

Cavity heat source

Hob type

Type of main oven

Cleaning system main oven

EAN code

Energy efficiency class

90x60 cm

ELECTRICITY

Induction

Thermoseal Vapour Clean

8017709281236



Stainless steel

Black

Touch

Full glass

Aesthetics



Aesthetic Classic

Serie Concerto Design Standard

Colour Satin

Finishing

Command panel finish Stainless steel **Embossed**

Facia below the oven Logo position

Hob colour Stainless steel Control knobs **Smeg Classic**

No. of controls

Serigraphy colour Display

Controls colour

Door

Glass type Stopsol Handle

Smeg round handle **Handle Colour** Brushed stainless steel

Black Feet

Programs / Functions

No. of cooking functions Traditional cooking functions

Stainless steel

Fan assisted

Turbo

Static

Large grill

Fan assisted bottom

Cleaning functions

Vapour Clean

SMEG SPA 11/05/2025

6



Hob options





Control lock Yes **Limited Power** Yes

Consumption Mode

Limited Power 3000, 4500, 7400 W

Consumption Mode in W

Hob technical features







Total no. of cook zones 4

Front left - Induction - single - 2.30 kW - Booster 3.00 kW - Ø 21.0 cm Rear left - Induction - single - 1.30 kW - Booster 1.40 kW - Ø 18.0 cm Rear right - Induction - giant - 2.30 kW - Booster 3.00 kW - Ø 21.0 cm Front right - Induction - single - 1.30 kW - Booster 1.40 kW - Ø 18.0 cm

No. of cooking zones 4

with Booster

Automatic switch off Yes

when overheat

Automatic pan Yes

detection

Minimum pan diameter

indication

Selected zone indicator Yes

Main Oven Technical Features





















No. of lights 1 Fan number Net volume of the cavity 1151 Gross volume, 1st cavity 129 l

Cavity material Ever Clean enamel

No. of shelves

Type of shelves Metal racks Light type Halogen 40 W **Light Power**

Cooking time setting Start and Stop

Light when oven door is

open

Door opening Flap down

Removable door Yes Full glass inner door Yes

Removable inner door Yes Total no. of door glasses 3 No.of thermo-reflective door glasses

Safety Thermostat Yes

Cooling system Tangential

371x724x418 mm Usable cavity space

dimensions (HxWxD)

Temperature control Electro-mechanical

1700 W Lower heating element

power

Upper heating element - 1200 W

Power

Grill elememt 1700 W Large grill - Power 2900 W Circular heating element 2000 W

- Power

Grill type Electric

Options Main Oven

50 °C Minimum Temperature Timer Yes



End of cooking acoustic Yes alarm

Maximum temperature

260 °C

Accessories included for Main Oven & Hob

Rack with back and side $\,1\,$

stop

40mm deep tray 1

Grill mesh

Electrical Connection

Electrical connection 10600 W

rating

 Current
 46 A

 Voltage
 220-240 V

Voltage 2 (V) 380-415 V

Type of electric cable Yes, Single phase


installed

Type of electric cable

Yes, Double and Three

Phase

Frequency 50/60 Hz Terminal block 5 poles





Compatible Accessories

AIRFRY9

Air fryer rack AIRFRY. Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.





AL90X9

Upstand suitable for 90 cm Concert cookers SX91

BN920



BN940

GTT

Totally extractable telescopic guides (1 level) Extraction: 433 mm Material: Stainless steel AISI 430 polished



KIT90X9-1

Splash back, 90x60 cm, stainless steel, for Concerto cookers



KITPDQ

Height reduction feet (850 mm), stainless steel, for cookers



GTP

Partially extractable telescopic guides (1 level) Extraction: 300 mm Material: Stainless steel AISI 430 polished

KIT600SNL-9

Cover strip for hob back side, suitable for 90 cm Concerto cookers



KITH95

Height extension kit (950 mm), stainless steel

PALPZ

Pizza shovel with fold away handle width: 315mm length: 325mm



PPR9

Refractary pizza stone without handles. Squared shaped stone: L64xH2,3xP37,5 cm Suitable also for gas ovens, to be put on the griddle.



SFLK1

Child lock



SCRP

Induction and ceramic hobs and teppanyaki scraper



SMOLD

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C



Symbols glossary

)
/	\mathbf{D}_{I}
V.	
_	-

Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



A: Product drying performance, measured from A+++ to D / G depending on the product family



Installation in column: Installation in column



Air cooling system: to ensure a safe surface temperatures.



...



Triple glazed doors: Number of glazed doors.



ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.



Enamel interior: The enamel interior of all Smeg ovens have a special antacid lining which helps keep the interior clean by reducing the amount of cooking grease adhering to it.



Fan assisted base: the mix of fan and lower heating element alone allows to finish cooking foods already cooked on the surface but not internally more quickly. This system is recommended to finish cooking foods that are already well cooked on the surface, but not internally, which therefore require a moderate higher heat. Ideal for any type of food.



Fan with upper and lower elements: The elements combined with the fan aim to provide more uniform heat, a similar method to conventional cooking, so pre-heat is required. Most suitable for items requiring slow cooking methods.



Upper and lower element only: a traditional cooking method best suited for single items located in the centre of the oven. the top pf the oven will always be hottest. Ideal for roast, fruit cakes, bread etc.



ECO: The combination of the grill, fan and lower element is particularly suitable for cooking small quantities of food.



Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.



Circulaire with upper and lower elements: The use of the fan with both elements allows food to be cooked quickly and effectively, ideal for large joints that require thorough cooking. It offers a similar result to rotisserie, moving the heat around the food, instead of moving the food itself, enabling any size or shape to be cooked.



Giant zone: The giant zone offers extra space and flexibility.



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.



All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.



The inner door glass: can be removed with a few quick movements for cleaning.





Side lights: Two opposing side lights increase visibility inside the oven.



Automatic opening: some models have Automatic opening door when the cycle is finished which is a perfect solution for handle-less kitchen units as no handle is needed. For safety reasons, the door locks automatically when the machine is in use to avoid it being opened inadvertently.



The oven cavity has 5 different cooking levels.



Vapour Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.



The capacity indicates the amount of usable space in the oven cavity in litres.



Benefit (TT)

Induction hob

Induction offers fast cooking and precise temperature control

Through the use of suitable cookware, induction is easy to use and maintain, safe and responsive

Vapor Clean

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal.

Touch control

Easy and intuitive timer setting with a single touch

True-convection

The best cooking performances guaranteed by ventilated circular flow.

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

Multilevel cooking

Several cooking levels allow maximum flexibility of use

Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

Removalble inner glass

Internal door glasses are easily removable for complete cleaning

Tangential cooling

New cooling system with tangential fan and airflow from the door to the splashback

Isothermic Cavity

The best cooking performance at the highest energy efficiency

BBQ (optional accessory)

Barbeque cooking directly in the oven with the double-sided grill

Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)



Cold door

During any function, the external door glass is cold, avoiding any risk of burns

AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket

Adjustable height

Cooker top flushed with the working area thanks to adjustable feet

Single turbine

The oven has a fan equipped with a circular heating element allowing cooking with rotating heat