

CGF11PBEU

Category	Coffee
Product Family	Coffee Grinder
Type	Coffee Grinder
Version	EU
EAN code	8017709317980



Aesthetics

Aesthetic	50's Style	Ground coffee container lid material	Silicon and plastic
Colour	Pastel blue	Burr material	Stainless steel
Finishing	Glossy	Burr type	conical
Decoration / Special colour	NA	Bottom material	Plastic
Collaborations	NA	Knob material	Plastic
Other colours available	Cream, Black, Red, Pastel Green, White	Container support plate material	Steel
Body material	Stainless Steel	Lever material	SUS 304
Base color	Polish Chrome	Filter centering support material	Plastic
Base material	Plastic	Cleaning brush material	Plastic
Coffee bean container material	Tritan™ Renew	Power cable colour	Gray
Coffee bean container lid material	Tritan™ Renew	Logo type	Applied
Ground coffee container material	Tritan™ Renew		

Controls

Control type	Knob, button, lever
--------------	---------------------

Technical Features

Coffee bean container capacity	350 gr	Antistatic system	Yes
		Antislip base	Yes
		Built-in cord wrap	Yes

Ground coffee container capacity	130 g
Detachable grinder	Yes
Detachable container support plate	Yes

Accessories Included

Powder container support	Yes	Cleaning brush	Yes
Centering filter support	Yes		

Electrical Connection

Plug	(F;E) Schuko	Frequency Hz	50-60 Hz
Power	150 W	Power cable lenght	1 m
Voltage V	220-240 V		

Logistic Information

Producr Width	150 mm	Packaged Product Depth	195 mm
Product Depth	220 mm	Packaged Product Height	470 mm
Product Height	385 mm	Net Weight (kg)	3,100 kg
Product Dimensions W x H x D	150 x 385 x 220 mm	Gross Weight (kg)	4,780 kg
Packaged Product Width	275 mm		

Benefit (TT)

Conical burrs

Conical stainless steel grinders for better consistency of the chosen grain size

Versatile

Up to 30 degrees of fineness to grind at different grind grades, suitable for multiple types of extractions: Mocha, Frenchpress, Filter coffee or for espresso machines

Grinding Function

Coffee grinder: the true aroma of coffee starting from the grinding performed at the moment