

# CMS4303X



**Product Family**  
**Type**  
**Category**

Coffee machine  
Automatic  
45 cm compact



## Aesthetics





|                  |                 |                      |          |
|------------------|-----------------|----------------------|----------|
| <b>Aesthetic</b> | Classica        | <b>Type of steel</b> | Brushed  |
| <b>Colour</b>    | Stainless steel | <b>Glass Type</b>    | Eclipse  |
| <b>Finishing</b> | Fingerproof     | <b>Logo</b>          | Embossed |










## Controls



|                                 |   |                        |              |
|---------------------------------|---|------------------------|--------------|
| <b>Display</b>                  | 4,3" TFT colour soft touch  | <b>No. of controls</b> | 2            |
| <b>No. of display languages</b> | 17  | <b>Control knobs</b>   | Classic      |
| <b>Display languages</b>        | IT, GB, FR, NL, SP, PT, SWE, RU, DE, DK, PL, NO, FI, TR, ET, KK, UK | <b>Controls colour</b> | Steel effect |
| <b>Type of control setting</b>  | Touch control   |                        |              |

## Program / Functions

|   |   |
|---|---|
| <b>N° drinks</b>  |  |
| <b>Coffee function (single)</b>                               |  |
| <b>Coffee function (double)</b>                               |  |
| <b>Pre-heat infuser function</b>                              | Yes   |
| <b>Automatic Cappuccino maker with separate tank for milk</b> | Yes   |
| <b>Hot water function: for Tea or other drinks</b>            |  |

|                                |   |
|--------------------------------|---|
| Ground coffee option           |  |
| Adjustable coffee intensity    |  |
| Variable coffee length         |  |
| Adjustable cappuccino foam     |  |
| Programmed automatic switch-on |  |
| Automatic rinsing              |  |
| Automatic descaling            |  |
| Variable coffee temperature    |  |
| Adjustable coffee grinder      |  |
| Water hardness                 | Yes   |
| Lack of water signal           | Yes   |
| Child lock                     | Yes   |
| Demo mode                      | Yes   |

## Technical Features



|                                |  |                                   |  |
|--------------------------------|--|-----------------------------------|--|
| Coffee granules compartment    | Yes  | Heating system                    | Thermoblock + Steamer                            |
| Ground coffee compartment      | Yes  | Grinder                           | Semiprofessional stainless steel conical grinder |
| Removable water container      | Yes  | Pump pressure                     | 15 bar   |
| Used coffee waste container    | Yes (14 single, 7 double)                        | Water container capacity          | 2,50 l   |
| Height-adjustable coffee spout | Yes, 85-142 mm                                   | Coffee granule container capacity | 350 g  |
| Steam dispenser                | Yes  | Light Type                        | LED  |
| Drip tray                      | Yes  | Lights                            | 4  |
| Removable milk jug             | Yes  | Installation                      | On telescopic guides with soft closing           |
| Thermal carafe                 | Yes, stainless steel 0,5 L with autoclean system | Frontal approach                  | Yes  |
| Cup holder                     | Yes, warmed                                      |                                   |  |

## Electrical Connection


|               |             |                           |           |
|---------------|-------------|---------------------------|-----------|
| Plug          | Not present | Voltage (V)               | 220-240 V |
| Nominal power | 1350 W      | Frequency (Hz)            | 50-60 Hz  |
| Current       | 5,6 A       | Power supply cable length | 180 cm    |

## Logistic Information

|            |        |             |        |
|------------|--------|-------------|--------|
| Width (mm) | 595 mm | Height (mm) | 455 mm |
|------------|--------|-------------|--------|

Depth (mm)

470 mm



---

























## Compatible Accessories

---

### KITCABLE90UK

Cable with IEC connector and UK plug

## Symbols glossary

|  |   |   |  |
|--|---|---|--|
|    | Rinsing: There is an automatic rinsing with hot water when the coffee machine is switched on.   |    | Automatic switch on: It is possible to program automatic switch on of the machine to make it ready for use by the required time.   |
|    | Brewing temperature between 88 and 96°C.  |    | Three levels adjustable coffee temperature to taste the coffee on the temperature desired.   |
|    | Semiprofessional steamer with a dedicated heating element to manage the steam outlet. Suitable for recipes such as hot chocolate, punch, bombardino, vin brulé.   |    | Types of coffee: You can prepare the following types of coffee: Ristretto-Corto (small portion) / Normale (medium portion) / Lungo (large portion).  |
|    | The double coffee function makes possible to prepare two espresso at the same time with just one infusion cycle.  |    | Coffee beans: You can use coffee beans in the coffee machine with the possibility to adjust the coarseness of grind.   |
|    | Integrated cup warmer.  |    | Descaling function: Is essential to remove excess deposits of limestone in the tank and allow the proper operation of the product. The need to perform this operation is signaled by the product itself. |
|  | Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new.  |  | Frontal approach: it possible to reach every point in the machine and extract any components with a single hand use.   |
|  | Milk froth temperature 60°C.  |  | Conical stainless steel coffee grinder.  |
|  | Ground coffee: You can use ground coffee or coffee beans in the coffee machine with the possibility to adjust the coarseness of grind.  |  | Compact appliances with a height of 45 cm - perfect solution to meet the functional requirements of kitchen sets of small height. Available in several types and in different styles.                    |
|  | Hot water: Coffee machine can make hot water for tea or other hot drinks  |  | 5 levels adjustable coffee intensity. This function makes possible to adjust the quantity of beans grounded in any infusion cycle.   |
|  | Five levels adjustable coffee length: espresso, normal, long, extra long and Americano.   |  | 13 levels adjustable grinder.  |
|  | The machine guarantees to create different drinks: espresso, coffee, long, 2 x espresso, espresso macchiato, americano, cappuccino, cappuccino mix, caffelatte, latte macchiato, hot milk, flat white, hot water. |  | The milk froth is adjustable through the thermal carafe knob.  |
|  | Stainless steel thermal carafe. It guarantees to maintain longer the milk fresh. Fitted with an auto-clean system and a knob to adjust the milk froth, it can be washed in the dishwasher.                        |  | Touch controls: Easy to use touch controls allow the appliance to be programmed at the touch of a button.  |