

# CMS4303X



Product Family Coffee machine  
 Type Automatic  
 Category 45 cm compact



## Aesthetics





|           |                 |               |          |
|-----------|-----------------|---------------|----------|
| Aesthetic | Classica        | Type of steel | Brushed  |
| Colour    | Stainless steel | Glass Type    | Eclipse  |
| Finishing | Fingerproof     | Logo          | Embossed |










## Controls



|                          |   |                 |              |
|--------------------------|---|-----------------|--------------|
| Display                  | 4,3" TFT colour soft touch  | No. of controls | 2            |
| No. of display languages | 17  | Control knobs   | Classic      |
| Display languages        | IT, GB, FR, NL, SP, PT, SWE, RU, DE, DK, PL, NO, FI, TR, ET, KK, UK | Controls colour | Steel effect |
| Type of control setting  | Touch control   |                 |              |

## Program / Functions

|  |   |
|--|---|
| N° drinks  |  |
| Coffee function (single)                               |  |
| Coffee function (double)                               |  |
| Pre-heat infuser function                              | Yes   |
| Automatic Cappuccino maker with separate tank for milk | Yes   |
| Hot water function: for Tea or other drinks            |  |

|                                |   |
|--------------------------------|---|
| Ground coffee option           |  |
| Adjustable coffee intensity    |  |
| Variable coffee length         |  |
| Adjustable cappuccino foam     |  |
| Programmed automatic switch-on |  |
| Automatic rinsing              |  |
| Automatic descaling            |  |
| Variable coffee temperature    |  |
| Adjustable coffee grinder      |  |
| Water hardness                 | Yes   |
| Lack of water signal           | Yes   |
| Child lock                     | Yes   |
| Demo mode                      | Yes   |

## Technical Features



|                                       |  |  |  |
|---------------------------------------|--|--|--|
| <b>Coffee granules compartment</b>    | Yes  | <b>Heating system</b>                    | Thermoblock + Steamer                            |
| <b>Ground coffee compartment</b>      | Yes  | <b>Grinder</b>                           | Semiprofessional stainless steel conical grinder |
| <b>Removable water container</b>      | Yes  | <b>Pump pressure</b>                     | 15 bar   |
| <b>Used coffee waste container</b>    | Yes (14 single, 7 double)                        | <b>Water container capacity</b>          | 2,50 l   |
| <b>Height-adjustable coffee spout</b> | Yes, 85-142 mm                                   | <b>Coffee granule container capacity</b> | 350 g  |
| <b>Steam dispenser</b>                | Yes  | <b>Light Type</b>                        | LED  |
| <b>Drip tray</b>                      | Yes  | <b>Lights</b>                            | 4  |
| <b>Removable milk jug</b>             | Yes  | <b>Installation</b>                      | On telescopic guides with soft closing           |
| <b>Thermal carafe</b>                 | Yes, stainless steel 0,5 L with autoclean system | <b>Frontal approach</b>                  | Yes  |
| <b>Cup holder</b>                     | Yes, warmed                                      |  |  |

## Electrical Connection


|                      |             |                                  |           |
|----------------------|-------------|----------------------------------|-----------|
| <b>Plug</b>          | Not present | <b>Voltage (V)</b>               | 220-240 V |
| <b>Nominal power</b> | 1350 W      | <b>Frequency (Hz)</b>            | 50-60 Hz  |
| <b>Current</b>       | 5,6 A       | <b>Power supply cable length</b> | 180 cm    |

## Logistic Information

|                   |        |                    |        |
|-------------------|--------|--------------------|--------|
| <b>Width (mm)</b> | 595 mm | <b>Height (mm)</b> | 455 mm |
|-------------------|--------|--------------------|--------|

Depth (mm)

470 mm



---

























## Compatible Accessories

---

### KITCABLE90UK

Cable with IEC connector and UK plug

## Symbols glossary

|   |   |
|---|---|
|  <p>Rinsing: There is an automatic rinsing with hot water when the coffee machine is switched on.</p>   |  <p>Automatic switch on: It is possible to program automatic switch on of the machine to make it ready for use by the required time.</p>   |
|  <p>Brewing temperature between 88 and 96°C.</p>  |  <p>Three levels adjustable coffee temperature to taste the coffee on the temperature desired.</p>   |
|  <p>Semiprofessional steamer with a dedicated heating element to manage the steam outlet. Suitable for recipes such as hot chocolate, punch, bombardino, vin brulé.</p>   |  <p>Types of coffee: You can prepare the following types of coffee: Ristretto-Corto (small portion) / Normale (medium portion) / Lungo (large portion).</p>  |
|  <p>The double coffee function makes possible to prepare two espresso at the same time with just one infusion cycle.</p>  |  <p>Coffee beans: You can use coffee beans in the coffee machine with the possibility to adjust the coarseness of grind.</p>   |
|  <p>Integrated cup warmer.</p>  |  <p>Descaling function: Is essential to remove excess deposits of limestone in the tank and allow the proper operation of the product. The need to perform this operation is signaled by the product itself.</p> |
|  <p>Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new.</p>  |  <p>Frontal approach: it is possible to reach every point in the machine and extract any components with a single hand use.</p>  |
|  <p>Milk froth temperature 60°C.</p>  |  <p>Conical stainless steel coffee grinder.</p>  |
|  <p>Ground coffee: You can use ground coffee or coffee beans in the coffee machine with the possibility to adjust the coarseness of grind.</p>  |  <p>Compact appliances with a height of 45 cm - perfect solution to meet the functional requirements of kitchen sets of small height. Available in several types and in different styles.</p>                  |
|  <p>Hot water: Coffee machine can make hot water for tea or other hot drinks</p>  |  <p>5 levels adjustable coffee intensity. This function makes possible to adjust the quantity of beans grounded in any infusion cycle.</p>   |
|  <p>Five levels adjustable coffee length: espresso, normal, long, extra long and Americano.</p>   |  <p>13 levels adjustable grinder.</p>  |
|  <p>The machine guarantees to create different drinks: espresso, coffee, long, 2 x espresso, espresso macchiato, americano, cappuccino, cappuccino mix, caffelatte, latte macchiato, hot milk, flat white, hot water.</p> |  <p>The milk froth is adjustable through the thermal carafe knob.</p>  |
|  <p>Stainless steel thermal carafe. It guarantees to maintain longer the milk fresh. Fitted with an auto-clean system and a knob to adjust the milk froth, it can be washed in the dishwasher.</p>                        |  <p>Touch controls: Easy to use touch controls allow the appliance to be programmed at the touch of a button.</p>  |