

CMSU2104G



Product family
Type
Category

Coffee Machine
Automatic
Compact



Aesthetic

| | | | |
|-------------------|--------------|---------------|--------------|
| Aesthetics | Linea | Series | 2 |
| Color | Neptune Grey | Logo | Silkscreened |
| Finishing | Matte | | |

Controls



| | | | |
|---------------------------------|----------------------|-----------------------------|---|
| Display | 4.3" SoftTouch color | Display languages | IT, GB, FR, NL, SP, PT, SWE, RU, DE, DK, PL, NO, FI, TR, ET, KK, UK |
| No. of display languages | 17 | Control setting type | Touch controls |

Program / Functions

| | |
|---|---|
| Beverage settings |  |
| Single coffee |  |
| Double coffee |  |
| Pre-heat infuser function | Yes |
| Automatic cappuccino maker with separate milk tank | Yes |
| Hot-water function |  |
| Pre-ground coffee option |  |
| Adjustable coffee intensity |  |

| | |
|-----------------------------|---|
| Variable coffee size |  |
| Adjustable cappuccino foam |  |
| Pre-set automatic switch-on |  |
| Automatic rinse |  |
| Automatic descaling |  |
| Variable coffee temperature |  |
| Adjustable coffee grinder |  |
| Water hardness | Yes |
| Lack of water signal | Yes |
| Child lock | Yes |
| Showroom mode | Yes |

Technical Features




| | | | |
|------------------------------------|---|--------------------------------|---|
| Coffee granules compartment | Yes | Cup holder | Yes, warmed |
| Ground coffee compartment | Yes | Heating system | Thermoblock + Steamer |
| Removable water container | Yes | Coffee Grinder | Pro-style stainless steel conical grinder |
| Coffee grounds container | 14 single, 7 double | Pump pressure | 217,6 psi |
| Height-adjustable coffee dispenser | Yes, 3 3/8" to 5 5/8" | Water container capacity | 0,7 gal |
| Steam dispenser | Yes | Coffee bean container capacity | 12,3 oz |
| Drip tray | Yes | Lighting | LED |
| Removable milk jug | Yes | Lights | 4 |
| Thermal carafe | Stainless steel, auto-clean system, 17 fl oz capacity | Installation | On telescopic guides with soft close |

Electrical Connection

| | | | |
|---------------|--------|-------------------|----------|
| Plug | No | Voltage | 120 V |
| Nominal power | 1350 W | Frequency (Hz) | 60 Hz |
| Current | 12 A | Power cord length | 70 7/8 " |

Logistic Information

| | | | |
|-------|-----------|--------|------------|
| Width | 23 7/16 " | Height | 17 15/16 " |
| Depth | 18 1/2 " | | |



Alternative products



CMSU2304X

Color: Stainless steel

Symbols glossary

| | |
|---|--|
|  <p>Rinsing: There is an automatic rinsing with hot water when the coffee machine is switched on.</p> |  <p>Automatic switch on: It is possible to program automatic switch on of the machine to make it ready for use by the required time.</p> |
|  <p>Brewing temperature between 88 and 96°C.</p> |  <p>Three levels adjustable coffee temperature to taste the coffee on the temperature desired.</p> |
|  <p>Semiprofessional steamer with a dedicated heating element to manage the steam outlet. Suitable for recipes such as hot chocolate, punch, bombardino, vin brulé.</p> |  <p>Types of coffee: You can prepare the following types of coffee: Ristretto-Corto (small portion) / Normale (medium portion) / Lungo (large portion)</p> |
|  <p>The double coffee function makes possible to prepare two espresso at the same time with just one infusion cycle.</p> |  <p>Coffee beans: You can use coffee beans in the coffee machine with the possibility to adjust the coarseness of grind.</p> |
|  <p>Integrated cup warmer.</p> |  <p>Descaling function: Is essential to remove excess deposits of limestone in the tank and allow the proper operation of the product. The need to perform this operation is signaled by the product itself.</p> |
|  <p>Frontal approach: it possible to reach every point in the machine and extract any components with a single hand use.</p> |  <p>Milk froth temperature 60°C.</p> |
|  <p>Conical stainless steel coffee grinder.</p> |  <p>Ground coffee: You can use ground coffee or coffee beans in the coffee machine with the possibility to adjust the coarseness of grind.</p> |
|  <p>Compact appliances with a height of 45 cm - perfect solution to meet the functional requirements of kitchen sets of small height. Available in several types and in different styles.</p> |  <p>Hot water: Coffee machine can make hot water for tea or other hot drinks</p> |
|  <p>5 levels adjustable coffee intensity. This function makes possible to adjust the quantity of beans grounded in any infusion cycle.</p> |  <p>Five levels adjustable coffee length: espresso, normal, long, extra long and Americano.</p> |
|  <p>13 levels adjustable grinder.</p> |  <p>The machine guarantees to create different drinks: espresso, coffee, long, 2 x espresso, espresso macchiato, americano, cappuccino, cappuccino mix, caffelatte, latte macchiato, hot milk, flat white, hot water.</p> |
|  <p>The milk froth is adjustable through the thermal carafe knob.</p> |  <p>Stainless steel thermal carafe. It guarantees to maintain longer the milk fresh. Fitted with an auto-clean system and a knob to adjust the milk froth, it can be washed in the dishwasher.</p> |
|  <p>Touch controls: Easy to use touch controls allow the appliance to be programmed at the touch of a button.</p> | |