CMSU2304X

45 cm

Product family	Coffee Machine
Type	Automatic
Category	Compact



Aesthetic

Aesthetics	Professional	**Stainless steel type**	Brushed
Color	Stainless steel	**Glass**	Eclipse
Finishing	Fingerprint-proof	**Logo**	Embossed

Controls

Display	4.3" SoftTouch color	**Display languages**	IT, GB, FR, NL, SP, PT, SWE, RU, DE, DK, PL, NO, FI, TR, ET, KK, UK
No. of display languages	17	**Control setting type**	Touch controls

Program / Functions

Beverage settings	
Single coffee	
Double coffee	
Pre-heat infuser function	Yes
Automatic cappuccino maker with separate milk tank	Yes
Hot-water function	
Pre-ground coffee option	
Adjustable coffee intensity	

Variable coffee size	
Adjustable cappuccino foam	
Pre-set automatic switch-on	
Automatic rinse	
Automatic descaling	
Variable coffee temperature	
Adjustable coffee grinder	
Water hardness	Yes
Lack of water signal	Yes
Child lock	Yes
Showroom mode	Yes

Technical Features



Coffee granules compartment	Yes
Ground coffee compartment	Yes
Removable water container	Yes
Coffee grounds container	14 single, 7 double
Height-adjustable coffee dispenser	Yes, 3 3/8" to 5 5/8"
Steam dispenser	Yes
Drip tray	Yes
Removable milk jug	Yes
Thermal carafe	Stainless steel, auto-clean system, 17 fl oz capacity
Cup holder	Yes, warmed


Heating system	Thermoblock + Steamer
Coffee Grinder	Pro-style stainless steel conical grinder
Pump pressure	217,6 psi
Water container capacity	0,6 gal
Coffee bean container capacity	12,3 oz
Lighting	LED
Lights	4
Installation	On telescopic guides with soft close
Frontal	Yes

Electrical Connection

Plug	No
Nominal power	1350 W
Current	12,2 A
Voltage	120 V
Frequency (Hz)	60 Hz
Power cord length	70 7/8 "

Logistic Information

Width	23 7/16 "
Depth	18 1/2 "
Height	17 15/16 "


23" 1/2
17" 13/16
13/16
16" 13/16
21" 15/16
17" 1/16
1" 3/16
13" 1/16
1" 7/8
1" 7/8
17" 1/16
22" 15/16
19" 11/16
1" 7/8
21" 15/16
33" 1/8
1" 7/8

Compatible Accessories



KIT30CMX

Frame to adapt the 24" built-in coffee machine in Classic aesthetics to a 30" niche

Alternative products



CMSU2104G

Color: Neptune Grey

Symbols glossary



Rinsing: There in an automatic rinsing with hot water when the coffee machine is switched on.



Brewing temperature between 88 and 96°C.



Semiprofessional steamer with a dedicated heating element to manage the steam outlet. Suitable for recipes such as hot chocolate, punch, bombardino, vin brulé.



The double coffee function makes possible to prepare two espresso at the same time with just one infusion cycle.



Integrated cup warmer.



Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new.



Milk froth temperature 60°C.



Ground coffee: You can use ground coffee or coffee beans in the coffee machine with the possibility to adjust the coarseness of grind.



Hot water: Coffee machine can make hot water for tea or other hot drinks



Five levels adjustable coffee length: espresso, normal, long, extra long and Americano.



The machine guarantees to create different drinks: espresso, coffee, long, 2 x espresso, espresso macchiato, americano, cappuccino, cappuccino mix, caffelatte, latte macchiato, hot milk, flat white, hot water.



Stainless steel thermal carafe. It guarantees to maintain longer the milk fresh. Fitted with an auto-clean system and a knob to adjust the milk froth, it can be washed in the dishwasher.



Automatic switch on: It is possible to program automatic switch on of the machine to make it ready for use by the required time.



Three levels adjustable coffee temperature to taste the coffee on the temperature desired.



Types of coffee: You can prepare the following types of coffee: Ristretto-Corto (small portion) /Normale (medium portion) / Lungo (large portion)



Coffee beans: You can use coffee beans in the coffee machine with the possibility to adjust the coarseness of grind.



Descaling function: Is essential to remove excess deposits of limestone in the tank and allow the proper operation of the product. The need to perform this operation is signaled by the product itself.



Frontal approach: it possible to reach every point in the machine and extract any components with a single hand use.



Conical stainless steel coffee grinder.



Compact appliances with a height of 45 cm - perfect solution to meet the functional requirements of kitchen sets of small height. Available in several types and in different styles.



5 levels adjustable coffee intensity. This function makes possible to adjust the quantity of beans grounded in any infusion cycle.



13 levels adjustable grinder.



The milk floth is adjustable through the thermal carafe knob.



Touch controls: Easy to use touch controls allow the appliance to be programmed at the touch of a button.