

CMSU4303X



| | |
|----------------|----------------|
| Product family | Coffee Machine |
| Type | Automatic |
| Category | Compact |



Aesthetic

| | | | |
|------------|-------------------|----------------------|----------|
| Aesthetics | Classic | Stainless steel type | Brushed |
| Color | Stainless steel | Glass | Eclipse |
| Finishing | Fingerprint-proof | Logo | Embossed |

Controls

| | | | | |
|--|--------------------------|---|---------------------|------------------------|
|  | Display | 4.3" SoftTouch color | No. of controls | 2 |
| | No. of display languages | 17 | Control knobs | Classic |
| | Display languages | IT, GB, FR, NL, SP, PT, SWE, RU, DE, DK, PL, NO, FI, TR, ET, KK, UK | Control knobs color | Stainless steel effect |
| | Control setting type | Touch controls | | |

Program / Functions

| | |
|--|---|
| Beverage settings |  |
| Single coffee |  |
| Double coffee |  |
| Pre-heat infuser function | Yes |
| Automatic cappuccino maker with separate milk tank | Yes |
| Hot-water function |  |

| | |
|-----------------------------|---|
| Pre-ground coffee option |  |
| Adjustable coffee intensity |  |
| Variable coffee size |  |
| Adjustable cappuccino foam |  |
| Pre-set automatic switch-on |  |
| Automatic rinse |  |
| Automatic descaling |  |
| Variable coffee temperature |  |
| Adjustable coffee grinder |  |
| Water hardness | Yes |
| Lack of water signal | Yes |
| Child lock | Yes |
| Showroom mode | Yes |

Technical Features




| | | | |
|------------------------------------|---|--------------------------------|---|
| Coffee granules compartment | Yes | Heating system | Thermoblock + Steamer |
| Ground coffee compartment | Yes | Coffee Grinder | Pro-style stainless steel conical grinder |
| Removable water container | Yes | Pump pressure | 217,6 psi |
| Coffee grounds container | 14 single, 7 double | Water container capacity | 0,7 gal |
| Height-adjustable coffee dispenser | Yes, 3 3/8" to 5 5/8" | Coffee bean container capacity | 12,3 oz |
| Steam dispenser | Yes | Lighting | LED |
| Drip tray | Yes | Lights | 4 |
| Removable milk jug | Yes | Installation | On telescopic guides with soft close |
| Thermal carafe | Stainless steel, auto-clean system, 17 fl oz capacity | Frontal | Yes |
| Cup holder | Yes, warmed | | |

Electrical Connection

| | | | |
|---------------|--------|-------------------|----------|
| Plug | No | Voltage | 120 V |
| Nominal power | 1350 W | Frequency (Hz) | 60 Hz |
| Current | 12,2 A | Power cord length | 70 7/8 " |

Logistic Information

| | | | |
|-------|-----------|--------|------------|
| Width | 23 7/16 " | Height | 17 15/16 " |
| Depth | 18 1/2 " | | |



Symbols glossary

| | | | |
|--|---|---|--|
|  | Rinsing: There is an automatic rinsing with hot water when the coffee machine is switched on. |  | Automatic switch on: It is possible to program automatic switch on of the machine to make it ready for use by the required time. |
|  | Brewing temperature between 88 and 96°C. |  | Three levels adjustable coffee temperature to taste the coffee on the temperature desired. |
|  | Semiprofessional steamer with a dedicated heating element to manage the steam outlet. Suitable for recipes such as hot chocolate, punch, bombardino, vin brûlé. |  | Types of coffee: You can prepare the following types of coffee: Ristretto-Corto (small portion) / Normale (medium portion) / Lungo (large portion) |
|  | The double coffee function makes possible to prepare two espresso at the same time with just one infusion cycle. |  | Coffee beans: You can use coffee beans in the coffee machine with the possibility to adjust the coarseness of grind. |
|  | Integrated cup warmer. |  | Descaling function: Is essential to remove excess deposits of limestone in the tank and allow the proper operation of the product. The need to perform this operation is signaled by the product itself. |
|  | Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new. |  | Frontal approach: it is possible to reach every point in the machine and extract any components with a single hand use. |
|  | Milk froth temperature 60°C. |  | Conical stainless steel coffee grinder. |
|  | Ground coffee: You can use ground coffee or coffee beans in the coffee machine with the possibility to adjust the coarseness of grind. |  | Compact appliances with a height of 45 cm - perfect solution to meet the functional requirements of kitchen sets of small height. Available in several types and in different styles. |
|  | Hot water: Coffee machine can make hot water for tea or other hot drinks |  | 5 levels adjustable coffee intensity. This function makes possible to adjust the quantity of beans ground in any infusion cycle. |
|  | Five levels adjustable coffee length: espresso, normal, long, extra long and Americano. |  | 13 levels adjustable grinder. |
|  | The machine guarantees to create different drinks: espresso, coffee, long, 2 x espresso, espresso macchiato, americano, cappuccino, cappuccino mix, caffelatte, latte macchiato, hot milk, flat white, hot water. |  | The milk froth is adjustable through the thermal carafe knob. |
|  | Stainless steel thermal carafe. It guarantees to maintain longer the milk fresh. Fitted with an auto-clean system and a knob to adjust the milk froth, it can be washed in the dishwasher. |  | Touch controls: Easy to use touch controls allow the appliance to be programmed at the touch of a button. |