

COF01WHUK

| | |
|----------------|--|
| Category | Cooking |
| Product Family | Countertop Combi Oven |
| Type | 10-in-1 Multifunction Countertop Combi Steam Oven |
| Cooking Method | Combi Steam |
| Version | UK |
| EAN Code | 8017709340704 |



Aesthetics

| | | | |
|----------------------|-----------------------------------|--------------------------------|--------------------------------|
| Aesthetics | 50's Style | Opening door tank material | Plastic |
| Colour | White | Opening door tank color | White |
| Finishing | Gloss | Internal housing tank material | Stainless steel |
| Body finishing | Polished | Tank material | Plastic |
| Body color | White | Tank color | Transparent with one matt side |
| Body material | Plastic | Handle tank material | Plastic |
| Door material | Plastic | Handle tank color | Grey |
| Door window material | Glass with polished plastic frame | Base material | Plastic |
| Door window color | Smoked | Base colour | Matt grey |
| Handle material | Aluminum | Base finishing | Matte |
| Handle color | Polished chrome | Non-slip feet material | Rubber |
| Knobs color | Polished chrome | Type of logo | Applied |
| Buttons Material | Plastic | Cable colour | Grey |
| Buttons Colour | Silver | | |

Controls

| | | | |
|--------------------|------------------------|-------------------|-----|
| Display | Yes | No. of controls | 2 |
| Display technology | LCD colour | START/STOP button | Yes |
| Type of controls | Buttons, Control knobs | SET button | Yes |
| N° buttons | 2 | | |

Technical Features

| | | | |
|----------------------------------|---|------------------------------------|------------------|
| Capacity | 30 L | N. of fans | 1 |
| No. of shelves | 3 | Grill element - power | 900 W |
| Shelves type | Metal racks | Lower heating element power | 700 W |
| Temperature control | Electronic | No. of lights | 1 |
| Minimum Temperature | 40 °C | Light type | Halogen |
| Maximum temperature | 230 °C | Light when door is opened | Yes |
| Timer max value | 13 H (Only with pure steam function), 5 H | User-replaceable light | Yes |
| Tank capacity | 0,8 l | Door opening type | Standard opening |
| Discharge water tank | 0,4 l | Total no. of door glasses | 3 |
| Removable Water Container | Yes | Antislip feet | Yes |
| Water loading | Tray, manual | Detachable cord | Yes |
| Cavity material | Enameled | | |

Program / Functions

| | |
|--|---|
| No. of cooking functions | 10 |
| Menu Traditional cooking | Static, Fan-assisted, Grill, Bottom fan-assisted, Air fry, Warm, Defrost |
| Menu Steam cooking | Pure steam (100%), Combi steam + Fan-assisted, Combi steam + Grill fan-assisted |
| Chef Menu | Meat and poultry, Fish and shellfish, Vegetables and side dishes, Cakes and sweets, Bread / pizza and pies |
| N° automatic recipes | 33 |
| Static function | Yes |
| Fan-assisted function | Yes |
| Grill function | Yes |
| Bottom fan-assisted function | Yes |
| Air fry function | Yes |
| Warm function | Yes |
| Defrost function | Yes |
| Pure steam function | Yes |
| Fan-assisted + steam function | Yes (20-70%) |
| Fan-assisted grill + steam function | Yes |
| Empty water tank alarm | Yes |
| Decalcification alarm | Yes |
| Timer | Electronic |
| Controls Lock / Child Safety | Yes |
| Other options | Clock setting, Clock format 12/24H, Unit measure temperature/weight, Acoustic signals ON/OFF, Brightness level, ECO Display, Water hardness |
| End of cooking acoustic alarm | Yes |
| Sound signals | Optional |

Accessories Included

| | | | |
|-----------------------------------|---|------------------------|---|
| Grill rack stainless steel | 1 | Stainless steel | 1 |
| Enameled tray | 1 | perforated tray | |

| | |
|---------------------------------|----------|
| Enameled perforated tray | 1 |
|---------------------------------|----------|

Electrical Connection

| | | | |
|-----------------------|-----------|----------------------------------|--------------------|
| Power | 1800 W | Power supply cable length | 1 m |
| Voltage | 220-240 V | Plug | (G) UK e Singapore |
| Frequency (Hz) | 50/60 Hz | | |

Standby consumption

| | | | |
|--------------------------------|--------|------------------------------------|-----|
| Standby activation time | 15 min | Show information in Standby | Yes |
| Product stand-by power | 0,6 W | | |

Logistic Information

| | | | |
|-----------------------------|----------------------|------------------------------|-----------|
| Product Width | 500 mm | Packed Product Depth | 650 mm |
| Product Depth | 500 mm (with handle) | Packed Product Height | 478 mm |
| Product Height | 400 mm (with feet) | Net Weight (kg) | 17,500 kg |
| Product Dimensions | WxDxH 500x500x400 mm | Gross Weight (kg) | 24,100 kg |
| Packed Product Width | 572 mm | | |

Alternative products



COF01BLUK
Colour: Black



COF01RDUK
Colour: Red



COF01PGUK
Colour: Pastel Green



COF01CRUK
Colour: Cream



COF01PBUK
Colour: Pastel Blue