

CPF120IGMPWH

Cooker size

N. of cavities with energy label

Cavity heat source

Hob type

Type of main oven Type of second oven

Cleaning system main oven

EAN code

Energy efficiency class

Energy efficiency class, second cavity

120x60 cm

2

Electric Mixed

Thermo-ventilated

Thermo-ventilated

Pyrolytic

8017709286071

A+ Α



Aesthetics



Aesthetics Colour

Design Flush fit With frame Door

Upstand Type of pan stands

Hob colour

Command panel finish Control knobs

Controls colour

Display

Portofino

White

Yes

Cast Iron

Stainless steel Enamelled metal

Smeg Portofino

Stainless steel

Touch

No. of controls

Serigraphy colour

Handle

Handle Colour Glass type

Plinth

Storage compartment Sliding compartment

Logo position

11

Black

Smeg Portofino

White Black

Black Drawer

Yes

Assembled st/steel Facia below the oven

Programs / Functions

No. of cooking functions

9



Rear centre - Gas - Rapid - 3.00 kW

Central - Teppanyaki - 1.40 kW

Type of gas burners

Traditional cooking functions		
Static	₹ Fan assisted	@ Circulaire
<u>®</u>		
Turbo (circulaire + bottom + upper +	ECO ECO	Small grill
fan)		
Large grill	Fan grill (large)	₹ Fan assisted base
Cleaning functions		
Pyrolytic		
Programs / Functions Auxiliary Oven		
Cooking functions cavity 2	8	
Traditional cooking functions, cavity 2		
Static	₹ Fan assisted	@ Circulaire
ECO ECO	Large grill	Fan grill (large)
Fan-assisted bottom		
Cooking functions with Direct Steam technology		
Termo-ventilato (Circolare + Ventola)		
Cleaning functions cavity 2		
V [→] Vapor Clean		
Hob technical features		
UR STOP		
Total no. of cook zones 6		
Left centre - Gas - 2UR (dual) - 4.20 kW		
Front centre - Gas - Semi Rapid - 1.80 kW		

SMEG SPA 25/04/2024

Front right - Induction - multizone - 2.10~kW - Booster 2.30~kW - 21.1x19.1~cm Rear right - Induction - multizone - 1.60~kW - Booster 1.85~kW - 21.0x19.0~cm

Standard



Automatic electronic

ignition

Burner caps

Automatic switch off when overheat

Yes

Matt black enamelled

Yes

Automatic pan detection

Yes

Yes

Minimum pan diameter indication

Selected zone indicator

Yes Residual heat indicator Yes

Main Oven Technical Features















Start and Stop

Flap down

Yes

Yes

Yes





No. of lights

Fan number 1

Net volume of the cavity 70 litres Gross volume, 1st cavity 791

Cavity material

Easy clean enamel

Shelf positions

Type of shelves

Metal racks Light type Halogen 40 W Light power

Cooking time setting

Light when oven door is

open

Door opening

Removable door Full glass inner door

Removable inner door

2







Total no. of door glasses 4 No.of thermo-reflective

door glasses

Safety Thermostat Yes Heating suspended Yes

when door is opened

Cooling system **Tangential**

Yes

1200 W

360X460X425 mm

Electro-mechanical

Door Lock During

Pyrolisis

Usable cavity space

dimensions (HxWxD)

Temperature control

Lower heating element

power

Upper heating element - 1000 W

Power

Grill elememt 1700 W Large grill - Power 2700 W Circular heating element 2000 W

- Power

Grill type Electric Soft Close system Yes

Options Main Oven

Timer

Yes End of cooking acoustic Yes

alarm

Minimum Temperature Maximum temperature 50 °C 280 °C

Yes

Yes

Second Oven Technical Features





















Net volume of the

second cavity

Gross volume, 2nd cavity

Cavity material

Shelf positions

Type of shelves

63 litres

79 I

Easy clean enamel

Metal racks

No. thermo-reflective door glasses

Safety Thermostat Heating suspended

when door is opened

Cooling system **Tangential**



No. of lights 2

Light type Halogen Light power 40 W

Cooking time setting Start and Stop

Light when oven door is

open

Door opening Flap down

Removable door Yes
Full glass inner door Yes
Removable inner door Yes
No. total door glasses 3

Usable cavity space 360X460X425 mm

dimensions (HxWxD)

Temperature control Electro-mechanical

Lower heating element - 1200 W

power

Upper heating element - 1000 W

Power

Grill element - power 1700 W Large grill - Power 2700 W Circular heating element 2000 W

- Power

Grill type Electric
Tilting grill Yes
Soft Close system Yes

Options Auxiliary Oven

Timer Yes
End of cooking acoustic Yes

alarm

Minimum Temperature 50 °C Maximum temperature 260 °C

1

Accessories included for Main Oven & Hob

Rack with back and side 1 Grill mesh

Telescopic Guide rails, 1

20mm deep tray 1 total Extraction
40mm deep tray 1 Meat Probe 1

Accessories included for Secondary Oven

Rack with back and side 1 Grill mesh 1

stop Telescopic Guide rails, 1
20mm deep tray 1 total Extraction

20mm deep tray 1 total Extra 40mm deep tray 1

Electrical Connection

Max Power Draw 10900 W Cable testing Yes


Current 32 A Type of electric cable Yes, Double and Three

 Voltage
 220-240 V
 Phase

 Voltage 2 (V)
 380-415 V
 Frequency
 50/60 Hz

Type of electric cable Yes, Single phase Terminal block 5 poles installed







Not included accessories

AIRFRY

Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.



SFLK1 Child lock

GTP

Partially extractable telescopic guides (1 level) Extraction: 300 mm Material: Stainless steel AISI 430 polished



PRTX

Refractary pizza stone with handles. D=35cm Not suitable for microwave ovens. Suitable for gas ovens, to be put on the griddle.



BNP608T

Teflon-coated tray, 8mm depth, to be placed on the grid



KITP65CPF120

Depth extension kit (650 mm), suitable for TR4110 cookers



GRILLPLATE

Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.



WOKGHU

Cast-Iron WOK Support



BN620-1

Enamelled tray, 20mm deep



KIT1CPF120X

Splashback 120x60 cm, stainless steel, suitable for Portofino cookers



SCRP

Induction and ceramic hobs and teppanyaki scraper



BGTR4110

Cast iron grill plate suitable for Victoria Cookers TR4110



KITH95CPF120

Height extension kit (950 mm), suitable for TR4110 cookers



BBQ

Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.



TPKPLATE

Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.



PALPZ

Pizza shovel with fold away handle width: 315mm length: 325mm



25/04/2024 **SMEG SPA**



GTT

Totally extractable telescopic guides (1 level) Extraction: 433 mm Material: Stainless steel AISI 430 polished



BN640

Enamelled tray, 40mm deep



SMOLD



Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C



Alternative products



CPF120IGMPX

Colour: Stainless steel



CPF120IGMPBL

Colour: Black



CPF120IGMPR

Colour: Red



CPF120IGMPT

Colour: Turquoise



Symbols glossary



Heavy duty cast iron pan stands: for maximum stability and strength.



Air cooling system: to ensure a safe surface temperatures.



A DIRECT STEAM oven has 1 steam cooking function to which the user can MANUALLY add steam. The function is activated when the user turns the function knob to the STEAM ON position, and deactivated when the user turns the steam knob to the STEAM OFF position. The user decides at the start of the cooking process how much water to load, up to 250ml. The water in the cavity then becomes steam during the cooking process.



Triple glazed doors: Number of glazed doors.



Quadruple glazed: Number of glazed doors.



ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.



A+: Energy efficiency class A+ helps to save up to 10% energy compared to class A. Maximum performance with minimum consumption is guaranteed.



A: Product drying performance, measured from A+++ to D / G depending on the product family



Enamel interior: The enamel interior of all Smeg ovens have a special antacid lining which helps keep the interior clean by reducing the amount of cooking grease adhering to it.



Circogas: In gas ovens the fan distributes the heat quickly and evenly throughout the oven cavity, avoiding flavour transfer when cooking a number of different dishes at the same time. In electric ovens this combination completes cooking more quickly of foods that are ready on the surface, but that require more cooking inside, without further browning.



Fan with upper and lower elements: The elements combined with the fan aim to provide more uniform heat, a similar method to conventional cooking, so pre-heat is required. Most suitable for items requiring slow cooking methods.



Upper and lower element only: a traditional cooking method best suited for single items located in the centre of the oven. the top pf the oven will always be hottest. Ideal for roast, fruit cakes, bread etc.



Circulaire: The combination of the fan and circular element around it gives a hot air cooking method. This provides many benefits including no preheat if cook time is more than 20 minutes, no flavour transfer when cooking different foods at the same time, less energy, and shorter cook times. Good for all types of food.



ECO: The combination of the grill, fan and lower element is particularly suitable for cooking small quantities of food.



Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.



Half grill: For rapid cooking and browning of foods. Best results can be obtained by using the top shelf for small items, the lower shelves for larger ones, such as chops or sausages. For half grill heat is generated only at the centre of the element, so is ideal for smaller quantities.





Fan with grill element: The fan reduces the fierce heat from the grill, providing an excellent method of grilling various foods, chops, steaks, sausages etc. giving even browning and heat distribution, without drying out the food. The top two levels recommended for use, and the lower part of the oven can be used to keep items warm at the same time, an excellent facility when cooking a grilled breakfast. Half grill (centre portion only) is ideal for small quantities of food.



Circulaire with upper and lower elements: The use of the fan with both elements allows food to be cooked quickly and effectively, ideal for large joints that require thorough cooking. It offers a similar result to rotisserie, moving the heat around the food, instead of moving the food itself, enabling any size or shape to be cooked.



Circulaire with steam assist: Provides extra moisture to food during cooking. Excellent for bread baking. The moisture allows the bread dough to stretch further at the beginning of cooking, creating an aerated and light textured dough. The remaining part of the cooking process allows for the signature crust to form.



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.



The inner door glass: can be removed with a few quick movements for cleaning.



Side lights: Two opposing side lights increase visibility inside the oven.



Pyrolitic: Pyrolitic cleaning cycles can be selected as necessary to automatically clean the oven interior.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



The oven cavity has 5 different cooking levels.



Soft close: all models are equipped with advanced function of smooth closing of the door, which allows the device to close smoothly and quietly.



Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.



Electronic control: Allows you to maintain temperature inside the oven with the precision 2-3 °C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.



Tilting grill: the tilting grill can be easily unhooked to move the heating element and clean the roof of the appliance in one simple step.



Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.



Vapor Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.



The capacity indicates the amount of usable space in the oven cavity in litres.



The capacity indicates the amount of usable space in the oven cavity in litres.