# CPF120IGMPWH

| | |
|---|---|
| **Cooker size** | 120x60 cm |
| **N. of cavities with energy label** | 2 |
| **Cavity heat source** | ELECTRICITY |
| **Hob type** | Mixed |
| **Type of main oven** | Thermo-ventilated |
| **Type of second oven** | Thermo-ventilated |
| **Cleaning system main oven** | Pyrolitic |
| **EAN code** | 8017709286071 |
| **Energy efficiency class** | A+ |
| **Energy efficiency class, second cavity** | A |



## Aesthetics

| | | | |
|---|---|---|---|
| **Design** | Flush fit | **Controls colour** | Stainless steel |
| **Command panel finish** | Enamelled metal | **No. of controls** | 11 |
| **Aesthetic** | Portofino | **Serigraphy colour** | Black |
| **Logo** | Assembled st/steel | **Display name** | DigiScreen |
| **Colour** | White | **Door** | With frame |
| **Logo position** | Facia below the oven | **Glass type** | Black |
| **Upstand** | Yes | **Handle** | Smeg Portofino |
| **Hob colour** | Stainless steel | **Handle Colour** | White |
| **Type of pan stands** | Cast Iron | **Storage compartment** | Drawer |
| **Type of control setting hob** | Control knobs | **Sliding compartment** | Yes |
| | | **Plinth** | Black |
| **Type of control knobs** | Smeg Portofino | | |

## Programs / Functions main oven

**No. of cooking functions** 9

**Traditional cooking functions**

- Static
- Fan assisted
- Circulaire
- Turbo
- Eco
- Small grill
- Large grill
- Fan grill (large)
- Fan assisted base

**Cleaning functions**

Pyrolytic

## Programs / Functions auxiliary oven

**Cooking functions cavity 2** 8

**Traditional cooking functions, cavity 2**

Static

Fan assisted

Circulaire

Eco

Large grill

Fan grill (large)

Fan-assisted bottom

**Cooking functions with Direct Steam technology**

Fan forced (circular heating + fan)

**Cleaning functions cavity 2**

Vapor clean

## Hob technical features

**Total no. of cook zones** 6

Centrale sinistra - Gas - 2UR (dual) - 4.20 kW
Front centre - Gas - Semi Rapid - 1.80 kW
Rear centre - Gas - Rapid - 3.00 kW
Front right - Induction - multizone - 2.10 kW - Booster 2.30 kW - 21.1x19.1 cm
Rear right - Induction - multizone - 1.60 kW - Booster 1.85 kW - 21.0x19.0 cm
Central - Heating element - Teppanyaki griddle - 1.40 kW

| | | | |
|---|---|---|---|
| **Number of Flexible zones** | 1 | **Automatic pan detection** | Yes |
| **Type of gas burners** | Standard | **Minimum pan diameter indication** | Yes |
| **Automatic electronic ignition** | Yes | **Selected zone indicator** | Yes |
| **Burner caps** | Matt black enamelled | **Residual heat indicator** | Yes |
| **Automatic switch off when overheat** | Yes | | |

## Main Oven Technical Features

**No. of lights** 2

**Total no. of door glasses** 4

| | |
|---|---|
| **Fan number** | 1 |
| **Net volume of the cavity** | 70 l |
| **Gross volume, 1st cavity** | 79 l |
| **Cavity material** | Ever Clean enamel |
| **No. of shelves** | 5 |
| **Type of shelves** | Metal racks |
| **Light type** | Halogen |
| **Light Power** | 40 W |
| **Cooking time setting** | Start and Stop |
| **Light when oven door is open** | Yes |
| **Door opening** | Flap down |
| **Removable door** | Yes |
| **Full glass inner door** | Yes |
| **Removable inner door** | Yes |
| **No.of thermo-reflective door glasses** | 3 |
| **Safety Thermostat** | Yes |
| **Heating suspended when door is opened** | Yes |
| **Cooling system** | Tangential |
| **Door Lock During Pyrolisis** | Yes |
| **Usable cavity space dimensions (HxWxD)** | 360X460X425 mm |
| **Temperature control** | Electro-mechanical |
| **Lower heating element power** | 1200 W |
| **Upper heating element - Power** | 1000 W |
| **Grill element** | 1700 W |
| **Large grill - Power** | 2700 W |
| **Circular heating element - Power** | 2000 W |
| **Grill type** | Electric |
| **Soft Close system** | Yes |

## Options Main Oven

| | |
|---|---|
| **Timer** | Yes |
| **End of cooking acoustic alarm** | Yes |
| **Minimum Temperature** | 50 °C |
| **Maximum temperature** | 280 °C |

## Second Oven Technical Features




| | |
|---|---|
| **Net volume of the second cavity** | 63 l |
| **Gross volume, 2nd cavity** | 79 l |
| **Cavity material** | Ever Clean enamel |
| **No. of shelves** | 5 |
| **Type of shelves** | Metal racks |
| **No. of lights** | 2 |
| **Light type** | Halogen |
| **Light Power** | 40 W |
| **Cooking time setting** | Start and Stop |
| **Light when oven door is open** | Yes |
| **Door opening** | Flap down |
| **Removable door** | Yes |
| **Full glass inner door** | Yes |
| **Removable inner door** | Yes |
| **No. total door glasses** | 3 |
| **No. thermo-reflective door glasses** | 2 |
| **Safety Thermostat** | Yes |
| **Heating suspended when door is opened** | Yes |
| **Cooling system** | Tangential |
| **Usable cavity space dimensions (HxWxD)** | 360X460X425 mm |
| **Temperature control** | Electro-mechanical |
| **Lower heating element - power** | 1200 W |
| **Upper heating element - Power** | 1000 W |
| **Grill element - power** | 1700 W |
| **Large grill - Power** | 2700 W |
| **Circular heating element - Power** | 2000 W |
| **Grill type** | Electric |
| **Tilting grill** | Yes |
| **Soft Close system** | Yes |

## Options Auxiliary Oven

| | | | |
|---|---|---|---|
| **Timer** | Yes | **Minimum Temperature** | 50 °C |
| **End of cooking acoustic alarm** | Yes | **Maximum temperature** | 260 °C |

## Accessories included for Main Oven & Hob



| | | | |
|---|---|---|---|
| **Rack with back and side stop** | 1 | **Grill mesh** | 1 |
| **20mm deep tray** | 1 | **Telescopic Guide rails, total Extraction** | 1 |
| **40mm deep tray** | 1 | **Meat Probe** | 1 |


## Accessories included for Secondary Oven



| | | | |
|---|---|---|---|
| **Rack with back and side stop** | 1 | **Grill mesh** | 1 |
| **20mm deep tray** | 1 | **Telescopic Guide rails, total Extraction** | 1 |
| **40mm deep tray** | 1 | | |

## Electrical Connection

| | | | |
|---|---|---|---|
| **Electrical connection rating** | 10900 W | **Cable testing** | Yes, Single phase |
| **Current** | 32 A | **Additional connection modalities** | Double and Three Phase |
| **Voltage** | 220-240 V | **Frequency** | 50/60 Hz |
| **Voltage 2 (V)** | 380-415 V | **Terminal block** | 5 poles |
| **Electric cable** | Not included | **Plug** | Not present |


1200
46
884
844
10-36
56
744
55
135
600
40

## Compatible Accessories

### AIRFRY2



Air fryer tray. Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.

### BBQ



Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.

### BN620-1



Enamelled tray suitable for 45 cm and 60 cm ovens. Depth 20 mm. Perfect for a wide range of savoury and sweet baking.

### BN640



Enamelled tray suitable for 45cm and 60cm ovens. Depth 540 mm. Perfect for cooking and roasting meat and fish in sauces. Also ideal for experimenting with lighter and crunchy side dishes

### BNP608T



Teflon-coated tray, 8 mm depth, to be placed on the grid

### GRILLPLATE



Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.

### GTP



Partially extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.

### GTT



Totally extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.

### KIT1CPF120X



Splashback, 120cm, stainless steel, suitable for Portofino cookers

### KITH95CPF120



Height extension kit (950 mm), suitable for 120cm Portofino cookers (940-960mm)

### KITP65CPF120



Depth extension kit (650mm), black, suitable for 120cm Portofino cookers

### PALPZ



Pizza shovel with folding handle. Dimensions L31.5 x H32.5 cm. Easy and convenient to use and store. Perfect for serving pizza, bread and savory pastries in a safe and professional way.

### SCRP




Non-scratch hob scraper - suitable for induction and ceramic hobs

### SFLK1



Child lock

### SMOLD



Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C

### TPKPLATE



Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.

**WOKGHU**



Cast iron WOK Support

## Alternative products



**CPF120IGMPX**

**Colour:** Stainless steel



**CPF120IGMPR**

**Colour:** Red



**CPF120IGMPBL**

**Colour:** Black



**CPF120IGMPT**

**Colour:** Turquese

# Symbols glossary



Automatic merge of zones for a bigger area



Energy efficiency class A



Installation in column: Installation in column.



Air cooling system: to ensure a safe surface temperatures.




4.3 inch display with LED technology, usability with knobs + 3 touch keys




Quadruple glazed: Number of glazed doors.



Ever Clean Enamel: Ever Clean enamel is applied electrostatically, corner to corner and edge to edge to prevent cracking or cracks over time. It is a particular pyrolytic enamel, resistant to acids which, in addition to being pleasantly bright, promotes greater cleaning of the oven walls, thanks to its lower porosity. It is baked at over 850 °C and slowly polymerized at a scientifically determined rate to ensure uniform depth and strength. Ever Clean enamel creates an impeccable finish both on the inside of the oven and on the trays, making the surfaces of the oven incredibly easy to maintain over time as it reduces the adhesion of fat during cooking.



Fan assisted: Intense and homogeneous traditional cooking, also suitable for complex recipes. The fan is active and the heat comes from below and from above at the same time. Ventilated cooking ensures a faster and more homogeneous result, leaving fragrant foods outside and moister inside. Ideal for baked pasta, biscuits, roasts and cobblers.



Circulaire: it is the perfect function for cooking all types of dishes in a more delicate way. The heat comes from the back of the oven and is distributed quickly and evenly. The fan is active. It is also ideal for cooking on multiple levels without mixing smells and flavors.



Heavy duty cast iron pan stands: for maximum stability and strength.



A+: Energy efficiency class A+ helps to save up to 10% energy compared to class A. Maximum performance with minimum consumption is guaranteed.



Knobs control




A DIRECT STEAM oven has 1 steam cooking function to which the user can MANUALLY add steam. The function is activated when the user turns the function.




Triple glazed doors: Number of glazed doors.




ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.



Fan assisted base: the mix of fan and lower heating element alone allows to finish cooking foods already cooked on the surface but not internally more quickly. This system is recommended to finish cooking foods that are already well cooked on the surface, but not internally, which therefore require a moderate higher heat. Ideal for any type of food.



Static: Traditional cooking suitable for the preparation of one dish at a time. The fan is not active and the heat comes from below and from above at the same time. Static cooking is slower and more delicate, ideal in order to get well cooked and dry dishes even inside. Ideal for cooking all types of roasts, fatty meats, bread, filled cakes.




ECO: low energy consumption cooking: this function is particularly suitable for cooking on a single shelf with low energy consumption. It is recommended for all types of food except those that can generate a lot of moisture (for example vegetables). To achieve maximum energy savings and reduce time, it is recommended to put the food in the oven without preheating the cooking compartment.

Grill: Very intense heat coming only from above from a double heating element. The fan is not active. Provides excellent grilling and gratinating results. Used at the end of cooking, it gives a uniform browning to dishes.

Half grill: For rapid cooking and browning of foods. Best results can be obtained by using the top shelf for small items, the lower shelves for larger ones, such as chops or sausages. For half grill heat is generated only at the centre of the element, so is ideal for smaller quantities.

Fan grill: very intense heat coming only from above from a double heating element. The fan is active. It allows the optimal grilling of thickest meats. Ideal for large cuts of meat.

Turbo: the heat comes from 3 directions: above, below and from the back of the oven. The fan is active. It allows quick cooking, even on several shelves without mixing the aromas. Ideal for large volumes or foods that require intense cooking.

Circulaire pulsed steam: Provides extra moisture to food during cooking. Excellent for bread baking. The moisture allows the bread dough to stretch further at the beginning of cooking, creating an aerated and light textured dough. The remaining part of the cooking process allows for the signature crust to form.

Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.

All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.

The inner door glass: can be removed with a few quick movements for cleaning.

Side lights: Two opposing side lights increase visibility inside the oven.

Automatic opening: some models have Automatic opening door when the cycle is finished which is a perfect solution for handle-less kitchen units as no handle is needed. For safety reasons, the door locks automatically when the machine is in use to avoid it being opened inadvertently.

PYROLYSIS - AUTOMATIC CLEANING FUNCTION: the oven heats up to a temperature approaching 500 ° C and chars grease and food residues into a fine ash that can be easily wiped off with a damp cloth. At such a high temperature, the door locks automatically for safety, while the temperature of the door remains controlled so it is safe to touch User adjustable function based on the level of dirt present in the oven.

Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.

The oven cavity has 5 different cooking levels.

Soft close: all models are equipped with advanced function of smooth closing of the door, which allows the device to close smoothly and quietly.

Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.

Electronic control: Allows you to maintain temperature inside the oven with the precision 2-3 ° C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.

Tilting grill: the tilting grill can be easily unhooked to move the heating element and clean the roof of the appliance in one simple step.

Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.



Vapor Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.




The capacity indicates the amount of usable space in the oven cavity in litres.




The capacity indicates the amount of usable space in the oven cavity in litres.

# Benefit (TT)

**Pyrolysis**

Easy oven cleaning thanks to special pyrolytic function

**Touch control**

Easy and intuitive timer setting with a single touch

**Drawer storage compartment**

More space thanks to the lower drawer compartment, ideal for storing accessories or cooking utensils

**True-convection**

The best cooking performances guaranteed by ventilated circular flow

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

**Multilevel cooking**

Several cooking levels allow maximum flexibility of use

**Multilevel halogen light**

Internal halogen lighting on different levels guarantees excellent visibility

**Removalble inner glass**

Internal door glasses are easily removable for complete cleaning

**Tangential cooling**

New cooling system with tangential fan and airflow from the door to the splashback

**Telescopic guides**

Easy extraction and safe insertion of trays into the oven thanks to telescopic guides

**Adjustable height**

Cooker top flushed with the working area thanks to adjustable feet

**Isothermic Cavity**

The best cooking performance at the highest energy efficiency

**AirFry (AIRFRY optional accessory)**

Lighter and tastier food thanks to airfry basket (optional accessory)

**Cold door**

During any function, the external door glass is cold, avoiding any risk of burns

**Pizza stone (optional accessory)**

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)

**BBQ (optional accessory)**

Barbecue cooking directly in the oven with the double-sided grill (BBQ optional accessory)

**Soft close**

The door is equipped with a specific system for silent closing

**Single turbine**

The oven has a fan equipped with a circular heating element allowing cooking with rotating heat

**Direct Steam**

Steam is generated from water placed in a dedicated basin at the bottom of the cavity