

CPF30UGGAN

Cooker size N. of cavities with energy label Cavity heat source

Type of main oven **EAN** code

1 GAS Gas with gas grill 8017709270292

30"



Aesthetics







Design Command panel finish

Aesthetic

Logo

Colour

Logo position

Upstand

Hob colour Type of pan stands Type of control setting

Control knobs

Flush fit

Portofino

Assembled st/steel

Stainless steel Cast Iron

Control knobs

Enamelled metal

Anthracite

Facia below the oven

Yes

Smeg Portofino

Controls colour

No. of controls

Serigraphy colour

Display

Door

Glass type

Handle

Handle Colour

Storage compartment

Feet Plinth Stainless steel

Silver Touch

With frame

Grey

Smeg Portofino

coloured

Door

Stainless steel

Black

Programs / Functions

No. of cooking functions

2

Hob technical features





Total no. of cook zones 4

Left - Gas - 2UR (dual) - 5.86 kW - 20000 BTU

Front centre - Gas - Semi Rapid - 2.34 kW - 8000 BTU

Rear centre - Gas - AUX - 1.31 kW - 4500 BTU

Right - Gas - UR - 5.86 kW - 20000 BTU

SMEG SPA 2025-12-06



Type of gas burners

Automatic electronic ignition

Standard

Yes

Gas safety valves

Burner caps

Yes

Matt black enamelled

317 x 640 x 430 "

Main Oven Technical Features



















No. of lights 2 Fan number 1

Gross volume, 1st cavity 0.13 cu. ft.

Cavity material Ever Clean enamel

No. of shelves

Type of shelves Halogen Light type **Light Power** 40 W

Cooking time setting Light when oven door is

open

Door opening

Metal racks

Start and Stop

Yes

Flap down

Removable door Yes Full glass inner door Yes Removable inner door Yes Total no. of door glasses 3 No.of thermo-reflective 2

door glasses

Safety Thermostat Yes

Cooling system **Tangential**

Usable cavity space dimensions (HxWxD)

Temperature control Electro-mechanical

Grill type Gas Soft Close system Yes

Options Main Oven

Timer Yes End of cooking acoustic

alarm

Minimum Temperature 120 °F Maximum temperature

500 °F

1

1

Accessories included for Main Oven & Hob



Cast iron wok support Oven grid with stop,

tray support

TOP Oven grid with back stop

1

2

40mm deep tray Grill mesh

Telescopic Guide rails, partial Extraction

Electrical Connection

Electrical connection

rating

Current 2 A Circuit breaker 15 A 120 V Voltage

Type of electric cable installed

200 W

Yes, Single phase

Power supply cable

length

Frequency Terminal block

Plug


55 1/8 "

60 Hz 3 poles

(B) NEMA 5-15P

2025-12-06 **SMEG SPA**





SMEG SPA 2025-12-06



Compatible Accessories



GT91P

Partially extractable telescopic guides suitable for CPF30 cookers, USA



PALPZ

Pizza shovel with folding handle. Dimensions L31.5 x H32.5 cm. Easy and convenient to use and store. Perfect for serving pizza, bread and savory pastries in a safe and professional way.



SFLK1 Child lock

SMEG SPA 2025-12-06



Symbols glossary

| - | 7 |
|----|-----|
| 1 | 1.1 |
| 1. | 1 |
| _ | ш |

Heavy duty cast iron pan stands: for maximum stability and strength.



Installation in column: Installation in column



Air cooling system: to ensure a safe surface temperatures.



Triple glazed doors: Number of glazed doors.



Ever Clean Enamel: Ever Clean enamel is applied electrostatically, corner to corner and edge to edge to prevent cracking or cracks over time. It is a particular pyrolytic enamel, resistant to acids which, in addition to being pleasantly bright, promotes greater cleaning of the oven walls, thanks to its lower porosity. It is baked at over 850 °C and slowly polymerized at a scientifically determined rate to ensure uniform depth and strength Ever Clean enamel creates an impeccable finish both on the inside of the oven and on the trays, making the surfaces of the oven incredibly easy to maintain over time as it reduces the adhesion of fat during cooking



Gas ovens offer instantaneous heat control, reduced cooking times and the ability to bake at much lower temperatures than electric ovens.



All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.



The inner door glass: can be removed with a few quick movements for cleaning.



Side lights: Two opposing side lights increase visibility inside the oven.



Automatic opening: some models have Automatic opening door when the cycle is finished which is a perfect solution for handle-less kitchen units as no handle is needed. For safety reasons, the door locks automatically when the machine is in use to avoid it being opened inadvertently.



The oven cavity has 4 different cooking levels.



Soft close: all models are equipped with advanced function of smooth closing of the door, which allows the device to close smoothly and quietly.



Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.



Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.



4.3 inch display with LED technology, usability with knobs + 3 touch keys



Knobs control

SMEG SPA 2025-12-06