# CPF30UGGAN

| | |
|---|---|
| **Cooker size** | 30" |
| **N. of cavities with energy label** | 1 |
| **Cavity heat source** | GAS |
| **Type of main oven** | Gas with gas grill |
| **EAN code** | 8017709270292 |



## Aesthetics

| | | | |
|---|---|---|---|
| **Design** | Flush fit | **Controls colour** | Stainless steel |
| **Command panel finish** | Enamelled metal | **No. of controls** | 7 |
| **Aesthetic** | Portofino | **Serigraphy colour** | Silver |
| **Logo** | Assembled st/steel | **Display** | Touch |
| **Colour** | Anthracite | **Door** | With frame |
| **Logo position** | Facia below the oven | **Glass type** | Grey |
| **Upstand** | Yes | **Handle** | Smeg Portofino |
| **Hob colour** | Stainless steel | **Handle Colour** | coloured |
| **Type of pan stands** | Cast Iron | **Storage compartment** | Door |
| **Type of control setting** | Control knobs | **Feet** | Stainless steel |
| **Control knobs** | Smeg Portofino | **Plinth** | Black |

## Programs / Functions

| | |
|---|---|
| **No. of cooking functions** | 2 |

## Hob technical features

**Total no. of cook zones** 4

Left - Gas - 2UR (dual) - 5.86 kW - 20000 BTU
Front centre - Gas - Semi Rapid - 2.34 kW - 8000 BTU
Rear centre - Gas - AUX - 1.31 kW - 4500 BTU
Right - Gas - UR - 5.86 kW - 20000 BTU

| | | | |
|---|---|---|---|
| **Type of gas burners** | Standard | **Gas safety valves** | Yes |
| **Automatic electronic ignition** | Yes | **Burner caps** | Matt black enamelled |

## Main Oven Technical Features



| | | | |
|---|---|---|---|
| **No. of lights** | 2 | **Removable door** | Yes |
| **Fan number** | 1 | **Full glass inner door** | Yes |
| **Gross volume, 1st cavity** | 0.13 cu. ft. | **Removable inner door** | Yes |
| **Cavity material** | Ever Clean enamel | **Total no. of door glasses** | 3 |
| **No. of shelves** | 4 | **No.of thermo-reflective door glasses** | 2 |
| **Type of shelves** | Metal racks | **Safety Thermostat** | Yes |
| **Light type** | Halogen | **Cooling system** | Tangential |
| **Light Power** | 40 W | **Usable cavity space dimensions (HxWxD)** | 317x640x430 " |
| **Cooking time setting** | Start and Stop | **Temperature control** | Electro-mechanical |
| **Light when oven door is open** | Yes | **Grill type** | Gas |
| **Door opening** | Flap down | **Soft Close system** | Yes |

## Options Main Oven

| | | | |
|---|---|---|---|
| **Timer** | Yes | **Minimum Temperature** | 120 °F |
| **End of cooking acoustic alarm** | Yes | **Maximum temperature** | 500 °F |


## Accessories included for Main Oven & Hob



| | | | |
|---|---|---|---|
| **Cast iron wok support** | 1 | **40mm deep tray** | 1 |
| **Oven grid with stop, tray support** | 1 | **Grill mesh** | 1 |
| **TOP Oven grid with back stop** | 2 | **Telescopic Guide rails, partial Extraction** | 1 |

## Electrical Connection

| | | | |
|---|---|---|---|
| **Electrical connection rating** | 200 W | **Power supply cable length** | 55 1/8 " |
| **Current** | 2 A | **Frequency** | 60 Hz |
| **Circuit breaker** | 15 A | **Terminal block** | 3 poles |
| **Voltage** | 120 V | **Plug** | (B) NEMA 5-15P |
| **Type of electric cable installed** | Yes, Single phase | | |


762
56
813
743
84-115
53
611
23
136
635
45

## Compatible Accessories



**GT91P**

Partially extractable telescopic guides suitable for CPF30 cookers, USA



**SFLK1**

Child lock



**PALPZ**

Pizza shovel with folding handle. Dimensions L31.5 x H32.5 cm. Easy and convenient to use and store. Perfect for serving pizza, bread and savory pastries in a safe and professional way.

## Symbols glossary



Heavy duty cast iron pan stands: for maximum stability and strength.



Knobs control




4.3 inch display with LED technology, usability with knobs + 3 touch keys



Ever Clean Enamel: Ever Clean enamel is applied electrostatically, corner to corner and edge to edge to prevent cracking or cracks over time. It is a particular pyrolytic enamel, resistant to acids which, in addition to being pleasantly bright, promotes greater cleaning of the oven walls, thanks to its lower porosity. It is baked at over 850 ° C and slowly polymerized at a scientifically determined rate to ensure uniform depth and strength Ever Clean enamel creates an impeccable finish both on the inside of the oven and on the trays, making the surfaces of the oven incredibly easy to maintain over time as it reduces the adhesion of fat during cooking



All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.



Side lights: Two opposing side lights increase visibility inside the oven.




The oven cavity has 4 different cooking levels.



Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.



Installation in column: Installation in column



Air cooling system: to ensure a safe surface temperatures.




Triple glazed doors: Number of glazed doors.



Gas ovens offer instantaneous heat control, reduced cooking times and the ability to bake at much lower temperatures than electric ovens.



The inner door glass: can be removed with a few quick movements for cleaning.



Automatic opening: some models have Automatic opening door when the cycle is finished which is a perfect solution for handle-less kitchen units as no handle is needed. For safety reasons, the door locks automatically when the machine is in use to avoid it being opened inadvertently.



Soft close: all models are equipped with advanced function of smooth closing of the door, which allows the device to close smoothly and quietly.




Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.