

# CPF92GMA

Cooker size

N. of cavities with energy label

Cavity heat source

Hob type

Type of main oven

Type of second oven

Cleaning system main oven

EAN code

**Energy efficiency class** 

Energy efficiency class, second cavity

90x60 cm

2

Electric

Gas

Thermo-ventilated

Static

Vapor Clean

8017709300371

А

Α



# **Aesthetics**







Aesthetics
Design
Colour

Command panel finish

Logo

Logo position

Upstand

. Hob colour

Type of pan stands

Type of control setting Control knobs

Portofino

Flush fit Anthracite

Enamelled metal

Assembled st/steel

Facia below the oven

Yes

Stainless steel Cast Iron

Cust iioii

Control knobs

**Smeg Portofino** 

Controls colour

No. of controls

Serigraphy colour

Display

Door

Glass type

Handle

Transition C

Handle Colour Storage compartment

Feet

Stainless steel

8

Silver Touch

With frame

with fram

Grey

**Smeg Portofino** 

Anthracite

Door

Black

# **Programs / Functions**

No. of cooking functions

8



# Traditional cooking functions Turbo (circulaire + bottom + upper + Static Circulaire fan) ECO Small grill Large grill Fan grill (large) Fan assisted base **Cleaning functions** Vapor Clean Other functions Defrost by time **Programs / Functions Auxiliary Oven** Cooking functions cavity 2 Traditional cooking functions, cavity 2 Small grill Static **Bottom** Hob technical features UR Total no. of cook zones 6 Front left - Gas - 2UR (dual) - 4.20 kW Rear left - Gas - AUX - 1.00 kW Front centre - Gas - AUX - 1.00 kW Rear centre - Gas - Semi Rapid - 1.80 kW Front right - Gas - Semi Rapid - 1.80 kW Rear right - Gas - Rapid - 3.00 kW Type of gas burners Standard Gas safety valves Yes Automatic electronic Yes **Burner** caps Matt black enamelled ignition Main Oven Technical Features

No. of lights Fan number Total no. of door glasses 3 Net volume of the cavity 70 litres

1

**SMEG SPA** 01/09/2024

Removable inner door

Yes



Gross volume, 1st cavity 791

Cavity material Easy clean enamel

Shelf positions

Type of shelves Metal racks Light type Halogen Light power 40 W

Cooking time setting Start and Stop

Light when oven door is

open

Door opening Flap down

Removable door Yes Full glass inner door Yes No.of thermo-reflective 1

door glasses

Safety Thermostat Yes

Cooling system **Tangential** 

360X460X425 mm

1200 W

Usable cavity space dimensions (HxWxD)

Temperature control Electronic

Lower heating element

power

Upper heating element - 1000 W

Power

Grill elememt 1700 W Large grill - Power 2700 W Circular heating element 2000 W

- Power

Grill type Electric

# **Options Main Oven**

Timer Minimum Temperature 50 °C End of cooking acoustic Yes Maximum temperature 260°C

alarm

# Second Oven Technical Features

Fan number Net volume of the 35 litres

second cavity

Gross volume, 2nd 36 I

cavity

Cavity material Easy clean enamel

Shelf positions

Type of shelves Metal racks

No. of lights

Light type Incandescent

25 W Light power Flap down Door opening

Removable door Yes Full glass inner door Yes Removable inner door Yes No. total door glasses 3 No. thermo-reflective 1

door glasses

Safety Thermostat Yes

Cooling system **Tangential** 

Usable cavity space

dimensions (HxWxD)

Temperature control Electro-mechanical

311x206x418 mm

Lower heating element - 700 W

power

Upper heating element - 600 W

**Power** 

Grill element - power 1300 W 1900 W Large grill - Power

Grill type Electric

# **Options Auxiliary Oven**

Maximum temperature 245 °C Minimum Temperature 50°C

# Accessories included for Main Oven & Hob

01/09/2024 **SMEG SPA** 





Rack with back and side  $\,1\,$ 

stop

20mm deep tray

40mm deep tray

Grill mesh 1

Telescopic Guide rails, total Extraction

Grill mesh

Accessories included for Secondary Oven

1

Rack with back and side 1 stop

Wide baking tray 1

**Electrical Connection** 

Max Power Draw 5200 W

Current 23 A

Voltage 220-240 V

Voltage 2 (V) 380-415 V

Type of electric cable Yes, Single phase

installed

Power supply cable

length

Type of electric cable


Yes, Double and Three

Phase

120 cm

1

Frequency 50/60 Hz Terminal block 5 poles





# Not included accessories

#### **BGCPF9**



Cast iron grill plate suitable for Portofino FS Cookers



KITH95CPF9

Height extension kit (950 mm), suitable for Portofino cookers





Air fryer rack AIRFRY. Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.



SFLK1

Child lock





\*\*Partially extractable telescopic guides (1 level)\*\* Extraction: 300 mm Material: Stainless steel AISI 430 polished



**PRTX** 

Refractary pizza stone with handles. D=35cm Not suitable for microwave ovens. Suitable for gas ovens, to be put on the griddle.



## **BNP608T**

Teflon-coated tray, 8mm depth, to be placed on the grid



**TPKCPF9** 

Teppanyaki grill plate, suitable for Portofino cookers



### **WOKGHU**

Cast-Iron WOK Support



**KITPBX** 

Height reduction feet (850 mm)



# KITH900CPF9

Height extension kit (950 mm), suitable for TR4110 cookers



BN620-1

Enamelled tray, 20mm deep



#### KITPD

Heigh extension black feet (950 mm) for cookers



# BBQ

Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.



## **STONE**



Rectangular refractory stone. Ideal for cooking pizzas with the same results as a typical wood-fired oven. Can also be used for baking bread, focaccias and other recipes such as pies, flans or biscuits Dimensions:L42 x H1,8 x P37,5 cm.

# PALPZ



Pizza shovel with fold away handle width: 315mm length: 325mm

## **BN640**



Enamelled tray, 40mm deep



## KITC9X9-1

Splashback, 90x75 cm, stainless steel, suitable for Portofino and Symphony cookers

## GTT



\*\*Totally extractable telescopic guides (1 level)\*\* Extraction: 433 mm Material: Stainless steel AISI 430 polished

# SMOLD



Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C



# Symbols glossary

XX	Heavy duty cast iron pan stands: for maximum stability and strength.	A †	A: Product drying performance, measured from A+++ to D / G depending on the product family
	Installation in column: Installation in column	Φ	Knobs control
<b>:::</b>	Air cooling system: to ensure a safe surface temperatures.	**	Defrost by time: with this function the time of thawing of foods are determined automatically.
DIGI screen	The touch timer display or DigiScreen guarantees simple functionality. They display the time, set programmed cooking and the minute minder timer.	3	Triple glazed doors: Number of glazed doors.
	Enamel interior: The enamel interior of all Smeg ovens have a special antacid lining which helps keep the interior clean by reducing the amount of cooking grease adhering to it.	*	Fan assisted base: the mix of fan and lower heating element alone allows to finish cooking foods already cooked on the surface but not internally more quickly. This system is recommended to finish cooking foods that are already well cooked on the surface, but not internally, which therefore require a moderate higher heat. Ideal for any type of food.
	Upper and lower element only: a traditional cooking method best suited for single items located in the centre of the oven. the top pf the oven will always be hottest. Ideal for roast, fruit cakes, bread etc.	$\bigcup$	Lower heating element only: This function is ideal for foods that require extra base temperature without browning, e.g. pastry dishes, pizza. Also suitable for slow cooking of stews and casseroles.
8	Circulaire: The combination of the fan and circular element around it gives a hot air cooking method. This provides many benefits including no preheat if cook time is more than 20 minutes, no flavour transfer when cooking different foods at the same time, less energy, and shorter cook times. Good for all types of food.	ECO	ECO: The combination of the grill, fan and lower element is particularly suitable for cooking small quantities of food.
~	Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.	•••	Half grill: For rapid cooking and browning of foods. Best results can be obtained by using the top shelf for small items, the lower shelves for larger ones, such as chops or sausages. For half grill heat is generated only at the centre of the element, so is ideal for smaller quantities.
<b>€</b>	Fan with grill element: The fan reduces the fierce heat from the grill, providing an excellent method of grilling various foods, chops, steaks, sausages etc. giving even browning and heat distribution, without drying out the food. The top two levels	<u>@</u>	Circulaire with upper and lower elements: The use of the fan with both elements allows food to be cooked quickly and effectively, ideal for large joints that require thorough cooking. It offers a similar result to rotisserie, moving the heat

SMEG SPA 01/09/2024

around the food, instead of moving the food itself,

enabling any size or shape to be cooked.

recommended for use, and the lower part of the

same time, an excellent facility when cooking a grilled breakfast. Half grill (centre portion only) is

oven can be used to keep items warm at the

ideal for small quantities of food.





Gas ovens offer instantaneous heat control, reduced cooking times and the ability to bake at much lower temperatures than electric ovens.



All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.



The inner door glass: can be removed with a few quick movements for cleaning.



Side lights: Two opposing side lights increase visibility inside the oven.



Automatic opening: some models have Automatic opening door when the cycle is finished which is a perfect solution for handle-less kitchen units as no handle is needed. For safety reasons, the door locks automatically when the machine is in use to avoid it being opened inadvertently.



The oven cavity has 4 different cooking levels.



The oven cavity has 5 different cooking levels.



Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.



Electronic control: Allows you to maintain temperature inside the oven with the precision 2-3 °C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.



Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.



Vapor Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.



The capacity indicates the amount of usable space in the oven cavity in litres.



The capacity indicates the amount of usable space in the oven cavity in litres.



# **Benefit**

#### True-convection

The best cooking performances guaranteed by ventilated circular flow.

Multiple fans and heating elements guarantee the perfect aerodynamic heat flow, allowing homogeneous and quicker cooking inside the cavity.

#### Gas hob

Induction offers fast cooking and precise temperature control

Equipped with a thermocouple, the gas supply is cut off if the flame is extinguished for greater safety

## Vapor Clean

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal

By inserting water into a recess at the bottom of the cavity, steam is generated, which softens the residue and facilitates its removal.

## Touch control

Easy and intuitive timer setting with a single touch

## Single turbine

The oven has a fan equipped with a circular heating element allowing cooking with rotating heat

# **Isothermic Cavity**

The best cooking performance at the highest energy efficiency

## Tangential cooling

New cooling system with tangential fan and airflow from the door to the splashback

# Multilevel halogen light

Internal halogen lighting on different levels guarantees excellent visibility

## **Electronic control**

Electronic control for timely temperature management and heat uniformity

## Telescopic guides

Easy extraction and safe insertion of trays into the oven thanks to telescopic guides

## Adjustable height

Cooker top flushed with the working area thanks to adjustable feet



## Removalble inner glass

Internal door glasses are easily removable for complete cleaning

# Multilevel cooking

Several cooking levels allow maximum flexibility of use

## Cold door

During any function, the external door glass is cold, avoiding any risk of burns

## AirFry (AIRFRY optional accessory)

Lighter and tastier food thanks to airfry basket

## BBQ (optional accessory)

Barbeque cooking directly in the oven with the double-sided grill

## Pizza stone (optional accessory)

Baking with refractory stone for soft and crispy pizza and yeast products (STONE optional accessory)

# Storage compartment

More space thanks to the lower compartment, ideal for storing accessories or cooking utensils